

"h2o"

November 6, 2015

R topics documented:

h2o-package	5
aaa	6
apply	6
as.character.Frame	7
as.data.frame.Frame	7
as.factor	8
as.h2o	8
as.matrix.Frame	9
as.numeric	9
as.vector	10
australia	10
colnames	10
dim.Frame	11
dimnames.Frame	11
Frame-Extract	12
h2o.aic	13
h2o.anomaly	13
h2o.anyFactor	14
h2o.assign	15
h2o.auc	15
h2o.betweeness	16
h2o.biases	17
h2o.cbind	17
h2o.centers	18
h2o.centersSTD	18
h2o.centroid_stats	19
h2o.clearLog	19
h2o.clusterInfo	20
h2o.clusterIsUp	20
h2o.clusterStatus	21
h2o.cluster_sizes	21
h2o.coef	22
h2o.coef_norm	22

h2o.confusionMatrix	22
h2o.createFrame	24
h2o.cut	25
h2o.day	26
h2o.dayOfWeek	27
h2o.dct	27
h2o.ddply	28
h2o.deepfeatures	29
h2o.deeplearning	30
h2o.downloadAllLogs	35
h2o.downloadCSV	35
h2o.download_pojo	36
h2o.exportFile	37
h2o.exportHDFS	38
h2o.filterNACols	38
h2o.find_row_by_threshold	39
h2o.find_threshold_by_max_metric	39
h2o.gbm	40
h2o.getConnection	42
h2o.getFrame	43
h2o.getFutureModel	43
h2o.getGrid	43
h2o.getId	44
h2o.getModel	44
h2o.getTimezone	45
h2o.getTypes	45
h2o.getVersion	46
h2o.giniCoef	46
h2o.glm	47
h2o.glm	50
h2o.grid	53
h2o.group_by	54
h2o.gsub	54
h2o.head	55
h2o.hist	56
h2o.hit_ratio_table	56
h2o.hour	57
h2o.ifelse	57
h2o.importFile	58
h2o.impute	60
h2o.init	61
h2o.insertMissingValues	63
h2o.interaction	64
h2o.is_client	65
h2o.killMinus3	66
h2o.kmeans	66
h2o.levels	67
h2o.listTimezones	68

h2o.loadModel	68
h2o.logAndEcho	69
h2o.logloss	69
h2o.ls	70
h2o.makeGLMModel	70
h2o.match	71
h2o.mean	71
h2o.mean_residual_deviance	72
h2o.median	73
h2o.merge	74
h2o.metric	75
h2o.mktime	76
h2o.month	77
h2o.mse	78
h2o.naiveBayes	79
h2o.nchar	80
h2o.networkTest	80
h2o.null_deviance	81
h2o.null_dof	81
h2o.num_iterations	82
h2o.openLog	82
h2o.parseRaw	83
h2o.parseSetup	84
h2o.performance	85
h2o.prcomp	86
h2o.quantile	87
h2o.r2	88
h2o.randomForest	89
h2o.rbind	91
h2o.removeAll	92
h2o.removeVecs	93
h2o.rep_len	93
h2o.residual_deviance	94
h2o.residual_dof	94
h2o.rm	95
h2o.runif	95
h2o.saveModel	96
h2o.scale	97
h2o.scoreHistory	98
h2o.sd	98
h2o.sdev	99
h2o.setLevels	99
h2o.setTimezone	99
h2o.shutdown	100
h2o.splitFrame	101
h2o.startGLMJob	101
h2o.startLogging	103
h2o.stopLogging	104

h2o.strsplit	105
h2o.sub	105
h2o.summary	106
h2o.svd	106
h2o.table	108
h2o.tabulate	109
h2o.tolower	110
h2o.totss	110
h2o.tot_withinss	111
h2o.toupper	111
h2o.trim	112
h2o.var	112
h2o.varimp	113
h2o.week	113
h2o.weights	114
h2o.withinss	114
h2o.year	115
H2OClusteringModel-class	115
H2OConnection-class	116
H2OGrid-class	117
H2OModel-class	118
H2OModelFuture-class	118
H2OModelMetrics-class	119
housevotes	119
iris	120
is.factor	120
is.numeric	121
ModelAccessors	121
na.omit.Frame	122
names.Frame	123
Ops.Frame	123
plot.H2OModel	124
plot.H2OTabulate	126
predict.H2OModel	127
print.Frame	127
print.H2OTable	128
prostate	128
range.Frame	129
str.Frame	129
summary,H2OGrid-method	130
summary,H2OModel-method	130
walking	131

h2o-package

H2O R Interface

Description

This is a package for running H2O via its REST API from within R. To communicate with a H2O instance, the version of the R package must match the version of H2O. When connecting to a new H2O cluster, it is necessary to re-run the initializer.

Details

Package: h2o
Type: Package
Version: 3.6.0.3
Branch: rel-tibshirani
Date: Fri Nov 06 13:08:26 PST 2015
License: Apache License (== 2.0)
Depends: R (>= 2.13.0), RCurl, jsonlite, statmod, tools, methods, utils

This package allows the user to run basic H2O commands using R commands. In order to use it, you must first have H2O running. To run H2O on your local machine, call `h2o.init` without any arguments, and H2O will be automatically launched at `localhost:54321`, where the IP is "127.0.0.1" and the port is 54321. If H2O is running on a cluster, you must provide the IP and port of the remote machine as arguments to the `h2o.init()` call.

H2O supports a number of standard statistical models, such as GLM, K-means, and Random Forest. For example, to run GLM, call `h2o.glm` with the H2O parsed data and parameters (response variable, error distribution, etc...) as arguments. (The operation will be done on the server associated with the data object where H2O is running, not within the R environment).

Note that no actual data is stored in the R workspace; and no actual work is carried out by R. R only saves the named objects, which uniquely identify the data set, model, etc on the server. When the user makes a request, R queries the server via the REST API, which returns a JSON file with the relevant information that R then displays in the console.

If you are using an older version of H2O, use the following porting guide to update your scripts:
[Porting Scripts](#)

Author(s)

Anqi Fu, Tom Kraljevic and Petr Maj, with contributions from the H2O.ai team
Maintainer: Tom Kraljevic <tomk@0xdata.com>

References

- [H2O.ai Homepage](#)
- [H2O Documentation](#)

- [H2O on GitHub](#)

aaa	<i>Starting H2O For examples</i>
-----	----------------------------------

Description

Starting H2O For examples

Examples

```
h2o.init()
```

apply	<i>Apply on H2O Datasets</i>
-------	------------------------------

Description

Method for apply on Frame objects.

Usage

```
apply(X, MARGIN, FUN, ...)
```

Arguments

X	an H2O Frame object on which apply will operate.
MARGIN	the vector on which the function will be applied over, either 1 for rows or 2 for columns.
FUN	the function to be applied.
...	optional arguments to FUN.

Value

Produces a new Frame of the output of the applied function. The output is stored in H2O so that it can be used in subsequent H2O processes.

See Also

[apply](#) for the base generic

Examples

```
h2o.init()
irisPath = system.file("extdata", "iris.csv", package="h2o")
iris.hex = h2o.importFile(path = irisPath, destination_frame = "iris.hex")
summary(apply(iris.hex, 2, sum))
```

as.character.Frame *Convert an H2O Frame to a String*

Description

Convert an H2O Frame to a String

Usage

```
## S3 method for class Frame  
as.character(x, ...)
```

Arguments

x An H2O Frame object
... Further arguments to be passed from or to other methods.

as.data.frame.Frame *Converts a Parsed H2O data into a Data Frame*

Description

Downloads the H2O data and then scans it in to an R data frame.

Usage

```
## S3 method for class Frame  
as.data.frame(x, ...)
```

Arguments

x An H2O Frame object.
... Further arguments to be passed down from other methods.

Examples

```
h2o.init()  
prosPath <- system.file("extdata", "prostate.csv", package="h2o")  
prostate.hex <- h2o.uploadFile(path = prosPath)  
as.data.frame(prostate.hex)
```

as.factor	<i>Convert H2O Data to Factors</i>
-----------	------------------------------------

Description

Convert a column into a factor column.

Usage

```
as.factor(x)
```

Arguments

x a column from an H2O Frame data set.

See Also

[is.factor](#).

Examples

```
h2o.init()
prosPath <- system.file("extdata", "prostate.csv", package="h2o")
prostate.hex <- h2o.uploadFile(path = prosPath)
prostate.hex[,2] <- as.factor(prostate.hex[,2])
summary(prostate.hex)
```

as.h2o	<i>R data.frame -> Frame</i>
--------	---------------------------------

Description

Import a local R data frame to the H2O cloud.

Usage

```
as.h2o(x, destination_frame = "")
```

Arguments

x An R data frame.
destination_frame A string with the desired name for the H2O Frame.

as.matrix.Frame	<i>Convert an H2O Frame to a matrix</i>
-----------------	-----------------------------------------

Description

Convert an H2O Frame to a matrix

Usage

```
## S3 method for class Frame  
as.matrix(x, ...)
```

Arguments

x	An H2O Frame object
...	Further arguments to be passed down from other methods.

as.numeric	<i>Convert H2O Data to Numeric</i>
------------	------------------------------------

Description

Converts an H2O column into a numeric value column.

Usage

```
as.numeric(x)
```

Arguments

x	a column from an H2O Frame data set.
...	Further arguments to be passed from or to other methods.

Examples

```
h2o.init()  
prosPath <- system.file("extdata", "prostate.csv", package="h2o")  
prostate.hex <- h2o.uploadFile(path = prosPath)  
prostate.hex[,2] <- as.factor (prostate.hex[,2])  
prostate.hex[,2] <- as.numeric(prostate.hex[,2])
```

as.vector	<i>Convert an H2O Frame to a vector</i>
-----------	-----------------------------------------

Description

Convert an H2O Frame to a vector

Usage

```
\method{as.vector}{Frame}(x, mode)
```

Arguments

x	An H2O Frame object
mode	Unused

australia	<i>Australia Coastal Data</i>
-----------	-------------------------------

Description

Temperature, soil moisture, runoff, and other environmental measurements from the Australia coast. The data is available from <http://cs.colby.edu/courses/S11/cs251/labs/lab07/AustraliaSubset.csv>.

Format

A data frame with 251 rows and 8 columns

colnames	<i>Returns the column names of a Frame</i>
----------	--------------------------------------------

Description

Returns the column names of a Frame

Usage

```
colnames(x, do.NULL = TRUE, prefix = "col")
```

Arguments

x	An H2O Frame object.
do.NULL	logical. If FALSE and names are NULL, names are created.
prefix	for created names.

dim.Frame	<i>Returns the Dimensions of an H2O Frame</i>
-----------	-----------------------------------------------

Description

Returns the number of rows and columns for a Frame object.

Usage

```
## S3 method for class Frame
dim(x)
```

Arguments

x An H2O Frame object.

See Also

[dim](#) for the base R method.

Examples

```
h2o.init()
iris.hex <- as.h2o(iris)
dim(iris.hex)
```

dimnames.Frame	<i>Column names of an H2O Frame</i>
----------------	-------------------------------------

Description

Column names of an H2O Frame

Usage

```
## S3 method for class Frame
dimnames(x)
```

Arguments

x A Frame

Frame-Extract

Extract or Replace Parts of an H2O Frame Object

Description

Operators to extract or replace parts of Frame objects.

Usage

```
## S3 method for class Frame
data[row, col, drop = TRUE]

## S3 method for class Frame
x$name

## S3 method for class Frame
x[[i, exact = TRUE]]

## S3 method for class Frame
x$name

## S3 method for class Frame
x[[i, exact = TRUE]]

## S3 replacement method for class Frame
data[row, col, ...] <- value

## S3 replacement method for class Frame
data$name <- value

## S3 replacement method for class Frame
data[[name]] <- value
```

Arguments

data	object from which to extract element(s) or in which to replace element(s).
row	index specifying row element(s) to extract or replace. Indices are numeric or character vectors or empty (missing) or will be matched to the names.
col	index specifying column element(s) to extract or replace.
drop	Unused
x	An H2O Frame
name	a literal character string or a name (possibly backtick quoted).
i	index
exact	controls possible partial matching of [] when extracting a character
...	Further arguments passed to or from other methods.

value	To be assigned
-------	----------------

h2o.aic	<i>Retrieve the AIC. If "train", "valid", and "xval" parameters are FALSE (default), then the training AIC value is returned. If more than one parameter is set to TRUE, then a named vector of AICs are returned, where the names are "train", "valid" or "xval".</i>
---------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Description

Retrieve the AIC. If "train", "valid", and "xval" parameters are FALSE (default), then the training AIC value is returned. If more than one parameter is set to TRUE, then a named vector of AICs are returned, where the names are "train", "valid" or "xval".

Usage

```
h2o.aic(object, train = FALSE, valid = FALSE, xval = FALSE, ...)
```

Arguments

object	An H2OModel or H2OModelMetrics .
train	Retrieve the training AIC
valid	Retrieve the validation AIC
xval	Retrieve the cross-validation AIC
...	extra arguments to be passed if 'object' is of type H2OModel (e.g. train=TRUE)

h2o.anomaly	<i>Anomaly Detection via H2O Deep Learning Model</i>
-------------	------------------------------------------------------

Description

Detect anomalies in an H2O dataset using an H2O deep learning model with auto-encoding.

Usage

```
h2o.anomaly(object, data, per_feature = FALSE)
```

Arguments

object	An H2OAutoEncoderModel object that represents the model to be used for anomaly detection.
data	An H2O Frame object.
per_feature	Whether to return the per-feature squared reconstruction error

Value

Returns an H2O Frame object containing the reconstruction MSE or the per-feature squared error.

See Also

[h2o.deeplearning](#) for making an H2OAutoEncoderModel.

Examples

```
library(h2o)
h2o.init()
prosPath = system.file("extdata", "prostate.csv", package = "h2o")
prostate.hex = h2o.importFile(path = prosPath)
prostate.dl = h2o.deeplearning(x = 3:9, training_frame = prostate.hex, autoencoder = TRUE,
                             hidden = c(10, 10), epochs = 5)
prostate.anon = h2o.anomaly(prostate.dl, prostate.hex)
head(prostate.anon)
prostate.anon.per.feature = h2o.anomaly(prostate.dl, prostate.hex, per_feature=TRUE)
head(prostate.anon.per.feature)
```

h2o.anyFactor

Check Frame columns for factors

Description

Determines if any column of an H2O Frame object contains categorical data.

Usage

```
h2o.anyFactor(x)
```

Arguments

x An Frame object.

Value

Returns a logical value indicating whether any of the columns in x are factors.

Examples

```
library(h2o)
h2o.init()
irisPath <- system.file("extdata", "iris_wheader.csv", package="h2o")
iris.hex <- h2o.importFile(path = irisPath)
h2o.anyFactor(iris.hex)
```

h2o.assign	<i>Rename an H2O object.</i>
------------	------------------------------

Description

Makes a copy of the data frame and gives it the desired the key.

Usage

```
h2o.assign(data, key)
```

Arguments

data	An H2O Frame object
key	The hex key to be associated with the H2O parsed data object

h2o.auc	<i>Retrieve the AUC</i>
---------	-------------------------

Description

Retrieves the AUC value from an [H2O Binomial Metrics](#). If "train", "valid", and "xval" parameters are FALSE (default), then the training AUC value is returned. If more than one parameter is set to TRUE, then a named vector of AUCs are returned, where the names are "train", "valid" or "xval".

Usage

```
h2o.auc(object, train = FALSE, valid = FALSE, xval = FALSE, ...)
```

Arguments

object	An H2O Binomial Metrics object.
train	Retrieve the training AUC
valid	Retrieve the validation AUC
xval	Retrieve the cross-validation AUC
...	extra arguments to be passed if 'object' is of type H2O Model (e.g. train=TRUE)

See Also

[h2o.giniCoef](#) for the Gini coefficient, [h2o.mse](#) for MSE, and [h2o.metric](#) for the various threshold metrics. See [h2o.performance](#) for creating H2O Model Metrics objects.

Examples

```

library(h2o)
h2o.init()

prosPath <- system.file("extdata", "prostate.csv", package="h2o")
hex <- h2o.uploadFile(prosPath)

hex[,2] <- as.factor(hex[,2])
model <- h2o.gbm(x = 3:9, y = 2, training_frame = hex, distribution = "bernoulli")
perf <- h2o.performance(model, hex)
h2o.auc(perf)

```

h2o.betweenss	<i>Get the between cluster sum of squares. If "train", "valid", and "xval" parameters are FALSE (default), then the training betweenss value is returned. If more than one parameter is set to TRUE, then a named vector of betweenss' are returned, where the names are "train", "valid" or "xval".</i>
---------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Description

Get the between cluster sum of squares. If "train", "valid", and "xval" parameters are FALSE (default), then the training betweenss value is returned. If more than one parameter is set to TRUE, then a named vector of betweenss' are returned, where the names are "train", "valid" or "xval".

Usage

```
h2o.betweenss(object, train = FALSE, valid = FALSE, xval = FALSE, ...)
```

Arguments

object	An H2OClusteringModel object.
train	Retrieve the training between cluster sum of squares
valid	Retrieve the validation between cluster sum of squares
xval	Retrieve the cross-validation between cluster sum of squares
...	further arguments to be passed on (currently unimplemented)

h2o.biases	<i>Return the respective bias vector</i>
------------	------------------------------------------

Description

Return the respective bias vector

Usage

```
h2o.biases(object, vector_id = 1, ...)
```

Arguments

object	An H2OModel or H2OModelMetrics
vector_id	An integer, ranging from 1 to number of layers + 1, that specifies the bias vector to return.
...	further arguments to be passed to/from this method.

h2o.cbind	<i>Combine H2O Datasets by Columns</i>
-----------	----------------------------------------

Description

Takes a sequence of H2O data sets and combines them by column

Usage

```
h2o.cbind(...)
```

Arguments

...	A sequence of Frame arguments. All datasets must exist on the same H2O instance (IP and port) and contain the same number of rows.
-----	------------------------------------------------------------------------------------------------------------------------------------

Value

An H2O Frame object containing the combined ... arguments column-wise.

See Also

[cbind](#) for the base R method.

Examples

```
library(h2o)
h2o.init()
prosPath <- system.file("extdata", "prostate.csv", package="h2o")
prostate.hex <- h2o.uploadFile(path = prosPath)
prostate.cbind <- h2o.cbind(prostate.hex, prostate.hex)
head(prostate.cbind)
```

h2o.centers	<i>Retrieve the Model Centers</i>
-------------	-----------------------------------

Description

Retrieve the Model Centers

Usage

```
h2o.centers(object, ...)
```

Arguments

object	An H2OClusteringModel object.
...	further arguments to be passed on (currently unimplemented)

h2o.centersSTD	<i>Retrieve the Model Centers STD</i>
----------------	---------------------------------------

Description

Retrieve the Model Centers STD

Usage

```
h2o.centersSTD(object, ...)
```

Arguments

object	An H2OClusteringModel object.
...	further arguments to be passed on (currently unimplemented)

h2o.centroid_stats	<i>Retrieve the centroid statistics If "train", "valid", and "xval" parameters are FALSE (default), then the training centroid stats value is returned. If more than one parameter is set to TRUE, then a named list of centroid stats data frames are returned, where the names are "train", "valid" or "xval".</i>
--------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Description

Retrieve the centroid statistics If "train", "valid", and "xval" parameters are FALSE (default), then the training centroid stats value is returned. If more than one parameter is set to TRUE, then a named list of centroid stats data frames are returned, where the names are "train", "valid" or "xval".

Usage

```
h2o.centroid_stats(object, train = FALSE, valid = FALSE, xval = FALSE,
  ...)
```

Arguments

object	An H2OClusteringModel object.
train	Retrieve the training centroid statistics
valid	Retrieve the validation centroid statistics
xval	Retrieve the cross-validation centroid statistics
...	further arguments to be passed on (currently unimplemented)

h2o.clearLog	<i>Delete All H2O R Logs</i>
--------------	------------------------------

Description

Clear all H2O R command and error response logs from the local disk. Used primarily for debugging purposes.

Usage

```
h2o.clearLog()
```

See Also

[h2o.startLogging](#), [h2o.stopLogging](#), [h2o.openLog](#)

Examples

```
library(h2o)
h2o.init()
h2o.startLogging()
ausPath = system.file("extdata", "australia.csv", package="h2o")
australia.hex = h2o.importFile(path = ausPath)
h2o.stopLogging()
h2o.clearLog()
```

h2o.clusterInfo	<i>Print H2O cluster info</i>
-----------------	-------------------------------

Description

Print H2O cluster info

Usage

```
h2o.clusterInfo()
```

h2o.clusterIsUp	<i>Determine if an H2O cluster is up or not</i>
-----------------	-------------------------------------------------

Description

Determine if an H2O cluster is up or not

Usage

```
h2o.clusterIsUp(conn = h2o.getConnection())
```

Arguments

conn	H2OConnection object
------	----------------------

Value

TRUE if the cluster is up; FALSE otherwise

h2o.clusterStatus	<i>Return the status of the cluster</i>
-------------------	-----------------------------------------

Description

Retrieve information on the status of the cluster running H2O.

Usage

```
h2o.clusterStatus()
```

See Also

[H2OConnection](#), [h2o.init](#)

Examples

```
h2o.init()
h2o.clusterStatus()
```

h2o.cluster_sizes	<i>Retrieve the cluster sizes If "train", "valid", and "xval" parameters are FALSE (default), then the training cluster sizes value is returned. If more than one parameter is set to TRUE, then a named list of cluster size vectors are returned, where the names are "train", "valid" or "xval".</i>
-------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Description

Retrieve the cluster sizes If "train", "valid", and "xval" parameters are FALSE (default), then the training cluster sizes value is returned. If more than one parameter is set to TRUE, then a named list of cluster size vectors are returned, where the names are "train", "valid" or "xval".

Usage

```
h2o.cluster_sizes(object, train = FALSE, valid = FALSE, xval = FALSE, ...)
```

Arguments

object	An H2OClusteringModel object.
train	Retrieve the training cluster sizes
valid	Retrieve the validation cluster sizes
xval	Retrieve the cross-validation cluster sizes
...	further arguments to be passed on (currently unimplemented)

h2o.coef *Retrieve the model coefficients*

Description

Retrieve the model coefficients

Usage

h2o.coef(object)

Arguments

object an [H2OModel](#) object.

h2o.coef_norm *Retrieve the normalized coefficients*

Description

Retrieve the normalized coefficients

Usage

h2o.coef_norm(object)

Arguments

object an [H2OModel](#) object.

h2o.confusionMatrix *Access H2O Confusion Matrices*

Description

Retrieve either a single or many confusion matrices from H2O objects.

Usage

```
h2o.confusionMatrix(object, ...)
```

```
## S4 method for signature H2OModel
```

```
h2o.confusionMatrix(object, newdata, valid = FALSE, ...)
```

```
## S4 method for signature H2OModelMetrics
```

```
h2o.confusionMatrix(object, thresholds = NULL,
  metrics = NULL)
```

Arguments

object	Either an H2OModel object or an H2OModelMetrics object.
...	Extra arguments for extracting train or valid confusion matrices.
newdata	An H2O Frame object that can be scored on. Requires a valid response column.
valid	Retrieve the validation metric.
thresholds	(Optional) A value or a list of valid values between 0.0 and 1.0. This value is only used in the case of H2OBinomialMetrics objects.
metrics	(Optional) A metric or a list of valid metrics ("min_per_class_accuracy", "absolute_MCC", "tnr", "fnr", "fpr", "tpr", "precision", "accuracy", "f0point5", "f2", "f1"). This value is only used in the case of H2OBinomialMetrics objects.

Details

The [H2OModelMetrics](#) version of this function will only take [H2OBinomialMetrics](#) or [H2OMultinomialMetrics](#) objects. If no threshold is specified, all possible thresholds are selected.

Value

Calling this function on [H2OModel](#) objects returns a confusion matrix corresponding to the [predict](#) function. If used on an [H2OBinomialMetrics](#) object, returns a list of matrices corresponding to the number of thresholds specified.

See Also

[predict](#) for generating prediction frames, [h2o.performance](#) for creating [H2OModelMetrics](#).

Examples

```
library(h2o)
h2o.init()
prosPath <- system.file("extdata", "prostate.csv", package="h2o")
hex <- h2o.uploadFile(prosPath)
hex[,2] <- as.factor(hex[,2])
model <- h2o.gbm(x = 3:9, y = 2, training_frame = hex, distribution = "bernoulli")
h2o.confusionMatrix(model, hex)
# Generating a ModelMetrics object
perf <- h2o.performance(model, hex)
h2o.confusionMatrix(perf)
```

h2o.createFrame

*Data Frame Creation in H2O***Description**

Creates a data frame in H2O with real-valued, categorical, integer, and binary columns specified by the user.

Usage

```
h2o.createFrame(rows = 10000, cols = 10, randomize = TRUE, value = 0,
  real_range = 100, categorical_fraction = 0.2, factors = 100,
  integer_fraction = 0.2, integer_range = 100, binary_fraction = 0.1,
  binary_ones_fraction = 0.02, missing_fraction = 0.01,
  response_factors = 2, has_response = FALSE, seed)
```

Arguments

rows	The number of rows of data to generate.
cols	The number of columns of data to generate. Excludes the response column if has_response = TRUE.
randomize	A logical value indicating whether data values should be randomly generated. This must be TRUE if either categorical_fraction or integer_fraction is non-zero.
value	If randomize = FALSE, then all real-valued entries will be set to this value.
real_range	The range of randomly generated real values.
categorical_fraction	The fraction of total columns that are categorical.
factors	The number of (unique) factor levels in each categorical column.
integer_fraction	The fraction of total columns that are integer-valued.
integer_range	The range of randomly generated integer values.
binary_fraction	The fraction of total columns that are binary-valued.
binary_ones_fraction	The fraction of values in a binary column that are set to 1.
missing_fraction	The fraction of total entries in the data frame that are set to NA.
response_factors	If has_response = TRUE, then this is the number of factor levels in the response column.
has_response	A logical value indicating whether an additional response column should be prepended to the final H2O data frame. If set to TRUE, the total number of columns will be cols+1.
seed	A seed used to generate random values when randomize = TRUE.

Value

Returns a Frame object.

Examples

```
library(h2o)
h2o.init()
hex <- h2o.createFrame(rows = 1000, cols = 100, categorical_fraction = 0.1,
                      factors = 5, integer_fraction = 0.5, integer_range = 1,
                      has_response = TRUE)

head(hex)
summary(hex)

hex2 <- h2o.createFrame(rows = 100, cols = 10, randomize = FALSE, value = 5,
                      categorical_fraction = 0, integer_fraction = 0)

summary(hex2)
```

h2o.cut

Cut H2O Numeric Data to Factor

Description

Divides the range of the H2O data into intervals and codes the values according to which interval they fall in. The leftmost interval corresponds to the level one, the next is level two, etc.

Usage

```
h2o.cut(x, breaks, labels = NULL, include.lowest = FALSE, right = TRUE,
       dig.lab = 3, ...)
```

```
## S3 method for class Frame
cut(x, breaks, labels = NULL, include.lowest = FALSE,
    right = TRUE, dig.lab = 3, ...)
```

Arguments

x	An H2O Frame object with numeric columns.
breaks	A numeric vector of two or more unique cut points.
labels	Labels for the levels of the resulting category. By default, labels are constructed using "(a,b)" interval notation.
include.lowest	Logical, indicating if an 'x[i]' equal to the lowest (or highest, for right = FALSE 'breaks' value should be included
right	Logical, indicating if the intervals should be closed on the right (opened on the left) or vice versa.

dig.lab Integer which is used when labels are not given, determines the number of digits used in formatting the break numbers.

... Further arguments passed to or from other methods.

Value

Returns an H2O Frame object containing the factored data with intervals as levels.

Examples

```
library(h2o)
h2o.init()
irisPath <- system.file("extdata", "iris_wheader.csv", package="h2o")
iris.hex <- h2o.uploadFile(path = irisPath, destination_frame = "iris.hex")
summary(iris.hex)

# Cut sepal length column into intervals determined by min/max/quantiles
sepal_len.cut = cut(iris.hex$sepal_len, c(4.2, 4.8, 5.8, 6, 8))
head(sepal_len.cut)
summary(sepal_len.cut)
```

h2o.day

Convert Milliseconds to Day of Month in H2O Datasets

Description

Converts the entries of a Frame object from milliseconds to days of the month (on a 1 to 31 scale).

Usage

```
h2o.day(x)
```

```
day(x)
```

```
## S3 method for class Frame
day(x)
```

Arguments

x An H2O Frame object.

Value

A Frame object containing the entries of x converted to days of the month.

See Also

[h2o.month](#)

h2o.dayOfWeek	<i>Convert Milliseconds to Day of Week in H2O Datasets</i>
---------------	------------------------------------------------------------

Description

Converts the entries of a Frame object from milliseconds to days of the week (on a 0 to 6 scale).

Usage

```
h2o.dayOfWeek(x)
```

```
dayOfWeek(x)
```

```
## S3 method for class Frame
```

```
dayOfWeek(x)
```

Arguments

x An H2O Frame object.

Value

A Frame object containing the entries of x converted to days of the week.

See Also

[h2o.day](#), [h2o.month](#)

h2o.dct	<i>Compute DCT of an H2O Frame</i>
---------	------------------------------------

Description

Compute the Discrete Cosine Transform of every row in the Frame

Usage

```
h2o.dct(data, destination_frame, dimensions, inverse = FALSE)
```

Arguments

data An H2O Frame object representing the dataset to transform

destination_frame

A frame ID for the result

dimensions An array containing the 3 integer values for height, width, depth of each sample. The product of HxWxD must total up to less than the number of columns. For 1D, use c(L,1,1), for 2D, use C(N,M,1).

inverse Whether to perform the inverse transform

Examples

```

library(h2o)
h2o.init()
df <- h2o.createFrame(rows = 1000, cols = 8*16*24,
                      categorical_fraction = 0, integer_fraction = 0, missing_fraction = 0)
df1 <- h2o.dct(data=df, dimensions=c(8*16*24,1,1))
df2 <- h2o.dct(data=df1,dimensions=c(8*16*24,1,1),inverse=TRUE)
max(abs(df1-df2))

df1 <- h2o.dct(data=df, dimensions=c(8*16,24,1))
df2 <- h2o.dct(data=df1,dimensions=c(8*16,24,1),inverse=TRUE)
max(abs(df1-df2))

df1 <- h2o.dct(data=df, dimensions=c(8,16,24))
df2 <- h2o.dct(data=df1,dimensions=c(8,16,24),inverse=TRUE)
max(abs(df1-df2))

```

h2o.ddply

Split H2O Dataset, Apply Function, and Return Results

Description

For each subset of an H2O data set, apply a user-specified function, then combine the results. This is an experimental feature.

Usage

```
h2o.ddply(X, .variables, FUN, ..., .progress = "none")
```

Arguments

X	An H2O Frame object to be processed.
.variables	Variables to split X by, either the indices or names of a set of columns.
FUN	Function to apply to each subset grouping.
...	Additional arguments passed on to FUN.
.progress	Name of the progress bar to use. #TODO: (Currently unimplemented)

Value

Returns a Frame object containing the results from the split/apply operation, arranged

See Also

[ddply](#) for the plyr library implementation.

Examples

```
library(h2o)
h2o.init()

# Import iris dataset to H2O
irisPath <- system.file("extdata", "iris_wheader.csv", package = "h2o")
iris.hex <- h2o.uploadFile(path = irisPath, destination_frame = "iris.hex")
# Add function taking mean of sepal_len column
fun = function(df) { sum(df[,1], na.rm = TRUE)/nrow(df) }
# Apply function to groups by class of flower
# uses h2os ddply, since iris.hex is a Frame object
res = h2o.ddply(iris.hex, "class", fun)
head(res)
```

h2o.deepfeatures *Feature Generation via H2O Deep Learning Model*

Description

Extract the non-linear feature from an H2O data set using an H2O deep learning model.

Usage

```
h2o.deepfeatures(object, data, layer = 1)
```

Arguments

object	An H2OModel object that represents the deep learning model to be used for feature extraction.
data	An H2O Frame object.
layer	Index of the hidden layer to extract.

Value

Returns an H2O Frame object with as many features as the number of units in the hidden layer of the specified index.

See Also

[link{h2o.deepLearning}](#) for making deep learning models.

Examples

```

library(h2o)
h2o.init()
prosPath = system.file("extdata", "prostate.csv", package = "h2o")
prostate.hex = h2o.importFile(path = prosPath)
prostate.dl = h2o.deeplearning(x = 3:9, y = 2, training_frame = prostate.hex,
                             hidden = c(100, 200), epochs = 5)
prostate.deepfeatures_layer1 = h2o.deepfeatures(prostate.dl, prostate.hex, layer = 1)
prostate.deepfeatures_layer2 = h2o.deepfeatures(prostate.dl, prostate.hex, layer = 2)
head(prostate.deepfeatures_layer1)
head(prostate.deepfeatures_layer2)

```

h2o.deeplearning

Build a Deep Learning Neural Network

Description

Performs Deep Learning neural networks on an H2O Frame

Usage

```

h2o.deeplearning(x, y, training_frame, model_id = "",
                overwrite_with_best_model, validation_frame = NULL, checkpoint,
                autoencoder = FALSE, use_all_factor_levels = TRUE,
                activation = c("Rectifier", "Tanh", "TanhWithDropout",
                               "RectifierWithDropout", "Maxout", "MaxoutWithDropout"), hidden = c(200,
                200), epochs = 10, train_samples_per_iteration = -2,
                target_ratio_comm_to_comp = 0.05, seed, adaptive_rate = TRUE,
                rho = 0.99, epsilon = 1e-08, rate = 0.005, rate_annealing = 1e-06,
                rate_decay = 1, momentum_start = 0, momentum_ramp = 1e+06,
                momentum_stable = 0, nesterov_accelerated_gradient = TRUE,
                input_dropout_ratio = 0, hidden_dropout_ratios, l1 = 0, l2 = 0,
                max_w2 = Inf, initial_weight_distribution = c("UniformAdaptive",
                "Uniform", "Normal"), initial_weight_scale = 1, loss = c("Automatic",
                "CrossEntropy", "Quadratic", "Absolute", "Huber"), distribution = c("AUTO",
                "gaussian", "bernoulli", "multinomial", "poisson", "gamma", "tweedie",
                "laplace", "huber"), tweedie_power = 1.5, score_interval = 5,
                score_training_samples, score_validation_samples, score_duty_cycle,
                classification_stop, regression_stop, stopping_rounds = 5,
                stopping_metric = c("AUTO", "deviance", "logloss", "MSE", "AUC", "r2",
                "misclassification"), stopping_tolerance = 0, quiet_mode,
                max_confusion_matrix_size, max_hit_ratio_k, balance_classes = FALSE,
                class_sampling_factors, max_after_balance_size, score_validation_sampling,
                diagnostics, variable_importances, fast_mode, ignore_const_cols,
                force_load_balance, replicate_training_data, single_node_mode,

```

```

shuffle_training_data, sparse, col_major, average_activation, sparsity_beta,
max_categorical_features, reproducible = FALSE,
export_weights_and_biases = FALSE, offset_column = NULL,
weights_column = NULL, nfolds = 0, fold_column = NULL,
fold_assignment = c("AUTO", "Random", "Modulo"),
keep_cross_validation_predictions = FALSE)

```

Arguments

x	A vector containing the character names of the predictors in the model.
y	The name of the response variable in the model.
training_frame	An H2O Frame object containing the variables in the model.
model_id	(Optional) The unique id assigned to the resulting model. If none is given, an id will automatically be generated.
overwrite_with_best_model	Logical. If TRUE, overwrite the final model with the best model found during training. Defaults to TRUE.
validation_frame	An H2O Frame object indicating the validation dataset used to construct the confusion matrix. Defaults to NULL. If left as NULL, this defaults to the training data when nfolds = 0.
checkpoint	"Model checkpoint (either key or H2ODeepLearningModel) to resume training with."
autoencoder	Enable auto-encoder for model building.
use_all_factor_levels	Logical. Use all factor levels of categorical variance. Otherwise the first factor level is omitted (without loss of accuracy). Useful for variable importances and auto-enabled for autoencoder.
activation	A string indicating the activation function to use. Must be either "Tanh", "TanhWithDropout", "Rectifier", "RectifierWithDropout", "Maxout", or "MaxoutWithDropout"
hidden	Hidden layer sizes (e.g. c(100,100))
epochs	How many times the dataset should be iterated (streamed), can be fractional
train_samples_per_iteration	Number of training samples (globally) per MapReduce iteration. Special values are: 0 one epoch; -1 all available data (e.g., replicated training data); or -2 auto-tuning (default)
target_ratio_comm_to_comp	Target ratio of communication overhead to computation. Only for multi-node operation and train_samples_per_iteration=-2 (auto-tuning). Higher values can lead to faster convergence.
seed	Seed for random numbers (affects sampling) - Note: only reproducible when running single threaded
adaptive_rate	Logical. Adaptive learning rate (ADAELTA)

rho	Adaptive learning rate time decay factor (similarity to prior updates)
epsilon	Adaptive learning rate parameter, similar to learn rate annealing during initial training phase. Typical values are between $1.0e-10$ and $1.0e-4$
rate	Learning rate (higher => less stable, lower => slower convergence)
rate_annealing	Learning rate annealing: $(rate)/(1 + rate_{annealing} * samples)$
rate_decay	Learning rate decay factor between layers (N-th layer: $rate * \alpha^{N-1}$)
momentum_start	Initial momentum at the beginning of training (try 0.5)
momentum_ramp	Number of training samples for which momentum increases
momentum_stable	Final momentum after the amp is over (try 0.99)
nesterov_accelerated_gradient	Logical. Use Nesterov accelerated gradient (recommended)
input_dropout_ratio	A fraction of the features for each training row to be omitted from training in order to improve generalization (dimension sampling).
hidden_dropout_ratios	Input layer dropout ratio (can improve generalization) specify one value per hidden layer, defaults to 0.5
l1	L1 regularization (can add stability and improve generalization, causes many weights to become 0)
l2	L2 regularization (can add stability and improve generalization, causes many weights to be small)
max_w2	Constraint for squared sum of incoming weights per unit (e.g. Rectifier)
initial_weight_distribution	Can be "Uniform", "UniformAdaptive", or "Normal"
initial_weight_scale	Uniform: -value ... value, Normal: stddev
loss	Loss function: "Automatic", "CrossEntropy" (for classification only), "Quadratic", "Absolute" (experimental) or "Huber" (experimental)
distribution	A character string. The distribution function of the response. Must be "AUTO", "bernoulli", "multinomial", "poisson", "gamma", "tweedie", "laplace", "huber" or "gaussian"
tweedie_power	Tweedie power (only for Tweedie distribution, must be between 1 and 2)
score_interval	Shortest time interval (in secs) between model scoring
score_training_samples	Number of training set samples for scoring (0 for all)
score_validation_samples	Number of validation set samples for scoring (0 for all)
score_duty_cycle	Maximum duty cycle fraction for scoring (lower: more training, higher: more scoring)
classification_stop	Stopping criterion for classification error fraction on training data (-1 to disable)

regression_stop	Stopping criterion for regression error (MSE) on training data (-1 to disable)
stopping_rounds	Early stopping based on convergence of stopping_metric. Stop if simple moving average of length k of the stopping_metric does not improve (by stopping_tolerance) for k=stopping_rounds scoring events. Can only trigger after at least 2k scoring events. Use 0 to disable.
stopping_metric	Metric to use for convergence checking, only for _stopping_rounds > 0 Can be one of "AUTO", "deviance", "logloss", "MSE", "AUC", "r2", "misclassification".
stopping_tolerance	Relative tolerance for metric-based stopping criterion (if relative improvement is not at least this much, stop)
quiet_mode	Enable quiet mode for less output to standard output
max_confusion_matrix_size	Max. size (number of classes) for confusion matrices to be shown
max_hit_ratio_k	Max number (top K) of predictions to use for hit ratio computation(for multi-class only, 0 to disable)
balance_classes	Balance training data class counts via over/under-sampling (for imbalanced data)
class_sampling_factors	Desired over/under-sampling ratios per class (in lexicographic order). If not specified, sampling factors will be automatically computed to obtain class balance during training. Requires balance_classes.
max_after_balance_size	Maximum relative size of the training data after balancing class counts (can be less than 1.0)
score_validation_sampling	Method used to sample validation dataset for scoring
diagnostics	Enable diagnostics for hidden layers
variable_importances	Compute variable importances for input features (Gedeon method) - can be slow for large networks)
fast_mode	Enable fast mode (minor approximations in back-propagation)
ignore_const_cols	Ignore constant columns (no information can be gained anyway)
force_load_balance	Force extra load balancing to increase training speed for small datasets (to keep all cores busy)
replicate_training_data	Replicate the entire training dataset onto every node for faster training
single_node_mode	Run on a single node for fine-tuning of model parameters

shuffle_training_data	Enable shuffling of training data (recommended if training data is replicated and train_samples_per_iteration is close to $numRows * numNodes$)
sparse	Sparse data handling (more efficient for data with lots of 0 values)
col_major	Use a column major weight matrix for input layer. Can speed up forward propagation, but might slow down backpropagation (Experimental)
average_activation	Average activation for sparse auto-encoder (Experimental)
sparsity_beta	Sparsity regularization (Experimental)
max_categorical_features	Max. number of categorical features, enforced via hashing (Experimental)
reproducible	Force reproducibility on small data (requires setting the seed argument and this will be slow - only uses 1 thread)
export_weights_and_biases	Whether to export Neural Network weights and biases to H2O Frames"
offset_column	Specify the offset column.
weights_column	Specify the weights column.
nfolds	(Optional) Number of folds for cross-validation. If nfolds ≥ 2 , then validation must remain empty.
fold_column	(Optional) Column with cross-validation fold index assignment per observation
fold_assignment	Cross-validation fold assignment scheme, if fold_column is not specified Must be "AUTO", "Random" or "Modulo"
keep_cross_validation_predictions	Whether to keep the predictions of the cross-validation models
...	extra parameters to pass onto functions (not implemented)

See Also

[predict.H2OModel](#) for prediction.

Examples

```
library(h2o)
h2o.init()
iris.hex <- as.h2o(iris)
iris.dl <- h2o.deeplearning(x = 1:4, y = 5, training_frame = iris.hex)

# now make a prediction
predictions <- h2o.predict(iris.dl, iris.hex)
```

h2o.downloadAllLogs *Download H2O Log Files to Disk*

Description

h2o.downloadAllLogs downloads all H2O log files to local disk. Generally used for debugging purposes.

Usage

```
h2o.downloadAllLogs(dirname = ".", filename = NULL)
```

Arguments

dirname	(Optional) A character string indicating the directory that the log file should be saved in.
filename	(Optional) A character string indicating the name that the log file should be saved to.

h2o.downloadCSV *Download H2O Data to Disk*

Description

Download an H2O data set to a CSV file on the local disk

Usage

```
h2o.downloadCSV(data, filename)
```

Arguments

data	an H2O Frame object to be downloaded.
filename	A string indicating the name that the CSV file should be saved to.

Warning

Files located on the H2O server may be very large! Make sure you have enough hard drive space to accomodate the entire file.

Examples

```

library(h2o)
h2o.init()
irisPath <- system.file("extdata", "iris_wheader.csv", package = "h2o")
iris.hex <- h2o.uploadFile(path = irisPath)

myFile <- paste(getwd(), "my_iris_file.csv", sep = .Platform$file.sep)
h2o.downloadCSV(iris.hex, myFile)
file.info(myFile)
file.remove(myFile)

```

h2o.download_pojo *Download the Scoring POJO (Plain Old Java Object) of a H2O Model*

Description

Download the Scoring POJO (Plain Old Java Object) of a H2O Model

Usage

```
h2o.download_pojo(model, path = "", getjar = TRUE)
```

Arguments

model	An H2OModel
path	The path to the directory to store the POJO (no trailing slash). If "", then print to console. The file name will be a compilable java file name.
getjar	Whether to also download the h2o-genmodel.jar file needed to compile the POJO

Value

If path is "", then pretty print the POJO to the console. Otherwise save it to the specified directory.

Examples

```

library(h2o)
h <- h2o.init(nthreads=-1)
fr <- as.h2o(iris)
my_model <- h2o.gbm(x=1:4, y=5, training_frame=fr)

h2o.download_pojo(my_model) # print the model to screen
# h2o.download_pojo(my_model, getwd()) # save the POJO and jar file to the current working
#                                     directory, NOT RUN
# h2o.download_pojo(my_model, getwd(), getjar = FALSE ) # save only the POJO to the current
#                                                         working directory, NOT RUN
h2o.download_pojo(my_model, getwd()) # save to the current working directory

```

h2o.exportFile	<i>Export an H2O Data Frame to a File</i>
----------------	-------------------------------------------

Description

Exports an H2O Frame (which can be either VA or FV) to a file. This file may be on the H2O instace's local filesystem, or to HDFS (preface the path with hdfs://) or to S3N (preface the path with s3n://).

Usage

```
h2o.exportFile(data, path, force = FALSE)
```

Arguments

data	An H2O Frame data frame.
path	The path to write the file to. Must include the directory and filename. May be prefaced with hdfs:// or s3n://. Each row of data appears as line of the file.
force	logical, indicates how to deal with files that already exist.

Details

In the case of existing files `force = TRUE` will overwrite the file. Otherwise, the operation will fail.

Examples

```
## Not run:
library(h2o)
h2o.init()
irisPath <- system.file("extdata", "iris.csv", package = "h2o")
iris.hex <- h2o.uploadFile(path = irisPath)

# These arent real paths
# h2o.exportFile(iris.hex, path = "/path/on/h2o/server/filesystem/iris.csv")
# h2o.exportFile(iris.hex, path = "hdfs://path/in/hdfs/iris.csv")
# h2o.exportFile(iris.hex, path = "s3n://path/in/s3/iris.csv")

## End(Not run)
```

h2o.exportHDFS	<i>Export a Model to HDFS</i>
----------------	-------------------------------

Description

Exports an [H2OModel](#) to HDFS.

Usage

```
h2o.exportHDFS(object, path, force = FALSE)
```

Arguments

object	an H2OModel class object.
path	The path to write the model to. Must include the directory and filename.
force	logical, indicates how to deal with files that already exist.

h2o.filterNACols	<i>Filter NA Columns</i>
------------------	--------------------------

Description

Filter NA Columns

Usage

```
h2o.filterNACols(data, frac = 0.2)
```

Arguments

data	A dataset to filter on.
frac	The threshold of NAs to allow per column (columns \geq this threshold are filtered)

`h2o.find_row_by_threshold`

Find the threshold, give the max metric. No duplicate thresholds allowed

Description

Find the threshold, give the max metric. No duplicate thresholds allowed

Usage

`h2o.find_row_by_threshold(object, threshold)`

Arguments

<code>object</code>	H2OBinomialMetrics
<code>threshold</code>	number between 0 and 1

`h2o.find_threshold_by_max_metric`

Find the threshold, give the max metric

Description

Find the threshold, give the max metric

Usage

`h2o.find_threshold_by_max_metric(object, metric)`

Arguments

<code>object</code>	H2OBinomialMetrics
<code>metric</code>	"F1," for example

Description

Builds gradient boosted classification trees, and gradient boosted regression trees on a parsed data set.

Usage

```
h2o.gbm(x, y, training_frame, model_id, checkpoint, distribution = c("AUTO",
  "gaussian", "bernoulli", "multinomial", "poisson", "gamma", "tweedie"),
  tweedie_power = 1.5, ntrees = 50, max_depth = 5, min_rows = 10,
  learn_rate = 0.1, sample_rate = 1, col_sample_rate = 1, nbins = 20,
  nbins_top_level, nbins_cats = 1024, validation_frame = NULL,
  balance_classes = FALSE, max_after_balance_size = 1, seed,
  build_tree_one_node = FALSE, nfolds = 0, fold_column = NULL,
  fold_assignment = c("AUTO", "Random", "Modulo"),
  keep_cross_validation_predictions = FALSE, score_each_iteration = FALSE,
  stopping_rounds = 0, stopping_metric = c("AUTO", "deviance", "logloss",
  "MSE", "AUC", "r2", "misclassification"), stopping_tolerance = 0.001,
  offset_column = NULL, weights_column = NULL)
```

Arguments

x	A vector containing the names or indices of the predictor variables to use in building the GBM model.
y	The name or index of the response variable. If the data does not contain a header, this is the column index number starting at 0, and increasing from left to right. (The response must be either an integer or a categorical variable).
training_frame	An H2O Frame object containing the variables in the model.
model_id	(Optional) The unique id assigned to the resulting model. If none is given, an id will automatically be generated.
checkpoint	"Model checkpoint (either key or H2ODeepLearningModel) to resume training with."
distribution	A character string. The distribution function of the response. Must be "AUTO", "bernoulli", "multinomial", "poisson", "gamma", "tweedie" or "gaussian"
tweedie_power	Tweedie power (only for Tweedie distribution, must be between 1 and 2)
ntrees	A nonnegative integer that determines the number of trees to grow.
max_depth	Maximum depth to grow the tree.
min_rows	Minimum number of rows to assign to terminal nodes.
learn_rate	Learning rate (from 0.0 to 1.0)
sample_rate	Row sample rate (from 0.0 to 1.0)

col_sample_rate	Column sample rate (from 0.0 to 1.0)
nbins	For numerical columns (real/int), build a histogram of (at least) this many bins, then split at the best point.
nbins_top_level	For numerical columns (real/int), build a histogram of (at most) this many bins at the root level, then decrease by factor of two per level.
nbins_cats	For categorical columns (factors), build a histogram of this many bins, then split at the best point. Higher values can lead to more overfitting.
validation_frame	An H2O Frame object indicating the validation dataset used to construct the confusion matrix. Defaults to NULL. If left as NULL, this defaults to the training data when n_folds = 0.
balance_classes	logical, indicates whether or not to balance training data class counts via over/under-sampling (for imbalanced data).
max_after_balance_size	Maximum relative size of the training data after balancing class counts (can be less than 1.0). Ignored if balance_classes is FALSE, which is the default behavior.
seed	Seed for random numbers (affects sampling).
build_tree_one_node	Run on one node only; no network overhead but fewer cpus used. Suitable for small datasets.
n_folds	(Optional) Number of folds for cross-validation. If n_folds >= 2, then validation must remain empty.
fold_column	(Optional) Column with cross-validation fold index assignment per observation
fold_assignment	Cross-validation fold assignment scheme, if fold_column is not specified Must be "AUTO", "Random" or "Modulo".
keep_cross_validation_predictions	Whether to keep the predictions of the cross-validation models
score_each_iteration	Attempts to score each tree.
stopping_rounds	Early stopping based on convergence of stopping_metric. Stop if simple moving average of length k of the stopping_metric does not improve (by stopping_tolerance) for k=stopping_rounds scoring events. Can only trigger after at least 2k scoring events. Use 0 to disable.
stopping_metric	Metric to use for convergence checking, only for _stopping_rounds > 0 Can be one of "AUTO", "deviance", "logloss", "MSE", "AUC", "r2", "misclassification".
stopping_tolerance	Relative tolerance for metric-based stopping criterion (if relative improvement is not at least this much, stop)

offset_column Specify the offset column.
weights_column Specify the weights column.

Details

The default distribution function will guess the model type based on the response column type. In order to run properly, the response column must be an numeric for "gaussian" or an enum for "bernoulli" or "multinomial".

See Also

[predict.H2OModel](#) for prediction.

Examples

```
library(h2o)
h2o.init()

# Run regression GBM on australia.hex data
ausPath <- system.file("extdata", "australia.csv", package="h2o")
australia.hex <- h2o.uploadFile(path = ausPath)
independent <- c("premax", "salmax", "minairtemp", "maxairtemp", "maxsst",
                "maxsoilmoist", "Max_czcs")
dependent <- "runoffnew"
h2o.gbm(y = dependent, x = independent, training_frame = australia.hex,
        ntrees = 3, max_depth = 3, min_rows = 2)
```

h2o.getConnection	<i>Retrieve an H2O Connection</i>
-------------------	-----------------------------------

Description

Attempt to recover an h2o connection.

Usage

```
h2o.getConnection()
```

Value

Returns an [H2OConnection](#) object.

h2o.getFrame	<i>Get an R Reference to an H2O Dataset, that will NOT be GC'd by default</i>
--------------	-------------------------------------------------------------------------------

Description

Get the reference to a frame with the given id in the H2O instance.

Usage

```
h2o.getFrame(id)
```

Arguments

id	A string indicating the unique frame of the dataset to retrieve.
----	------------------------------------------------------------------

h2o.getFutureModel	<i>Get future model</i>
--------------------	-------------------------

Description

Get future model

Usage

```
h2o.getFutureModel(object)
```

Arguments

object	H2OModel
--------	----------

h2o.getGrid	<i>Get a grid object from H2O distributed K/V store.</i>
-------------	----------------------------------------------------------

Description

Get a grid object from H2O distributed K/V store.

Usage

```
h2o.getGrid(grid_id)
```

Arguments

grid_id	ID of existing grid object to fetch
---------	-------------------------------------

Examples

```

library(h2o)
library(jsonlite)
h2o.init()
iris.hex <- as.h2o(iris)
h2o.grid("gbm", grid_id = "gbm_grid_id", x = c(1:4), y = 5,
        training_frame = iris.hex, hyper_params = list(ntrees = c(1,2,3)))
grid <- h2o.getGrid("gbm_grid_id")
# Get grid summary
summary(grid)
# Fetch grid models
model_ids <- grid@model_ids
models <- lapply(model_ids, function(id) { h2o.getModel(id)})

```

h2o.getId	<i>Get back-end distributed key/value store id from a Frame.</i>
-----------	------------------------------------------------------------------

Description

Get back-end distributed key/value store id from a Frame.

Usage

```
h2o.getId(x)
```

Arguments

x	A Frame
---	---------

Value

The id

h2o.getModel	<i>Get an R reference to an H2O model</i>
--------------	-------------------------------------------

Description

Returns a reference to an existing model in the H2O instance.

Usage

```
h2o.getModel(model_id)
```

Arguments

model_id A string indicating the unique model_id of the model to retrieve.

Value

Returns an object that is a subclass of [H2OModel](#).

Examples

```
library(h2o)
h2o.init()

iris.hex <- as.h2o(iris, "iris.hex")
model_id <- h2o.gbm(x = 1:4, y = 5, training_frame = iris.hex)@model_id
model.retrieved <- h2o.getModel(model_id)
```

h2o.getTimezone *Get the Time Zone on the H2O Cloud Returns a string*

Description

Get the Time Zone on the H2O Cloud Returns a string

Usage

```
h2o.getTimezone()
```

h2o.getTypes *Get the types-per-column*

Description

Get the types-per-column

Usage

```
h2o.getTypes(x)
```

Arguments

x A Frame

Value

A list of types

h2o.getVersion	<i>Get h2o version</i>
----------------	------------------------

Description

Get h2o version

Usage

```
h2o.getVersion()
```

h2o.giniCoef	<i>Retrieve the GINI Coefficient</i>
--------------	--------------------------------------

Description

Retrieves the GINI coefficient from an [H2OBinomialMetrics](#). If "train", "valid", and "xval" parameters are FALSE (default), then the training GINI value is returned. If more than one parameter is set to TRUE, then a named vector of GINIs are returned, where the names are "train", "valid" or "xval".

Usage

```
h2o.giniCoef(object, train = FALSE, valid = FALSE, xval = FALSE, ...)
```

Arguments

object	an H2OBinomialMetrics object.
train	Retrieve the training GINI Coefficient
valid	Retrieve the validation GINI Coefficient
xval	Retrieve the cross-validation GINI Coefficient
...	extra arguments to be passed if 'object' is of type H2OModel (e.g. train=TRUE)

See Also

[h2o.auc](#) for AUC, [h2o.giniCoef](#) for the GINI coefficient, and [h2o.metric](#) for the various. See [h2o.performance](#) for creating H2OModelMetrics objects. threshold metrics.

Examples

```

library(h2o)
h2o.init()

prosPath <- system.file("extdata", "prostate.csv", package="h2o")
hex <- h2o.uploadFile(prosPath)

hex[,2] <- as.factor(hex[,2])
model <- h2o.gbm(x = 3:9, y = 2, training_frame = hex, distribution = "bernoulli")
perf <- h2o.performance(model, hex)
h2o.giniCoef(perf)

```

h2o.glm

*H2O Generalized Linear Models***Description**

Fit a generalized linear model, specified by a response variable, a set of predictors, and a description of the error distribution.

Usage

```

h2o.glm(x, y, training_frame, model_id, validation_frame = NULL,
  max_iterations = 50, beta_epsilon = 0, solver = c("IRLSM", "L_BFGS"),
  standardize = TRUE, family = c("gaussian", "binomial", "poisson", "gamma",
  "tweedie"), link = c("family_default", "identity", "logit", "log",
  "inverse", "tweedie"), tweedie_variance_power = NaN,
  tweedie_link_power = NaN, alpha = 0.5, prior = 0, lambda = 1e-05,
  lambda_search = FALSE, n_lambdas = -1, lambda_min_ratio = -1,
  nfolds = 0, fold_column = NULL, fold_assignment = c("AUTO", "Random",
  "Modulo"), keep_cross_validation_predictions = FALSE,
  beta_constraints = NULL, offset_column = NULL, weights_column = NULL,
  intercept = TRUE, max_active_predictors = -1)

```

Arguments

x	A vector containing the names or indices of the predictor variables to use in building the GLM model.
y	A character string or index that represent the response variable in the model.
training_frame	An H2O Frame object containing the variables in the model.
model_id	(Optional) The unique id assigned to the resulting model. If none is given, an id will automatically be generated.
validation_frame	An H2O Frame object containing the variables in the model. Defaults to NULL.

max_iterations	A non-negative integer specifying the maximum number of iterations.
beta_epsilon	A non-negative number specifying the magnitude of the maximum difference between the coefficient estimates from successive iterations. Defines the convergence criterion for h2o.glm.
solver	A character string specifying the solver used: IRLSM (supports more features), L_BFGS (scales better for datasets with many columns)
standardize	A logical value indicating whether the numeric predictors should be standardized to have a mean of 0 and a variance of 1 prior to training the models.
family	A character string specifying the distribution of the model: gaussian, binomial, poisson, gamma, tweedie.
link	A character string specifying the link function. The default is the canonical link for the family. The supported links for each of the family specifications are: "gaussian": "identity", "log", "inverse" "binomial": "logit", "log" "poisson": "log", "identity" "gamma": "inverse", "log", "identity" "tweedie": "tweedie"
tweedie_variance_power	A numeric specifying the power for the variance function when family = "tweedie".
tweedie_link_power	A numeric specifying the power for the link function when family = "tweedie".
alpha	A numeric in [0, 1] specifying the elastic-net mixing parameter. The elastic-net penalty is defined to be: $P(\alpha, \beta) = (1 - \alpha)/2 \ \beta\ _2^2 + \alpha \ \beta\ _1 = \sum_j [(1 - \alpha)/2\beta_j^2 + \alpha \beta_j]$, making alpha = 1 the lasso penalty and alpha = 0 the ridge penalty.
prior	(Optional) A numeric specifying the prior probability of class 1 in the response when family = "binomial". The default prior is the observational frequency of class 1.
lambda	A non-negative shrinkage parameter for the elastic-net, which multiplies $P(\alpha, \beta)$ in the objective function. When lambda = 0, no elastic-net penalty is applied and ordinary generalized linear models are fit.
lambda_search	A logical value indicating whether to conduct a search over the space of lambda values starting from the lambda max, given lambda is interpreted as lambda min.
nlambdas	The number of lambda values to use when lambda_search = TRUE.
lambda_min_ratio	Smallest value for lambda as a fraction of lambda.max. By default if the number of observations is greater than the the number of variables then lambda_min_ratio = 0.0001; if the number of observations is less than the number of variables then lambda_min_ratio = 0.01.
nfolds	(Optional) Number of folds for cross-validation. If nfolds >= 2, then validation must remain empty.

fold_column	(Optional) Column with cross-validation fold index assignment per observation
fold_assignment	Cross-validation fold assignment scheme, if fold_column is not specified Must be "AUTO", "Random" or "Modulo"
keep_cross_validation_predictions	Whether to keep the predictions of the cross-validation models.
beta_constraints	A data.frame or H2OParsedData object with the columns ["names", "lower_bounds", "upper_bounds", "beta_given"], where each row corresponds to a predictor in the GLM. "names" contains the predictor names, "lower_bounds" and "upper_bounds" are the lower and upper bounds of beta, and "beta_given" is some supplied starting values for beta.
offset_column	Specify the offset column.
weights_column	Specify the weights column.
intercept	Logical, include constant term (intercept) in the model
max_active_predictors	(Optional) Convergence criteria for number of predictors when using L1 penalty.
...	(Currently Unimplemented) coefficients.

Value

A subclass of `H2OModel` is returned. The specific subclass depends on the machine learning task at hand (if it's binomial classification, then an `H2OBinomialModel` is returned, if it's regression then a `H2ORegressionModel` is returned). The default print-out of the models is shown, but further GLM-specific information can be queried out of the object. To access these various items, please refer to the `sealso` section below.

Upon completion of the GLM, the resulting object has coefficients, normalized coefficients, residual/null deviance, aic, and a host of model metrics including MSE, AUC (for logistic regression), degrees of freedom, and confusion matrices. Please refer to the more in-depth GLM documentation available here: <http://h2o-release.s3.amazonaws.com/h2o-dev/rel-shannon/2/docs-website/h2o-docs/index.html#Data+Science+Algorithms-GLM>,

See Also

`predict.H2OModel` for prediction, `h2o.mse`, `h2o.auc`, `h2o.confusionMatrix`, `h2o.performance`, `h2o.giniCoef`, `h2o.logloss`, `h2o.varimp`, `h2o.scoreHistory`

Examples

```
h2o.init()

# Run GLM of CAPSULE ~ AGE + RACE + PSA + DCAPS
prostatePath = system.file("extdata", "prostate.csv", package = "h2o")
prostate.hex = h2o.importFile(path = prostatePath, destination_frame = "prostate.hex")
h2o.glm(y = "CAPSULE", x = c("AGE", "RACE", "PSA", "DCAPS"), training_frame = prostate.hex,
        family = "binomial", nfolds = 0, alpha = 0.5, lambda_search = FALSE)
```

```
# Run GLM of VOL ~ CAPSULE + AGE + RACE + PSA + GLEASON
myX = setdiff(colnames(prostate.hex), c("ID", "DPROS", "DCAPS", "VOL"))
h2o.glm(y = "VOL", x = myX, training_frame = prostate.hex, family = "gaussian",
        nfolds = 0, alpha = 0.1, lambda_search = FALSE)

# GLM variable importance
# Also see:
# https://github.com/h2oai/h2o/blob/master/R/tests/testdir_demos/runit_demo_VI_all_algos.R
data.hex = h2o.importFile(
  path = "https://s3.amazonaws.com/h2o-public-test-data/smalldata/demos/bank-additional-full.csv",
  destination_frame = "data.hex")
myX = 1:20
myY="y"
my.glm = h2o.glm(x=myX, y=myY, training_frame=data.hex, family="binomial", standardize=TRUE,
                 lambda_search=TRUE)
```

h2o.glm

Generalized Low Rank Model

Description

Generalized low rank decomposition of a H2O dataset.

Usage

```
h2o.glm(training_frame, cols, k, model_id, validation_frame, loading_name,
        ignore_const_cols, transform = c("NONE", "DEMEAN", "DESCALE", "STANDARDIZE",
        "NORMALIZE"), loss = c("Quadratic", "L1", "Huber", "Poisson", "Hinge",
        "Logistic"), multi_loss = c("Categorical", "Ordinal"), loss_by_col = NULL,
        loss_by_col_idx = NULL, regularization_x = c("None", "Quadratic", "L2",
        "L1", "NonNegative", "OneSparse", "UnitOneSparse", "Simplex"),
        regularization_y = c("None", "Quadratic", "L2", "L1", "NonNegative",
        "OneSparse", "UnitOneSparse", "Simplex"), gamma_x = 0, gamma_y = 0,
        max_iterations = 1000, init_step_size = 1, min_step_size = 0.001,
        init = c("Random", "PlusPlus", "SVD"), svd_method = c("GramSVD", "Power",
        "Randomized"), user_y = NULL, user_x = NULL, expand_user_y = TRUE,
        impute_original = FALSE, recover_svd = FALSE, seed)
```

Arguments

training_frame	An H2O Frame object containing the variables in the model.
cols	(Optional) A vector containing the data columns on which k-means operates.
k	The rank of the resulting decomposition. This must be between 1 and the number of columns in the training frame, inclusive.
model_id	(Optional) The unique id assigned to the resulting model. If none is given, an id will automatically be generated.

validation_frame	An H2O Frame object containing the variables in the model.
loading_name	(Optional) The unique name assigned to the loading matrix X in the XY decomposition. Automatically generated if none is provided.
ignore_const_cols	(Optional) A logical value indicating whether to ignore constant columns in the training frame. A column is constant if all of its non-missing values are the same value.
transform	A character string that indicates how the training data should be transformed before running PCA. Possible values are "NONE": for no transformation, "DEMEAN": for subtracting the mean of each column, "DESCALE": for dividing by the standard deviation of each column, "STANDARDIZE": for demeaning and descaling, and "NORMALIZE": for demeaning and dividing each column by its range (max - min).
loss	A character string indicating the default loss function for numeric columns. Possible values are "Quadratic" (default), "L1", "Huber", "Poisson", "Hinge" and "Logistic".
multi_loss	A character string indicating the default loss function for enum columns. Possible values are "Categorical" and "Ordinal".
loss_by_col	A vector of strings indicating the loss function for specific columns by corresponding index in loss_by_col_idx. Will override loss for numeric columns and multi_loss for enum columns.
loss_by_col_idx	A vector of column indices to which the corresponding loss functions in loss_by_col are assigned. Must be zero indexed.
regularization_x	A character string indicating the regularization function for the X matrix. Possible values are "None" (default), "Quadratic", "L2", "L1", "NonNegative", "OneSparse", "UnitOneSparse", and "Simplex".
regularization_y	A character string indicating the regularization function for the Y matrix. Possible values are "None" (default), "Quadratic", "L2", "L1", "NonNegative", "OneSparse", "UnitOneSparse", and "Simplex".
gamma_x	The weight on the X matrix regularization term.
gamma_y	The weight on the Y matrix regularization term.
max_iterations	The maximum number of iterations to run the optimization loop. Each iteration consists of an update of the X matrix, followed by an update of the Y matrix.
init_step_size	Initial step size. Divided by number of columns in the training frame when calculating the proximal gradient update. The algorithm begins at init_step_size and decreases the step size at each iteration until a termination condition is reached.
min_step_size	Minimum step size upon which the algorithm is terminated.
init	A character string indicating how to select the initial Y matrix. Possible values are "Random": for initialization to a random array from the standard normal distribution, "PlusPlus": for initialization using the clusters from k-means++

	initialization, or "SVD": for initialization using the first k right singular vectors. Additionally, the user may specify the initial Y as a matrix, data.frame, Frame, or list of vectors.
svd_method	(Optional) A character string that indicates how SVD should be calculated during initialization. Possible values are "GramSVD": distributed computation of the Gram matrix followed by a local SVD using the JAMA package, "Power": computation of the SVD using the power iteration method, "Randomized": (default) approximate SVD by projecting onto a random subspace (see references).
user_y	(Optional) A matrix, data.frame, Frame, or list of vectors specifying the initial Y. Only used when init = "User". The number of rows must equal k.
user_x	(Optional) A matrix, data.frame, Frame, or list of vectors specifying the initial X. Only used when init = "User". The number of columns must equal k.
expand_user_y	A logical value indicating whether the categorical columns of user_y should be one-hot expanded. Only used when init = "User" and user_y is specified.
impute_original	A logical value indicating whether to reconstruct the original training data by reversing the transformation during prediction. Model metrics are calculated with respect to the original data.
recover_svd	A logical value indicating whether the singular values and eigenvectors should be recovered during post-processing of the generalized low rank decomposition.
seed	(Optional) Random seed used to initialize the X and Y matrices.

Value

Returns an object of class [H2ODimReductionModel](#).

References

M. Udell, C. Horn, R. Zadeh, S. Boyd (2014). Generalized Low Rank Models[<http://arxiv.org/abs/1410.0342>]. Unpublished manuscript, Stanford Electrical Engineering Department. N. Halko, P.G. Martinsson, J.A. Tropp. Finding structure with randomness: Probabilistic algorithms for constructing approximate matrix decompositions[<http://arxiv.org/abs/0909.4061>]. SIAM Rev., Survey and Review section, Vol. 53, num. 2, pp. 217-288, June 2011.

See Also

[h2o.kmeans](#), [h2o.svd](#), [h2o.prcomp](#)

Examples

```
library(h2o)
h2o.init()
ausPath <- system.file("extdata", "australia.csv", package="h2o")
australia.hex <- h2o.uploadFile(path = ausPath)
h2o.glm(training_frame = australia.hex, k = 5, loss = "Quadratic", regularization_x = "L1",
        gamma_x = 0.5, gamma_y = 0, max_iterations = 1000)
```

h2o.grid

*H2O Grid Support***Description**

Provides a set of functions to launch a grid search and get its results.

Usage

```
h2o.grid(algorithm, grid_id, ..., hyper_params = list(),
         is_supervised = NULL, do_hyper_params_check = FALSE)
```

Arguments

algorithm	name of algorithm to use in grid search (gbm, randomForest, kmeans, glm, deeplearning, naivebayes, pca)
grid_id	optional id for resulting grid search, if it is not specified then it is autogenerated
...	arguments describing parameters to use with algorithm (i.e., x, y, training_frame). Look at the specific algorithm - h2o.gbm, h2o.glm, h2o.kmeans, h2o.deepLearning
hyper_params	list of hyper parameters (i.e., list(ntrees=c(1,2), max_depth=c(5,7)))
is_supervised	if specified then override default heuristic which decide if given algorithm name and parameters specify super/unsupervised algorithm.
do_hyper_params_check	perform client check for specified hyper parameters. It can be time expensive for large hyper space

Details

Launch grid search with given algorithm and parameters.

Examples

```
library(h2o)
library(jsonlite)
h2o.init()
iris.hex <- as.h2o(iris)
grid <- h2o.grid("gbm", x = c(1:4), y = 5, training_frame = iris.hex,
               hyper_params = list(ntrees = c(1,2,3)))
# Get grid summary
summary(grid)
# Fetch grid models
model_ids <- grid@model_ids
models <- lapply(model_ids, function(id) { h2o.getModel(id)})
```

h2o.group_by	<i>Group and Apply by Column</i>
--------------	----------------------------------

Description

Performs a group by and apply similar to ddply.

Usage

```
h2o.group_by(data, by, ..., gb.control = list(na.methods = NULL, col.names =
  NULL))
```

Arguments

data	an H2O Frame object.
by	a list of column names
gb.control	a list of how to handle NA values in the dataset as well as how to name output columns. See <i>Details:</i> for more help.
...	any supported aggregate function.

Details

In the case of `na.methods` within `gb.control`, there are three possible settings. "all" will include NAs in computation of functions. "rm" will completely remove all NA fields. "ignore" will remove NAs from the numerator but keep the rows for computational purposes. If a list smaller than the number of columns groups is supplied, the list will be padded by "ignore".

Similar to `na.methods`, `col.names` will pad the list with the default column names if the length is less than the number of columns groups supplied.

Value

Returns a new Frame object with columns equivalent to the number of groups created

h2o.gsub	<i>String Global Substitute</i>
----------	---------------------------------

Description

Creates a copy of the target column in which each string has all occurrence of the regex pattern replaced with the replacement substring.

Usage

```
h2o.gsub(pattern, replacement, x, ignore.case = FALSE)
```

Arguments

pattern	The pattern to replace.
replacement	The replacement pattern.
x	The column on which to operate.
ignore.case	Case sensitive or not

h2o.head	<i>Return the Head or Tail of an H2O Dataset.</i>
----------	---------------------------------------------------

Description

Returns the first or last rows of an H2O Frame object.

Usage

```
h2o.head(x, ..., n = 6L)

## S3 method for class Frame
head(x, ..., n = 6L)

h2o.tail(x, ..., n = 6L)

## S3 method for class Frame
tail(x, ..., n = 6L)
```

Arguments

x	An H2O Frame object.
...	Further arguments passed to or from other methods.
n	(Optional) A single integer. If positive, number of rows in x to return. If negative, all but the n first/last number of rows in x.

Value

A Frame containing the first or last n rows of an H2O Frame object.

Examples

```
library(h2o)
h2o.init(ip = "localhost", port = 54321, startH2O = TRUE)
ausPath <- system.file("extdata", "australia.csv", package="h2o")
australia.hex <- h2o.uploadFile(path = ausPath)
head(australia.hex, 10)
tail(australia.hex, 10)
```

h2o.hist	<i>Compute A Histogram</i>
----------	----------------------------

Description

Compute a histogram over a numeric column. If breaks=="FD", the MAD is used over the IQR in computing bin width. Note that we do not beautify the breakpoints as R does.

Usage

```
h2o.hist(x, breaks = "Sturges", plot = TRUE)
```

Arguments

x	A single numeric column from an H2O Frame.
breaks	Can be one of the following: A string: "Sturges", "Rice", "sqrt", "Doane", "FD", "Scott" A single number for the number of breaks splitting the range of the vec into number of breaks bins of equal width A vector of numbers giving the split points, e.g., c(-50,213.2123,9324834)
plot	A logical value indicating whether or not a plot should be generated (default is TRUE).

h2o.hit_ratio_table	<i>Retrieve the Hit Ratios If "train", "valid", and "xval" parameters are FALSE (default), then the training Hit Ratios value is returned. If more than one parameter is set to TRUE, then a named list of Hit Ratio tables are returned, where the names are "train", "valid" or "xval".</i>
---------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Description

Retrieve the Hit Ratios If "train", "valid", and "xval" parameters are FALSE (default), then the training Hit Ratios value is returned. If more than one parameter is set to TRUE, then a named list of Hit Ratio tables are returned, where the names are "train", "valid" or "xval".

Usage

```
h2o.hit_ratio_table(object, train = FALSE, valid = FALSE, xval = FALSE,
  ...)
```

Arguments

object	An H2OModel object.
train	Retrieve the training Hit Ratio
valid	Retrieve the validation Hit Ratio
xval	Retrieve the cross-validation Hit Ratio
...	further arguments to be passed on (currently unimplemented)

h2o.hour	<i>Convert Milliseconds to Hour of Day in H2O Datasets</i>
----------	------------------------------------------------------------

Description

Converts the entries of a Frame object from milliseconds to hours of the day (on a 0 to 23 scale).

Usage

```
h2o.hour(x)
```

```
hour(x)
```

```
## S3 method for class Frame
hour(x)
```

Arguments

x An H2O Frame object.

Value

A Frame object containing the entries of x converted to hours of the day.

See Also

[h2o.day](#)

h2o.ifelse	<i>H2O Apply Conditional Statement</i>
------------	----------------------------------------

Description

Applies conditional statements to numeric vectors in H2O parsed data objects when the data are numeric.

Usage

```
h2o.ifelse(test, yes, no)
```

```
ifelse(test, yes, no)
```

Arguments

test A logical description of the condition to be met (>, <, =, etc...)
 yes The value to return if the condition is TRUE.
 no The value to return if the condition is FALSE.

Details

Only numeric values can be tested, and only numeric results can be returned for either condition. Categorical data is not currently supported for this function and returned values cannot be categorical in nature.

Value

Returns a vector of new values matching the conditions stated in the `ifelse` call.

Examples

```
h2o.init()
ausPath = system.file("extdata", "australia.csv", package="h2o")
australia.hex = h2o.importFile(path = ausPath)
australia.hex[,9] <- ifelse(australia.hex[,3] < 279.9, 1, 0)
summary(australia.hex)
```

h2o.importFile	<i>Import Files into H2O</i>
----------------	------------------------------

Description

Imports files into an H2O cloud. The default behavior is to pass-through to the parse phase automatically.

Usage

```
h2o.importFolder(path, pattern = "", destination_frame = "", parse = TRUE,
  header = NA, sep = "", col.names = NULL, col.types = NULL,
  na.strings = NULL)
```

```
h2o.importURL(path, destination_frame = "", parse = TRUE, header = NA,
  sep = "", col.names = NULL, na.strings = NULL)
```

```
h2o.importHDFS(path, pattern = "", destination_frame = "", parse = TRUE,
  header = NA, sep = "", col.names = NULL, na.strings = NULL)
```

```
h2o.uploadFile(path, destination_frame = "", parse = TRUE, header = NA,
  sep = "", col.names = NULL, col.types = NULL, na.strings = NULL,
  progressBar = FALSE, parse_type = NULL)
```

Arguments

path	The complete URL or normalized file path of the file to be imported. Each row of data appears as one line of the file.
pattern	(Optional) Character string containing a regular expression to match file(s) in the folder.
destination_frame	(Optional) The unique hex key assigned to the imported file. If none is given, a key will automatically be generated based on the URL path.
parse	(Optional) A logical value indicating whether the file should be parsed after import.
header	(Optional) A logical value indicating whether the first line of the file contains column headers. If left empty, the parser will try to automatically detect this.
sep	(Optional) The field separator character. Values on each line of the file are separated by this character. If sep = "", the parser will automatically detect the separator.
col.names	(Optional) A Frame object containing a single delimited line with the column names for the file.
col.types	(Optional) A vector to specify whether columns should be forced to a certain type upon import parsing.
na.strings	(Optional) H2O will interpret these strings as missing.
progressBar	(Optional) When FALSE, tell H2O parse call to block synchronously instead of polling. This can be faster for small datasets but loses the progress bar.
parse_type	(Optional) Specify which parser type H2O will use. Valid types are "ARFF", "XLS", "CSV", "SVMLight"

Details

Other than `h2o.uploadFile`, if the given path is relative, then it will be relative to the start location of the H2O instance. Additionally, the file must be on the same machine as the H2O cloud. In the case of `h2o.uploadFile`, a relative path will resolve relative to the working directory of the current R session.

Import an entire directory of files. If the given path is relative, then it will be relative to the start location of the H2O instance. The default behavior is to pass-through to the parse phase automatically.

`h2o.importURL` and `h2o.importHDFS` are both deprecated functions. Instead, use `h2o.importFile`

Examples

```
h2o.init(ip = "localhost", port = 54321, startH2O = TRUE)
prosPath = system.file("extdata", "prostate.csv", package = "h2o")
prostate.hex = h2o.uploadFile(path = prosPath, destination_frame = "prostate.hex")
class(prostate.hex)
summary(prostate.hex)
```

h2o.impute

*Basic Imputation of H2O Vectors***Description**

Perform simple imputation on a single vector by filling missing values with aggregates computed on the "na.rm'd" vector. Additionally, it's possible to perform imputation based on groupings of columns from within data; these columns can be passed by index or name to the `by` parameter. If a factor column is supplied, then the method must be one "mode". Anything else results in a full stop.

Usage

```
h2o.impute(data, column, method = c("mean", "median", "mode"),
  combine_method = c("interpolate", "average", "lo", "hi"), by = NULL,
  inplace = FALSE)
```

Arguments

<code>data</code>	The dataset containing the column to impute.
<code>column</code>	The column to impute.
<code>method</code>	"mean" replaces NAs with the column mean; "median" replaces NAs with the column median; "mode" replaces with the most common factor (for factor columns only);
<code>combine_method</code>	If method is "median", then choose how to combine quantiles on even sample sizes. This parameter is ignored in all other cases.
<code>by</code>	group by columns
<code>inplace</code>	Perform the imputation inplace or make a copy. Default is to perform the imputation in place.

Details

The default method is selected based on the type of the column to impute. If the column is numeric then "mean" is selected; if it is categorical, then "mode" is selected. Otherwise column types (e.g. String, Time, UUID) are not supported.

Value

a Frame with imputed values

Examples

```
h2o.init()
fr <- as.h2o(iris, destination_frame="iris")
fr[sample(nrow(fr),40),5] <- NA # randomly replace 50 values with NA
# impute with a group by
fr <- h2o.impute(fr, "Species", "mode", by=c("Sepal.Length", "Sepal.Width"))
```

h2o.init

Initialize and Connect to H2O

Description

Attempts to start and/or connect to and H2O instance.

Usage

```
h2o.init(ip = "127.0.0.1", port = 54321, startH2O = TRUE,
         forceDL = FALSE, Xmx, beta = FALSE, assertion = TRUE, license = NULL,
         nthreads = -2, max_mem_size = NULL, min_mem_size = NULL,
         ice_root = tempdir(), strict_version_check = FALSE)
```

Arguments

ip	Object of class character representing the IP address of the server where H2O is running.
port	Object of class numeric representing the port number of the H2O server.
startH2O	(Optional) A logical value indicating whether to try to start H2O from R if no connection with H2O is detected. This is only possible if ip = "localhost" or ip = "127.0.0.1". If an existing connection is detected, R does not start H2O.
forceDL	(Optional) A logical value indicating whether to force download of the H2O executable. Defaults to FALSE, so the executable will only be downloaded if it does not already exist in the h2o R library resources directory h2o/java/h2o.jar. This value is only used when R starts H2O.
Xmx	(Optional) (DEPRECATED) A character string specifying the maximum size, in bytes, of the memory allocation pool to H2O. This value must a multiple of 1024 greater than 2MB. Append the letter m or M to indicate megabytes, or g or G to indicate gigabytes. This value is only used when R starts H2O.
beta	(Optional) A logical value indicating whether H2O should launch in beta mode. This value is only used when R starts H2O.
assertion	(Optional) A logical value indicating whether H2O should be launched with assertions enabled. Used mainly for error checking and debugging purposes. This value is only used when R starts H2O.
license	(Optional) A character string value specifying the full path of the license file. This value is only used when R starts H2O.
nthreads	(Optional) Number of threads in the thread pool. This relates very closely to the number of CPUs used. -2 means use the CRAN default of 2 CPUs. -1 means use all CPUs on the host. A positive integer specifies the number of CPUs directly. This value is only used when R starts H2O.

max_mem_size	(Optional) A character string specifying the maximum size, in bytes, of the memory allocation pool to H2O. This value must a multiple of 1024 greater than 2MB. Append the letter m or M to indicate megabytes, or g or G to indicate gigabytes. This value is only used when R starts H2O.
min_mem_size	(Optional) A character string specifying the minimum size, in bytes, of the memory allocation pool to H2O. This value must a multiple of 1024 greater than 2MB. Append the letter m or M to indicate megabytes, or g or G to indicate gigabytes. This value is only used when R starts H2O.
ice_root	(Optional) A directory to handle object spillage. The default varies by OS.
strict_version_check	(Optional) Setting this to FALSE is unsupported and should only be done when advised by technical support.

Details

By default, this method first checks if an H2O instance is connectible. If it cannot connect and `start = TRUE` with `ip = "localhost"`, it will attempt to start an instance of H2O at `localhost:54321`. Otherwise it stops with an error.

When initializing H2O locally, this method searches for `h2o.jar` in the R library resources (`system.file("java", "h2o.jar")`) and if the file does not exist, it will automatically attempt to download the correct version from Amazon S3. The user must have Internet access for this process to be successful.

Once connected, the method checks to see if the local H2O R package version matches the version of H2O running on the server. If there is a mismatch and the user indicates she wishes to upgrade, it will remove the local H2O R package and download/install the H2O R package from the server.

Value

this method will load it and return a `H2OConnection` object containing the IP address and port number of the H2O server.

Note

Users may wish to manually upgrade their package (rather than waiting until being prompted), which requires that they fully uninstall and reinstall the H2O package, and the H2O client package. You must unload packages running in the environment before upgrading. It's recommended that users restart R or R studio after upgrading.

See Also

[H2O R package documentation](#) for more details. [h2o.shutdown](#) for shutting down from R.

Examples

```
## Not run:
# Try to connect to a local H2O instance that is already running.
# If not found, start a local H2O instance from R with the default settings.
h2o.init()

# Try to connect to a local H2O instance.
```

```

# If not found, raise an error.
h2o.init(startH2O = FALSE)

# Try to connect to a local H2O instance that is already running.
# If not found, start a local H2O instance from R with 5 gigabytes of memory.
h2o.init(max_mem_size = "5g")

# Try to connect to a local H2O instance that is already running.
# If not found, start a local H2O instance from R that uses 5 gigabytes of memory.
h2o.init(max_mem_size = "5g")

## End(Not run)

```

```
h2o.insertMissingValues
```

Inserting Missing Values to an H2O DataFrame

Description

This is primarily used for testing. Randomly replaces a user-specified fraction of entries in a H2O dataset with missing values.

Usage

```
h2o.insertMissingValues(data, fraction = 0.1, seed = -1)
```

Arguments

data	An H2O Frame object representing the dataset.
fraction	A number between 0 and 1 indicating the fraction of entries to replace with missing.
seed	A random number used to select which entries to replace with missing values. Default of seed = -1 will automatically generate a seed in H2O.

WARNING

This will modify the original dataset. Unless this is intended, this function should only be called on a subset of the original.

Examples

```

library(h2o)
h2o.init()
irisPath <- system.file("extdata", "iris.csv", package = "h2o")
iris.hex <- h2o.importFile(path = irisPath)
summary(iris.hex)
irismiss.hex <- h2o.insertMissingValues(iris.hex, fraction = 0.25)

```

```
head(irismiss.hex)
summary(irismiss.hex)
```

h2o.interaction	<i>Categorical Interaction Feature Creation in H2O</i>
-----------------	--------------------------------------------------------

Description

Creates a data frame in H2O with n-th order interaction features between categorical columns, as specified by the user.

Usage

```
h2o.interaction(data, destination_frame, factors, pairwise, max_factors,
  min_occurrence)
```

Arguments

data	An H2O Frame object containing the categorical columns.
destination_frame	A string indicating the destination key. If empty, this will be auto-generated by H2O.
factors	Factor columns (either indices or column names).
pairwise	Whether to create pairwise interactions between factors (otherwise create one higher-order interaction). Only applicable if there are 3 or more factors.
max_factors	Max. number of factor levels in pair-wise interaction terms (if enforced, one extra catch-all factor will be made)
min_occurrence	Min. occurrence threshold for factor levels in pair-wise interaction terms

Value

Returns a Frame object.

Examples

```
library(h2o)
h2o.init()

# Create some random data
myframe = h2o.createFrame(rows = 20, cols = 5,
  seed = -12301283, randomize = TRUE, value = 0,
  categorical_fraction = 0.8, factors = 10, real_range = 1,
  integer_fraction = 0.2, integer_range = 10,
  binary_fraction = 0, binary_ones_fraction = 0.5,
  missing_fraction = 0.2,
```



```
                                response_factors = 1)
# Turn integer column into a categorical
myframe[,5] <- as.factor(myframe[,5])
head(myframe, 20)

# Create pairwise interactions
pairwise <- h2o.interaction(myframe, destination_frame = pairwise,
                           factors = list(c(1,2),c("C2","C3","C4")),
                           pairwise=TRUE, max_factors = 10, min_occurrence = 1)

head(pairwise, 20)
h2o.levels(pairwise,2)

# Create 5-th order interaction
higherorder <- h2o.interaction(myframe, destination_frame = higherorder, factors = c(1,2,3,4,5),
                              pairwise=FALSE, max_factors = 10000, min_occurrence = 1)

head(higherorder, 20)

# Limit the number of factors of the "categoricalized" integer column
# to at most 3 factors, and only if they occur at least twice
head(myframe[,5], 20)
trim_integer_levels <- h2o.interaction(myframe, destination_frame = trim_integers, factors = "C5",
                                       pairwise = FALSE, max_factors = 3, min_occurrence = 2)

head(trim_integer_levels, 20)

# Put all together
myframe <- h2o.cbind(myframe, pairwise, higherorder, trim_integer_levels)
myframe
head(myframe,20)
summary(myframe)
```

h2o.is_client

Check Client Mode Connection

Description

Check Client Mode Connection

Usage

```
h2o.is_client()
```

h2o.killMinus3	<i>Dump the stack into the JVM's stdout.</i>
----------------	----------------------------------------------

Description

A poor man's profiler, but effective.

Usage

```
h2o.killMinus3()
```

h2o.kmeans	<i>KMeans Model in H2O</i>
------------	----------------------------

Description

Performs k-means clustering on an H2O dataset.

Usage

```
h2o.kmeans(training_frame, x, k, model_id, max_iterations = 1000,
  standardize = TRUE, init = c("Furthest", "Random", "PlusPlus"), seed,
  nfolds = 0, fold_column = NULL, fold_assignment = c("AUTO", "Random",
  "Modulo"), keep_cross_validation_predictions = FALSE)
```

Arguments

training_frame	An H2O Frame object containing the variables in the model.
x	(Optional) A vector containing the data columns on which k-means operates.
k	The number of clusters. Must be between 1 and 1e7 inclusive. k may be omitted if the user specifies the initial centers in the init parameter. If k is not omitted, in this case, then it should be equal to the number of user-specified centers.
model_id	(Optional) The unique id assigned to the resulting model. If none is given, an id will automatically be generated.
max_iterations	The maximum number of iterations allowed. Must be between 0
standardize	Logical, indicates whether the data should be standardized before running k-means.
init	A character string that selects the initial set of k cluster centers. Possible values are "Random": for random initialization, "PlusPlus": for k-means plus initialization, or "Furthest": for initialization at the furthest point from each successive center. Additionally, the user may specify a the initial centers as a matrix, data.frame, Frame, or list of vectors. For matrices, data.frames, and Frames, each row of the respective structure is an initial center. For lists of vectors, each vector is an initial center.

seed	(Optional) Random seed used to initialize the cluster centroids.
nfolds	(Optional) Number of folds for cross-validation. If nfolds >= 2, then validation must remain empty.
fold_column	(Optional) Column with cross-validation fold index assignment per observation
fold_assignment	Cross-validation fold assignment scheme, if fold_column is not specified Must be "AUTO", "Random" or "Modulo"
keep_cross_validation_predictions	Whether to keep the predictions of the cross-validation models

Value

Returns an object of class [H2OClusteringModel](#).

See Also

[h2o.cluster_sizes](#), [h2o.totss](#), [h2o.num_iterations](#), [h2o.betweenss](#), [h2o.tot_withinss](#), [h2o.withinss](#), [h2o.centersSTD](#), [h2o.centers](#)

Examples

```
library(h2o)
h2o.init()
prosPath <- system.file("extdata", "prostate.csv", package="h2o")
prostate.hex <- h2o.uploadFile(path = prosPath)
h2o.kmeans(training_frame = prostate.hex, k = 10, x = c("AGE", "RACE", "VOL", "GLEASON"))
```

h2o.levels

Return the levels from the column requested column.

Description

Return the levels from the column requested column.

Usage

```
h2o.levels(x, i)
```

Arguments

x	An H2O Frame object.
i	The index of the column whose domain is to be returned.

See Also

[levels](#) for the base R method.

Examples

```
iris.hex <- as.h2o(iris)
h2o.levels(iris.hex, 5) # returns "setosa" "versicolor" "virginica"
```

h2o.listTimezones *List all of the Time Zones Acceptable by the H2O Cloud.*

Description

List all of the Time Zones Acceptable by the H2O Cloud.

Usage

```
h2o.listTimezones()
```

h2o.loadModel *Load H2O Model from HDFS or Local Disk*

Description

Load a saved H2O model from disk.

Usage

```
h2o.loadModel(path)
```

Arguments

path The path of the H2O Model to be imported. and port of the server running H2O.

Value

Returns a [H2OModel](#) object of the class corresponding to the type of model built.

See Also

[h2o.saveModel](#), [H2OModel](#)

Examples

```
## Not run:
# library(h2o)
# h2o.init()
# prosPath = system.file("extdata", "prostate.csv", package = "h2o")
# prostate.hex = h2o.importFile(path = prosPath, destination_frame = "prostate.hex")
# prostate.glm = h2o.glm(y = "CAPSULE", x = c("AGE", "RACE", "PSA", "DCAPS"),
#   training_frame = prostate.hex, family = "binomial", alpha = 0.5)
# glmmodel.path = h2o.saveModel(prostate.glm, dir = "/Users/UserName/Desktop")
# glmmodel.load = h2o.loadModel(glmmodel.path)

## End(Not run)
```

h2o.logAndEcho	<i>Log a message on the server-side logs</i>
----------------	----------------------------------------------

Description

This is helpful when running several pieces of work one after the other on a single H2O cluster and you want to make a notation in the H2O server side log where one piece of work ends and the next piece of work begins.

Usage

```
h2o.logAndEcho(message)
```

Arguments

message	A character string with the message to write to the log.
---------	----------------------------------------------------------

Details

h2o.logAndEcho sends a message to H2O for logging. Generally used for debugging purposes.

h2o.logloss	<i>Retrieve the Log Loss Value</i>
-------------	------------------------------------

Description

Retrieves the log loss output for a [H2OBinomialMetrics](#) or [H2OMultinomialMetrics](#) object. If "train", "valid", and "xval" parameters are FALSE (default), then the training Log Loss value is returned. If more than one parameter is set to TRUE, then a named vector of Log Losses are returned, where the names are "train", "valid" or "xval".

Usage

```
h2o.logloss(object, train = FALSE, valid = FALSE, xval = FALSE, ...)
```

Arguments

object	a H2OModelMetrics object of the correct type.
train	Retrieve the training Log Loss
valid	Retrieve the validation Log Loss
xval	Retrieve the cross-validation Log Loss
...	Extra arguments to be passed if 'object' is of type H2OModel (e.g. train=TRUE)

h2o.ls *List Keys on an H2O Cluster*

Description

Accesses a list of object keys in the running instance of H2O.

Usage

```
h2o.ls()
```

Value

Returns a list of hex keys in the current H2O instance.

Examples

```
library(h2o)
h2o.init()
prosPath <- system.file("extdata", "prostate.csv", package="h2o")
prostate.hex <- h2o.uploadFile(path = prosPath)
h2o.ls()
```

h2o.makeGLMModel *Set betas of an existing H2O GLM Model*

Description

This function allows setting betas of an existing glm model.

Usage

```
h2o.makeGLMModel(model, beta)
```

Arguments

model	an H2OModel corresponding from a h2o.glm call.
beta	a new set of betas (a named vector)

`h2o.match`*Value Matching in H2O*

Description

`match` and `%in%` return values similar to the base R generic functions.

Usage

```
h2o.match(x, table, nomatch = 0, incomparables = NULL)
```

```
match.Frame(x, table, nomatch = 0, incomparables = NULL)
```

```
x %in% table
```

Arguments

<code>x</code>	a categorical vector from an H2O Frame object with values to be matched.
<code>table</code>	an R object to match <code>x</code> against.
<code>nomatch</code>	the value to be returned in the case when no match is found.
<code>incomparables</code>	a vector of values that cannot be matched. Any value in <code>x</code> matching a value in this vector is assigned the <code>nomatch</code> value.

See Also

[match](#) for base R implementation.

Examples

```
h2o.init()
hex <- as.h2o(iris)
h2o.match(hex[,5], c("setosa", "versicolor"))
```

`h2o.mean`*Mean of a column*

Description

Obtain the mean of a column of a parsed H2O data object.

Usage

```
h2o.mean(x, ..., na.rm = TRUE)

## S3 method for class Frame
mean(x, ..., na.rm = TRUE)
```

Arguments

x	An H2O Frame object.
...	Further arguments to be passed from or to other methods.
na.rm	A logical value indicating whether NA or missing values should be stripped before the computation.

See Also

[mean](#) for the base R implementation.

Examples

```
h2o.init()
prosPath <- system.file("extdata", "prostate.csv", package="h2o")
prostate.hex <- h2o.uploadFile(path = prosPath)
mean(prostate.hex$AGE)
```

h2o.mean_residual_deviance

Retrieve the Mean Residual Deviance value

Description

Retrieves the Mean Residual Deviance value from an H2O model. If "train", "valid", and "xval" parameters are FALSE (default), then the training Mean Residual Deviance value is returned. If more than one parameter is set to TRUE, then a named vector of Mean Residual Deviances are returned, where the names are "train", "valid" or "xval".

Usage

```
h2o.mean_residual_deviance(object, train = FALSE, valid = FALSE,
  xval = FALSE, ...)
```


Arguments

object	An H2OModel object.
train	Retrieve the training Mean Residual Deviance
valid	Retrieve the validation Mean Residual Deviance
xval	Retrieve the cross-validation Mean Residual Deviance
...	extra arguments to be passed if 'object' is of type H2OModel (e.g. train=TRUE)

Examples

```
library(h2o)

h <- h2o.init()
fr <- as.h2o(iris)

m <- h2o.deeplearning(x=2:5,y=1,training_frame=fr)

h2o.mean_residual_deviance(m)
```

h2o.median

H2O Median

Description

Compute the median of a Frame.

Usage

```
h2o.median(x, na.rm = TRUE)
```

```
## S3 method for class Frame
median(x, na.rm = TRUE)
```

Arguments

x	An H2O Frame object.
na.rm	a logical, indicating whether na's are omitted.

Examples

```
h2o.init()
prosPath <- system.file("extdata", "prostate.csv", package="h2o")
prostate.hex <- h2o.uploadFile(path = prosPath, destination_frame = "prostate.hex")
```

h2o.merge	<i>Merge Two H2O Data Frames</i>
-----------	----------------------------------

Description

Merges two Frame objects by shared column names. Unlike the base R implementation, `h2o.merge` only supports merging through shared column names.

Usage

```
h2o.merge(x, y, all.x = TRUE, all.y = FALSE)
```

Arguments

<code>x,y</code>	Frame objects
<code>all.x</code>	a logical value indicating whether or not shared values are preserved or ignored in <code>x</code> .
<code>all.y</code>	a logical value indicating whether or not shared values are preserved or ignored in <code>y</code> .

Details

In order for `h2o.merge` to work in multinode clusters, one of the datasets must be small enough to exist in every node. Currently, this function only supports `all.x = TRUE`. All other permutations will fail.

Examples

```
h2o.init()
left <- data.frame(fruit = c(apple, orange, banana, lemon, strawberry, blueberry),
  color = c(red, orange, yellow, yellow, red, blue))
right <- data.frame(fruit = c(apple, orange, banana, lemon, strawberry, watermelon),
  citrus = c(FALSE, TRUE, FALSE, TRUE, FALSE, FALSE))
l.hex <- as.h2o(left)
r.hex <- as.h2o(right)
left.hex <- h2o.merge(l.hex, r.hex, all.x = TRUE)
```

h2o.metric	<i>H2O Model Metric Accessor Functions</i>
------------	--------------------------------------------

Description

A series of functions that retrieve model metric details.

Usage

h2o.metric(object, thresholds, metric)

h2o.F0point5(object, thresholds)

h2o.F1(object, thresholds)

h2o.F2(object, thresholds)

h2o.accuracy(object, thresholds)

h2o.error(object, thresholds)

h2o.maxPerClassError(object, thresholds)

h2o.mcc(object, thresholds)

h2o.precision(object, thresholds)

h2o.tpr(object, thresholds)

h2o.fpr(object, thresholds)

h2o.fnr(object, thresholds)

h2o.tnr(object, thresholds)

h2o.recall(object, thresholds)

h2o.sensitivity(object, thresholds)

h2o.fallout(object, thresholds)

h2o.missrate(object, thresholds)

h2o.specificity(object, thresholds)

Arguments

object An [H2OModelMetrics](#) object of the correct type.

thresholds	A value or a list of values between 0.0 and 1.0.
metric	A specified paramter to retrieve.

Details

Many of these functions have an optional thresholds parameter. Currently only increments of 0.1 are allowed. If not specified, the functions will return all possible values. Otherwise, the function will return the value for the indicated threshold.

Currently, the these functions are only supported by [H2OBinomialMetrics](#) objects.

Value

Returns either a single value, or a list of values.

See Also

[h2o.auc](#) for AUC, [h2o.giniCoef](#) for the GINI coefficient, and [h2o.mse](#) for MSE. See [h2o.performance](#) for creating H2OModelMetrics objects.

Examples

```
library(h2o)
h2o.init()

prosPath <- system.file("extdata", "prostate.csv", package="h2o")
hex <- h2o.uploadFile(prosPath)

hex[,2] <- as.factor(hex[,2])
model <- h2o.gbm(x = 3:9, y = 2, training_frame = hex, distribution = "bernoulli")
perf <- h2o.performance(model, hex)
h2o.F1(perf)
```

h2o.mktime

Compute msec since the Unix Epoch

Description

Compute msec since the Unix Epoch

Usage

```
h2o.mktime(year = 1970, month = 0, day = 0, hour = 0, minute = 0,
           second = 0, msec = 0)
```

Arguments

year	Defaults to 1970
month	zero based (months are 0 to 11)
day	zero based (days are 0 to 30)
hour	hour
minute	minute
second	second
msec	msec

`h2o.month`*Convert Milliseconds to Months in H2O Datasets*

Description

Converts the entries of a Frame object from milliseconds to months (on a 1 to 12 scale).

Usage`h2o.month(x)``month(x)`

```
## S3 method for class Frame  
month(x)
```

Arguments

`x` An H2O Frame object.

Value

A Frame object containing the entries of `x` converted to months of the year.

See Also

[h2o.year](#)

h2o.mse	<i>Retrieves Mean Squared Error Value</i>
---------	-------------------------------------------

Description

Retrieves the mean squared error value from an [H2OModelMetrics](#) object. If "train", "valid", and "xval" parameters are FALSE (default), then the training MSE value is returned. If more than one parameter is set to TRUE, then a named vector of MSEs are returned, where the names are "train", "valid" or "xval".

Usage

```
h2o.mse(object, train = FALSE, valid = FALSE, xval = FALSE, ...)
```

Arguments

object	An H2OModelMetrics object of the correct type.
train	Retrieve the training MSE
valid	Retrieve the validation MSE
xval	Retrieve the cross-validation MSE
...	Extra arguments to be passed if 'object' is of type H2OModel (e.g. train=TRUE)

Details

This function only supports [H2OBinomialMetrics](#), [H2OMultinomialMetrics](#), and [H2ORegressionMetrics](#) objects.

See Also

[h2o.auc](#) for AUC, [h2o.mse](#) for MSE, and [h2o.metric](#) for the various threshold metrics. See [h2o.performance](#) for creating [H2OModelMetrics](#) objects.

Examples

```
library(h2o)
h2o.init()

prosPath <- system.file("extdata", "prostate.csv", package="h2o")
hex <- h2o.uploadFile(prosPath)

hex[,2] <- as.factor(hex[,2])
model <- h2o.gbm(x = 3:9, y = 2, training_frame = hex, distribution = "bernoulli")
perf <- h2o.performance(model, hex)
h2o.mse(perf)
```

h2o.naiveBayes	<i>Naive Bayes Model in H2O</i>
----------------	---------------------------------

Description

Compute naive Bayes probabilities on an H2O dataset.

Usage

```
h2o.naiveBayes(x, y, training_frame, model_id, laplace = 0,
              threshold = 0.001, eps = 0, compute_metrics = TRUE)
```

Arguments

x	A vector containing the names or indices of the predictor variables to use in building the model.
y	The name or index of the response variable. If the data does not contain a header, this is the column index number starting at 0, and increasing from left to right. The response must be a categorical variable with at least two levels.
training_frame	An H2O Frame object containing the variables in the model.
model_id	(Optional) The unique id assigned to the resulting model. If none is given, an id will automatically be generated.
laplace	A positive number controlling Laplace smoothing. The default zero disables smoothing.
threshold	The minimum standard deviation to use for observations without enough data. Must be at least 1e-10.
eps	A threshold cutoff to deal with numeric instability, must be positive.
compute_metrics	A logical value indicating whether model metrics should be computed. Set to FALSE to reduce the runtime of the algorithm.

Details

The naive Bayes classifier assumes independence between predictor variables conditional on the response, and a Gaussian distribution of numeric predictors with mean and standard deviation computed from the training dataset. When building a naive Bayes classifier, every row in the training dataset that contains at least one NA will be skipped completely. If the test dataset has missing values, then those predictors are omitted in the probability calculation during prediction.

The naive Bayes classifier assumes independence between predictor variables conditional on the response, and a Gaussian distribution of numeric predictors with mean and standard deviation computed from the training dataset. When building a naive Bayes classifier, every row in the training dataset that contains at least one NA will be skipped completely. If the test dataset has missing values, then those predictors are omitted in the probability calculation during prediction.

Value

Returns an object of class [H2OBinomialModel](#) if the response has two categorical levels, and [H2OMultinomialModel](#) otherwise.

Examples

```
h2o.init()
votesPath <- system.file("extdata", "housevotes.csv", package="h2o")
votes.hex <- h2o.uploadFile(path = votesPath, header = TRUE)
h2o.naiveBayes(x = 2:17, y = 1, training_frame = votes.hex, laplace = 3)
```

h2o.nchar	<i>String length</i>
-----------	----------------------

Description

String length

Usage

```
h2o.nchar(x)
```

Arguments

x The column whose string lengths will be returned.

h2o.networkTest	<i>View Network Traffic Speed</i>
-----------------	-----------------------------------

Description

View speed with various file sizes.

Usage

```
h2o.networkTest()
```

Value

Returns a table listing the network speed for 1B, 10KB, and 10MB.

h2o.null_deviance	<i>Retrieve the null deviance If "train", "valid", and "xval" parameters are FALSE (default), then the training null deviance value is returned. If more than one parameter is set to TRUE, then a named vector of null deviances are returned, where the names are "train", "valid" or "xval".</i>
-------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Description

Retrieve the null deviance If "train", "valid", and "xval" parameters are FALSE (default), then the training null deviance value is returned. If more than one parameter is set to TRUE, then a named vector of null deviances are returned, where the names are "train", "valid" or "xval".

Usage

```
h2o.null_deviance(object, train = FALSE, valid = FALSE, xval = FALSE, ...)
```

Arguments

object	An H2OModel or H2OModelMetrics
train	Retrieve the training null deviance
valid	Retrieve the validation null deviance
xval	Retrieve the cross-validation null deviance
...	further arguments to be passed to/from this method.

h2o.null_dof	<i>Retrieve the null degrees of freedom If "train", "valid", and "xval" parameters are FALSE (default), then the training null degrees of freedom value is returned. If more than one parameter is set to TRUE, then a named vector of null degrees of freedom are returned, where the names are "train", "valid" or "xval".</i>
--------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Description

Retrieve the null degrees of freedom If "train", "valid", and "xval" parameters are FALSE (default), then the training null degrees of freedom value is returned. If more than one parameter is set to TRUE, then a named vector of null degrees of freedom are returned, where the names are "train", "valid" or "xval".

Usage

```
h2o.null_dof(object, train = FALSE, valid = FALSE, xval = FALSE, ...)
```

Arguments

object	An H2OModel or H2OModelMetrics
train	Retrieve the training null degrees of freedom
valid	Retrieve the validation null degrees of freedom
xval	Retrieve the cross-validation null degrees of freedom
...	further arguments to be passed to/from this method.

h2o.num_iterations	<i>Retrieve the number of iterations.</i>
--------------------	-------------------------------------------

Description

Retrieve the number of iterations.

Usage

```
h2o.num_iterations(object)
```

Arguments

object	An H2OClusteringModel object.
...	further arguments to be passed on (currently unimplemented)

h2o.openLog	<i>View H2O R Logs</i>
-------------	------------------------

Description

Open existing logs of H2O R POST commands and error responses on local disk. Used primarily for debugging purposes.

Usage

```
h2o.openLog(type)
```

Arguments

type	Currently unimplemented.
------	--------------------------

See Also

[h2o.startLogging](#), [h2o.stopLogging](#), [h2o.clearLog](#)

Examples

```
## Not run:
h2o.init()

h2o.startLogging()
ausPath = system.file("extdata", "australia.csv", package="h2o")
australia.hex = h2o.importFile(path = ausPath)
h2o.stopLogging()

# Not run to avoid windows being opened during R CMD check
# h2o.openLog("Command")
# h2o.openLog("Error")

## End(Not run)
```

h2o.parseRaw

H2O Data Parsing

Description

The second phase in the data ingestion step.

Usage

```
h2o.parseRaw(data, destination_frame = "", header = NA, sep = "",
  col.names = NULL, col.types = NULL, na.strings = NULL,
  blocking = FALSE, parse_type = NULL)
```

Arguments

data	An H2O Frame object to be parsed.
destination_frame	(Optional) The hex key assigned to the parsed file.
header	(Optional) A logical value indicating whether the first row is the column header. If missing, H2O will automatically try to detect the presence of a header.
sep	(Optional) The field separator character. Values on each line of the file are separated by this character. If sep = "", the parser will automatically detect the separator.
col.names	(Optional) A Frame object containing a single delimited line with the column names for the file.
col.types	(Optional) A vector specifying the types to attempt to force over columns.
na.strings	(Optional) H2O will interpret these strings as missing.
blocking	(Optional) Tell H2O parse call to block synchronously instead of polling. This can be faster for small datasets but loses the progress bar.
parse_type	(Optional) Specify which parser type H2O will use. Valid types are "ARFF", "XLS", "CSV", "SVMLight"

Details

Parse the Raw Data produced by the import phase.

h2o.parseSetup	<i>Get a parse setup back for the staged data.</i>
----------------	----------------------------------------------------

Description

Get a parse setup back for the staged data.

Usage

```
h2o.parseSetup(data, destination_frame = "", header = NA, sep = "",
  col.names = NULL, col.types = NULL, na.strings = NULL,
  parse_type = NULL)
```

Arguments

data	An H2O Frame object to be parsed.
destination_frame	(Optional) The hex key assigned to the parsed file.
header	(Optional) A logical value indicating whether the first row is the column header. If missing, H2O will automatically try to detect the presence of a header.
sep	(Optional) The field separator character. Values on each line of the file are separated by this character. If sep = "", the parser will automatically detect the separator.
col.names	(Optional) A Frame object containing a single delimited line with the column names for the file.
col.types	(Optional) A vector specifying the types to attempt to force over columns.
na.strings	(Optional) H2O will interpret these strings as missing.
parse_type	(Optional) Specify which parser type H2O will use. Valid types are "ARFF", "XLS", "CSV", "SVMLight"

h2o.performance	<i>Model Performance Metrics in H2O</i>
-----------------	-----------------------------------------

Description

Given a trained h2o model, compute its performance on the given dataset

Usage

```
h2o.performance(model, data = NULL, valid = FALSE, ...)
```

Arguments

model	An H2OModel object
data	An H2O Frame. The model will make predictions on this dataset, and subsequently score them. The dataset should match the dataset that was used to train the model, in terms of column names, types, and dimensions. If data is passed in, then train and valid are ignored.
valid	A logical value indicating whether to return the validation metrics (constructed during training).
...	Extra args passed in for use by other functions.

Value

Returns an object of the [H2OModelMetrics](#) subclass.

Examples

```
library(h2o)
h2o.init()
prosPath <- system.file("extdata", "prostate.csv", package="h2o")
prostate.hex <- h2o.uploadFile(path = prosPath)
prostate.hex$CAPSULE <- as.factor(prostate.hex$CAPSULE)
prostate.gbm <- h2o.gbm(3:9, "CAPSULE", prostate.hex)
h2o.performance(model = prostate.gbm, data=prostate.hex)
```

h2o.pcomp

*Principal Components Analysis***Description**

Principal components analysis of a H2O dataset using the power method to calculate the singular value decomposition of the Gram matrix.

Usage

```
h2o.pcomp(training_frame, x, k, model_id, max_iterations = 1000,
  transform = c("NONE", "DEMEAN", "DESCALE", "STANDARDIZE"),
  pca_method = c("GramSVD", "Power", "Randomized", "GLRM"), seed,
  use_all_factor_levels)
```

Arguments

<code>training_frame</code>	An H2O Frame object containing the variables in the model.
<code>x</code>	(Optional) A vector containing the data columns on which SVD operates.
<code>k</code>	The number of principal components to be computed. This must be between 1 and <code>min(ncol(training_frame), nrow(training_frame))</code> inclusive.
<code>model_id</code>	(Optional) The unique hex key assigned to the resulting model. Automatically generated if none is provided.
<code>max_iterations</code>	The maximum number of iterations to run each power iteration loop. Must be between 1 and <code>1e6</code> inclusive.
<code>transform</code>	A character string that indicates how the training data should be transformed before running PCA. Possible values are "NONE": for no transformation, "DEMEAN": for subtracting the mean of each column, "DESCALE": for dividing by the standard deviation of each column, "STANDARDIZE": for demeaning and descaling, and "NORMALIZE": for demeaning and dividing each column by its range (max - min).
<code>pca_method</code>	A character string that indicates how PCA should be calculated. Possible values are "GramSVD": distributed computation of the Gram matrix followed by a local SVD using the JAMA package, "Power": computation of the SVD using the power iteration method, "Randomized": approximate SVD by projecting onto a random subspace (see references), "GLRM": fit a generalized low rank model with an l2 loss function (no regularization) and solve for the SVD using local matrix algebra.
<code>seed</code>	(Optional) Random seed used to initialize the right singular vectors at the beginning of each power method iteration.
<code>use_all_factor_levels</code>	(Optional) A logical value indicating whether all factor levels should be included in each categorical column expansion. If FALSE, the indicator column corresponding to the first factor level of every categorical variable will be dropped. Defaults to FALSE.

Value

Returns an object of class [H2ODimReductionModel](#).

References

N. Halko, P.G. Martinsson, J.A. Tropp. Finding structure with randomness: Probabilistic algorithms for constructing approximate matrix decompositions[<http://arxiv.org/abs/0909.4061>]. SIAM Rev., Survey and Review section, Vol. 53, num. 2, pp. 217-288, June 2011.

See Also

[h2o.svd](#), [h2o.g1rm](#)

Examples

```
library(h2o)
h2o.init()
ausPath <- system.file("extdata", "australia.csv", package="h2o")
australia.hex <- h2o.uploadFile(path = ausPath)
h2o.prcomp(training_frame = australia.hex, k = 8, transform = "STANDARDIZE")
```

h2o.quantile

Quantiles of H2O Frames.

Description

Obtain and display quantiles for H2O parsed data.

Usage

```
h2o.quantile(x, probs = c(0.001, 0.01, 0.1, 0.25, 0.333, 0.5, 0.667, 0.75,
  0.9, 0.99, 0.999), combine_method = c("interpolate", "average", "avg",
  "low", "high"), ...)

## S3 method for class Frame
quantile(x, probs = c(0.001, 0.01, 0.1, 0.25, 0.333, 0.5,
  0.667, 0.75, 0.9, 0.99, 0.999), combine_method = c("interpolate", "average",
  "avg", "low", "high"), ...)
```

Arguments

x	An Frame object with a single numeric column.
probs	Numeric vector of probabilities with values in [0,1].
combine_method	How to combine quantiles for even sample sizes. Default is to do linear interpolation. E.g., If method is "lo", then it will take the lo value of the quantile. Abbreviations for average, low, and high are acceptable (avg, lo, hi).
...	Further arguments passed to or from other methods.

Details

quantile.Frame, a method for the [quantile](#) generic. Obtain and return quantiles for an Frame object.

Value

A vector describing the percentiles at the given cutoffs for the Frame object.

Examples

```
# Request quantiles for an H2O parsed data set:
library(h2o)
h2o.init()
prosPath <- system.file("extdata", "prostate.csv", package="h2o")
prostate.hex <- h2o.uploadFile(path = prosPath)
# Request quantiles for a subset of columns in an H2O parsed data set
quantile(prostate.hex[,3])
for(i in 1:ncol(prostate.hex))
  quantile(prostate.hex[,i])
```

h2o.r2

Retrieve the R2 value

Description

Retrieves the R2 value from an H2O model. If "train", "valid", and "xval" parameters are FALSE (default), then the training R2 value is returned. If more than one parameter is set to TRUE, then a named vector of R2s are returned, where the names are "train", "valid" or "xval".

Usage

```
h2o.r2(object, train = FALSE, valid = FALSE, xval = FALSE, ...)
```

Arguments

object	An H2OModel object.
train	Retrieve the training R2
valid	Retrieve the validation set R2 if a validation set was passed in during model build time.
xval	Retrieve the cross-validation R2
...	extra arguments to be passed if 'object' is of type H2OModel (e.g. train=TRUE)

Examples

```

library(h2o)

h <- h2o.init()
fr <- as.h2o(iris)

m <- h2o.deeplearning(x=2:5,y=1,training_frame=fr)

h2o.r2(m)

```

h2o.randomForest *Build a Big Data Random Forest Model*

Description

Builds a Random Forest Model on an H2O Frame

Usage

```

h2o.randomForest(x, y, training_frame, model_id, validation_frame = NULL,
  checkpoint, mtries = -1, sample_rate = 0.632,
  build_tree_one_node = FALSE, ntrees = 50, max_depth = 20,
  min_rows = 1, nbins = 20, nbins_top_level, nbins_cats = 1024,
  binomial_double_trees = FALSE, balance_classes = FALSE,
  max_after_balance_size = 5, seed, offset_column = NULL,
  weights_column = NULL, nfold = 0, fold_column = NULL,
  fold_assignment = c("AUTO", "Random", "Modulo"),
  keep_cross_validation_predictions = FALSE, score_each_iteration = FALSE,
  stopping_rounds = 0, stopping_metric = c("AUTO", "deviance", "logloss",
  "MSE", "AUC", "r2", "misclassification"), stopping_tolerance = 0.001)

```

Arguments

x	A vector containing the names or indices of the predictor variables to use in building the GBM model.
y	The name or index of the response variable. If the data does not contain a header, this is the column index number starting at 1, and increasing from left to right. (The response must be either an integer or a categorical variable).
training_frame	An H2O Frame object containing the variables in the model.
model_id	(Optional) The unique id assigned to the resulting model. If none is given, an id will automatically be generated.
validation_frame	An H2O Frame object containing the variables in the model. Default is NULL.

checkpoint	"Model checkpoint (either key or H2ODeepLearningModel) to resume training with."
mtries	Number of variables randomly sampled as candidates at each split. If set to -1, defaults to sqrt(p) for classification, and p/3 for regression, where p is the number of predictors.
sample_rate	Sample rate, from 0 to 1.0.
build_tree_one_node	Run on one node only; no network overhead but fewer cpus used. Suitable for small datasets.
ntrees	A nonnegative integer that determines the number of trees to grow.
max_depth	Maximum depth to grow the tree.
min_rows	Minimum number of rows to assign to terminal nodes.
nbins	For numerical columns (real/int), build a histogram of (at least) this many bins, then split at the best point.
nbins_top_level	For numerical columns (real/int), build a histogram of (at most) this many bins at the root level, then decrease by factor of two per level.
nbins_cats	For categorical columns (factors), build a histogram of this many bins, then split at the best point. Higher values can lead to more overfitting.
binomial_double_trees	For binary classification: Build 2x as many trees (one per class) - can lead to higher accuracy.
balance_classes	logical, indicates whether or not to balance training data class counts via over/under-sampling (for imbalanced data)
max_after_balance_size	Maximum relative size of the training data after balancing class counts (can be less than 1.0). Ignored if balance_classes is FALSE, which is the default behavior.
seed	Seed for random numbers (affects sampling) - Note: only reproducible when running single threaded
offset_column	Specify the offset column.
weights_column	Specify the weights column.
nfolds	(Optional) Number of folds for cross-validation. If nfolds >= 2, then validation must remain empty.
fold_column	(Optional) Column with cross-validation fold index assignment per observation
fold_assignment	Cross-validation fold assignment scheme, if fold_column is not specified Must be "AUTO", "Random" or "Modulo"
keep_cross_validation_predictions	Whether to keep the predictions of the cross-validation models
score_each_iteration	Attempts to score each tree.

stopping_rounds	Early stopping based on convergence of stopping_metric. Stop if simple moving average of length k of the stopping_metric does not improve (by stopping_tolerance) for k=stopping_rounds scoring events. Can only trigger after at least 2k scoring events. Use 0 to disable.
stopping_metric	Metric to use for convergence checking, only for _stopping_rounds > 0 Can be one of "AUTO", "deviance", "logloss", "MSE", "AUC", "r2", "misclassification".
stopping_tolerance	Relative tolerance for metric-based stopping criterion (if relative improvement is not at least this much, stop)
...	(Currently Unimplemented)

Value

Creates a [H2OModel](#) object of the right type.

See Also

[predict.H2OModel](#) for prediction.

h2o.rbind	<i>Combine H2O Datasets by Rows</i>
-----------	-------------------------------------

Description

Takes a sequence of H2O data sets and combines them by rows

Usage

```
h2o.rbind(...)
```

Arguments

... A sequence of Frame arguments. All datasets must exist on the same H2O instance (IP and port) and contain the same number of rows.

Value

An H2O Frame object containing the combined ...arguments column-wise.

See Also

[rbind](#) for the base R method.

Examples

```
library(h2o)
h2o.init()
prosPath <- system.file("extdata", "prostate.csv", package="h2o")
prostate.hex <- h2o.uploadFile(path = prosPath)
prostate.cbind <- h2o.rbind(prostate.hex, prostate.hex)
head(prostate.cbind)
```

h2o.removeAll	<i>Remove All Objects on the H2O Cluster</i>
---------------	----------------------------------------------

Description

Removes the data from the h2o cluster, but does not remove the local references.

Usage

```
h2o.removeAll(timeout_secs = 0)
```

Arguments

timeout_secs Timeout in seconds. Default is no timeout.

See Also

[h2o.rm](#)

Examples

```
library(h2o)
h2o.init()
prosPath <- system.file("extdata", "prostate.csv", package = "h2o")
prostate.hex <- h2o.uploadFile(path = prosPath)
h2o.ls()
h2o.removeAll()
h2o.ls()
```

h2o.removeVecs	<i>Delete Columns from a Frame</i>
----------------	------------------------------------

Description

Delete the specified columns from the Frame. Returns a Frame without the specified columns.

Usage

```
h2o.removeVecs(data, cols)
```

Arguments

data	The Frame.
cols	The columns to remove.

h2o.rep_len	<i>Replicate Elements of Vectors or Lists into H2O</i>
-------------	--------------------------------------------------------

Description

h2o.rep performs just as rep does. It replicates the values in x in the H2O backend.

Usage

```
h2o.rep_len(x, length.out)
```

Arguments

x	a vector (of any mode including a list) or a factor
length.out	non negative integer. The desired length of the output vector.

Value

Creates a Frame vector of the same type as x

`h2o.residual_deviance` *Retrieve the residual deviance If "train", "valid", and "xval" parameters are FALSE (default), then the training residual deviance value is returned. If more than one parameter is set to TRUE, then a named vector of residual deviances are returned, where the names are "train", "valid" or "xval".*

Description

Retrieve the residual deviance If "train", "valid", and "xval" parameters are FALSE (default), then the training residual deviance value is returned. If more than one parameter is set to TRUE, then a named vector of residual deviances are returned, where the names are "train", "valid" or "xval".

Usage

```
h2o.residual_deviance(object, train = FALSE, valid = FALSE, xval = FALSE,
  ...)
```

Arguments

<code>object</code>	An H2OModel or H2OModelMetrics
<code>train</code>	Retrieve the training residual deviance
<code>valid</code>	Retrieve the validation residual deviance
<code>xval</code>	Retrieve the cross-validation residual deviance
<code>...</code>	further arguments to be passed to/from this method.

`h2o.residual_dof` *Retrieve the residual degrees of freedom If "train", "valid", and "xval" parameters are FALSE (default), then the training residual degrees of freedom value is returned. If more than one parameter is set to TRUE, then a named vector of residual degrees of freedom are returned, where the names are "train", "valid" or "xval".*

Description

Retrieve the residual degrees of freedom If "train", "valid", and "xval" parameters are FALSE (default), then the training residual degrees of freedom value is returned. If more than one parameter is set to TRUE, then a named vector of residual degrees of freedom are returned, where the names are "train", "valid" or "xval".

Usage

```
h2o.residual_dof(object, train = FALSE, valid = FALSE, xval = FALSE, ...)
```

Arguments

object	An H2OModel or H2OModelMetrics
train	Retrieve the training residual degrees of freedom
valid	Retrieve the validation residual degrees of freedom
xval	Retrieve the cross-validation residual degrees of freedom
...	further arguments to be passed to/from this method.

h2o.rm

Delete Objects In H2O

Description

Remove the h2o Big Data object(s) having the key name(s) from ids.

Usage

```
h2o.rm(ids)
```

Arguments

ids	The hex key associated with the object to be removed.
-----	-------------------------------------------------------

See Also

[h2o.assign](#), [h2o.ls](#)

h2o.runif

Produce a Vector of Random Uniform Numbers

Description

Creates a vector of random uniform numbers equal in length to the length of the specified H2O dataset.

Usage

```
h2o.runif(x, seed = -1)
```

Arguments

x	An H2O Frame object.
seed	A random seed used to generate draws from the uniform distribution.

Value

A vector of random, uniformly distributed numbers. The elements are between 0 and 1.

Examples

```
library(h2o)
h2o.init()
prosPath = system.file("extdata", "prostate.csv", package="h2o")
prostate.hex = h2o.importFile(path = prosPath, destination_frame = "prostate.hex")
s = h2o.runif(prostate.hex)
summary(s)

prostate.train = prostate.hex[s <= 0.8,]
prostate.train = h2o.assign(prostate.train, "prostate.train")
prostate.test = prostate.hex[s > 0.8,]
prostate.test = h2o.assign(prostate.test, "prostate.test")
nrow(prostate.train) + nrow(prostate.test)
```

h2o.saveModel

Save an H2O Model Object to Disk

Description

Save an [H2OModel](#) to disk.

Usage

```
h2o.saveModel(object, path = "", force = FALSE)
```

Arguments

object	an H2OModel object.
path	string indicating the directory the model will be written to.
force	logical, indicates how to deal with files that already exist.

Details

In the case of existing files `force = TRUE` will overwrite the file. Otherwise, the operation will fail.

See Also

[h2o.loadModel](#) for loading a model to H2O from disk

Examples

```
## Not run:
# library(h2o)
# h2o.init()
# prostate.hex <- h2o.importFile(path = paste("https://raw.githubusercontent.com",
# "h2oai/h2o-2/master/smalldata/logreg/prostate.csv", sep = "/"),
# destination_frame = "prostate.hex")
# prostate.glm <- h2o.glm(y = "CAPSULE", x = c("AGE", "RACE", "PSA", "DCAPS"),
# training_frame = prostate.hex, family = "binomial", alpha = 0.5)
# h2o.saveModel(object = prostate.glm, path = "/Users/UserName/Desktop", force=TRUE)

## End(Not run)
```

h2o.scale

*Scaling and Centering of an H2O Frame***Description**

Centers and/or scales the columns of an H2O dataset.

Usage

```
h2o.scale(x, center = TRUE, scale = TRUE)
```

```
## S3 method for class Frame
scale(x, center = TRUE, scale = TRUE)
```

Arguments

x	An H2O Frame object.
center	either a logical value or numeric vector of length equal to the number of columns of x.
scale	either a logical value or numeric vector of length equal to the number of columns of x.

Examples

```
library(h2o)
h2o.init()
irisPath <- system.file("extdata", "iris_wheader.csv", package="h2o")
iris.hex <- h2o.uploadFile(path = irisPath, destination_frame = "iris.hex")
summary(iris.hex)

# Scale and center all the numeric columns in iris data set
scale(iris.hex[, 1:4])
```

h2o.scoreHistory	<i>Retrieve Model Score History</i>
------------------	-------------------------------------

Description

Retrieve Model Score History

Usage

```
h2o.scoreHistory(object, ...)
```

Arguments

object	An H2OModel object.
...	further arguments to be passed on (currently unimplemented)

h2o.sd	<i>Standard Deviation of a column of data.</i>
--------	------------------------------------------------

Description

Obtain the standard deviation of a column of data.

Usage

```
h2o.sd(x, na.rm = FALSE)
```

```
sd(x, na.rm = FALSE)
```

Arguments

x	An H2O Frame object.
na.rm	logical. Should missing values be removed?

See Also

[h2o.var](#) for variance, and [sd](#) for the base R implementation.

Examples

```
h2o.init()
prosPath <- system.file("extdata", "prostate.csv", package="h2o")
prostate.hex <- h2o.uploadFile(path = prosPath)
sd(prostate.hex$AGE)
```

h2o.sdev	<i>Retrieve the standard deviations of principal components</i>
----------	-----------------------------------------------------------------

Description

Retrieve the standard deviations of principal components

Usage

h2o.sdev(object)

Arguments

object An [H2ODimReductionModel](#) object.

h2o.setLevels	<i>Set Levels of H2O Factor Column</i>
---------------	----------------------------------------

Description

Works on a single categorical vector. New domains must be aligned with the old domains. This call has SIDE EFFECTS and mutates the column in place (does not make a copy).

Usage

h2o.setLevels(x, levels)

Arguments

x A single categorical column.
 levels A character vector specifying the new levels. The number of new levels must match the number of old levels.

h2o.setTimezone	<i>Set the Time Zone on the H2O Cloud</i>
-----------------	-------------------------------------------

Description

Set the Time Zone on the H2O Cloud

Usage

h2o.setTimezone(tz)

Arguments

tz The desired timezone.

`h2o.shutdown`*Shut Down H2O Instance*

Description

Shut down the specified instance. All data will be lost.

Usage

```
h2o.shutdown(prompt = TRUE)
```

Arguments

<code>prompt</code>	A logical value indicating whether to prompt the user before shutting down the H2O server.
---------------------	--------------------------------------------------------------------------------------------

Details

This method checks if H2O is running at the specified IP address and port, and if it is, shuts down that H2O instance.

WARNING

All data, models, and other values stored on the server will be lost! Only call this function if you and all other clients connected to the H2O server are finished and have saved your work.

Note

Users must call `h2o.shutdown` explicitly in order to shut down the local H2O instance started by R. If R is closed before H2O, then an attempt will be made to automatically shut down H2O. This only applies to local instances started with `h2o.init`, not remote H2O servers.

See Also

[h2o.init](#)

Examples

```
# Dont run automatically to prevent accidentally shutting down a cloud
## Not run:
library(h2o)
h2o.init()
h2o.shutdown()

## End(Not run)
```

h2o.splitFrame	<i>Split an H2O Data Set</i>
----------------	------------------------------

Description

Split an existing H2O data set according to user-specified ratios.

Usage

```
h2o.splitFrame(data, ratios = 0.75, destination_frames, seed = -1)
```

Arguments

data	An H2O Frame object representing the dataste to split.
ratios	A numeric value or array indicating the ratio of total rows contained in each split. Must total up to less than 1.
destination_frames	An array of frame IDs equal to the number of ratios specified plus one.
seed	Random seed.

Examples

```
library(h2o)
h2o.init()
irisPath = system.file("extdata", "iris.csv", package = "h2o")
iris.hex = h2o.importFile(path = irisPath)
iris.split = h2o.splitFrame(iris.hex, ratios = c(0.2, 0.5))
head(iris.split[[1]])
summary(iris.split[[1]])
```

h2o.startGLMJob	<i>Start an H2O Generalized Linear Model Job</i>
-----------------	--------------------------------------------------

Description

Creates a background H2O GLM job.

Usage

```
h2o.startGLMJob(x, y, training_frame, model_id, validation_frame,
  max_iterations = 50, beta_epsilon = 0, solver = c("IRLSM", "L_BFGS"),
  standardize = TRUE, family = c("gaussian", "binomial", "poisson", "gamma",
  "tweedie"), link = c("family_default", "identity", "logit", "log",
  "inverse", "tweedie"), tweedie_variance_power = NaN,
  tweedie_link_power = NaN, alpha = 0.5, prior = 0, lambda = 1e-05,
  lambda_search = FALSE, nlambda = -1, lambda_min_ratio = 1,
  nfolds = 0, beta_constraints = NULL, ...)
```

Arguments

x	A vector containing the names or indices of the predictor variables to use in building the GLM model.
y	A character string or index that represent the response variable in the model.
training_frame	An H2O Frame object containing the variables in the model.
model_id	(Optional) The unique id assigned to the resulting model. If none is given, an id will automatically be generated.
validation_frame	An H2O Frame object containing the variables in the model. Defaults to NULL.
max_iterations	A non-negative integer specifying the maximum number of iterations.
beta_epsilon	A non-negative number specifying the magnitude of the maximum difference between the coefficient estimates from successive iterations. Defines the convergence criterion for <code>h2o.glm</code> .
solver	A character string specifying the solver used: IRLSM (supports more features), L_BFGS (scales better for datasets with many columns)
standardize	A logical value indicating whether the numeric predictors should be standardized to have a mean of 0 and a variance of 1 prior to training the models.
family	A character string specifying the distribution of the model: gaussian, binomial, poisson, gamma, tweedie.
link	A character string specifying the link function. The default is the canonical link for the family. The supported links for each of the family specifications are: "gaussian": "identity", "log", "inverse" "binomial": "logit", "log" "poisson": "log", "identity" "gamma": "inverse", "log", "identity" "tweedie": "tweedie"
tweedie_variance_power	A numeric specifying the power for the variance function when family = "tweedie".
tweedie_link_power	A numeric specifying the power for the link function when family = "tweedie".
alpha	A numeric in [0, 1] specifying the elastic-net mixing parameter. The elastic-net penalty is defined to be:

$$P(\alpha, \beta) = (1 - \alpha)/2 \|\beta\|_2^2 + \alpha \|\beta\|_1 = \sum_j [(1 - \alpha)/2\beta_j^2 + \alpha|\beta_j|]$$

	, making $\alpha = 1$ the lasso penalty and $\alpha = 0$ the ridge penalty.
prior	(Optional) A numeric specifying the prior probability of class 1 in the response when <code>family = "binomial"</code> . The default prior is the observational frequency of class 1.
lambda	A non-negative shrinkage parameter for the elastic-net, which multiplies $P(\alpha, \beta)$ in the objective function. When <code>lambda = 0</code> , no elastic-net penalty is applied and ordinary generalized linear models are fit.
lambda_search	A logical value indicating whether to conduct a search over the space of lambda values starting from the lambda max, given lambda is interpreted as lambda min.
nlambda	The number of lambda values to use when <code>lambda_search = TRUE</code> .
lambda_min_ratio	Smallest value for lambda as a fraction of lambda.max. By default if the number of observations is greater than the the number of variables then <code>lambda_min_ratio = 0.0001</code> ; if the number of observations is less than the number of variables then <code>lambda_min_ratio = 0.01</code> .
nfolds	(Optional) Number of folds for cross-validation. If <code>nfolds >= 2</code> , then validation must remain empty.
beta_constraints	A data.frame or H2OParsedData object with the columns ["names", "lower_bounds", "upper_bounds", "beta_given"], where each row corresponds to a predictor in the GLM. "names" contains the predictor names, "lower_bounds" and "upper_bounds" are the lower and upper bounds of beta, and "beta_given" is some supplied starting values for beta.
...	(Currently Unimplemented) coefficients.

Value

Returns a [H2OModelFuture](#) class object.

h2o.startLogging	<i>Start Writing H2O R Logs</i>
------------------	---------------------------------

Description

Begin logging H2o R POST commands and error responses to local disk. Used primarily for debuggin purposes.

Usage

```
h2o.startLogging(file)
```

Arguments

`file` a character string name for the file, automatically generated

See Also

[h2o.stopLogging](#), [h2o.clearLog](#), [h2o.openLog](#)

Examples

```
library(h2o)
h2o.init()
h2o.startLogging()
ausPath = system.file("extdata", "australia.csv", package="h2o")
australia.hex = h2o.importFile(path = ausPath)
h2o.stopLogging()
```

h2o.stopLogging	<i>Stop Writing H2O R Logs</i>
-----------------	--------------------------------

Description

Halt logging of H2O R POST commands and error responses to local disk. Used primarily for debugging purposes.

Usage

```
h2o.stopLogging()
```

See Also

[h2o.startLogging](#), [h2o.clearLog](#), [h2o.openLog](#)

Examples

```
library(h2o)
h2o.init()
h2o.startLogging()
ausPath = system.file("extdata", "australia.csv", package="h2o")
australia.hex = h2o.importFile(path = ausPath)
h2o.stopLogging()
```

h2o.strsplit	<i>String Split</i>
--------------	---------------------

Description

String Split

Usage

```
h2o.strsplit(x, split)
```

Arguments

x	The column whose strings must be split.
split	The pattern to split on.

h2o.sub	<i>String Substitute</i>
---------	--------------------------

Description

Creates a copy of the target column in which each string has the first occurrence of the regex pattern replaced with the replacement substring.

Usage

```
h2o.sub(pattern, replacement, x, ignore.case = FALSE)
```

Arguments

pattern	The pattern to replace.
replacement	The replacement pattern.
x	The column on which to operate.
ignore.case	Case sensitive or not

 h2o.summary

Summarizes the columns of a H2O data frame.

Description

A method for the [summary](#) generic. Summarizes the columns of an H2O data frame or subset of columns and rows using vector notation (e.g. dataset[row, col])

Usage

```
h2o.summary(object, factors = 6L, ...)
```

```
\method{summary}{Frame}(object, factors, ...)
```

Arguments

object	An H2O Frame object.
factors	The number of factors to return in the summary. Default is the top 6.
...	Further arguments passed to or from other methods.

Value

A table displaying the minimum, 1st quartile, median, mean, 3rd quartile and maximum for each numeric column, and the levels and category counts of the levels in each categorical column.

Examples

```
library(h2o)
h2o.init()
prosPath = system.file("extdata", "prostate.csv", package="h2o")
prostate.hex = h2o.importFile(path = prosPath)
summary(prostate.hex)
summary(prostate.hex$GLEASON)
summary(prostate.hex[,4:6])
```

 h2o.svd

Singular Value Decomposition

Description

Singular value decomposition of a H2O dataset using the power method.

Usage

```
h2o.svd(training_frame, x, nv, destination_key, max_iterations = 1000,  
        transform = "NONE", svd_method = c("GramSVD", "Power", "Randomized"),  
        seed, use_all_factor_levels)
```

Arguments

- training_frame** An H2O Frame object containing the variables in the model.
- x** (Optional) A vector containing the data columns on which SVD operates.
- nv** The number of right singular vectors to be computed. This must be between 1 and $\min(\text{ncol}(\text{training_frame}), \text{nrow}(\text{training_frame}))$ inclusive.
- destination_key** (Optional) The unique hex key assigned to the resulting model. Automatically generated if none is provided.
- max_iterations** The maximum number of iterations to run each power iteration loop. Must be between 1 and $1e6$ inclusive.
- transform** A character string that indicates how the training data should be transformed before running PCA. Possible values are: "NONE" for no transformation; "DE-MEAN" for subtracting the mean of each column; "DESCALE" for dividing by the standard deviation of each column; "STANDARDIZE" for demeaning and descaling; and "NORMALIZE" for demeaning and dividing each column by its range (max - min).
- svd_method** A character string that indicates how SVD should be calculated. Possible values are "GramSVD": distributed computation of the Gram matrix followed by a local SVD using the JAMA package, "Power": computation of the SVD using the power iteration method, "Randomized": approximate SVD by projecting onto a random subspace (see references).
- seed** (Optional) Random seed used to initialize the right singular vectors at the beginning of each power method iteration.
- use_all_factor_levels** (Optional) A logical value indicating whether all factor levels should be included in each categorical column expansion. If FALSE, the indicator column corresponding to the first factor level of every categorical variable will be dropped. Defaults to TRUE.

Value

Returns an object of class [H2ODimReductionModel](#).

References

N. Halko, P.G. Martinsson, J.A. Tropp. Finding structure with randomness: Probabilistic algorithms for constructing approximate matrix decompositions[<http://arxiv.org/abs/0909.4061>]. SIAM Rev., Survey and Review section, Vol. 53, num. 2, pp. 217-288, June 2011.

Examples

```
library(h2o)
h2o.init()
ausPath <- system.file("extdata", "australia.csv", package="h2o")
australia.hex <- h2o.uploadFile(path = ausPath)
h2o.svd(training_frame = australia.hex, nv = 8)
```

h2o.table

Cross Tabulation and Table Creation in H2O

Description

Uses the cross-classifying factors to build a table of counts at each combination of factor levels.

Usage

```
h2o.table(x, y = NULL)
```

```
table.Frame(x, y = NULL)
```

Arguments

x An H2O Frame object with at most two columns.
y An H2O Frame similar to x, or NULL.

Value

Returns a tabulated Frame object.

Examples

```
library(h2o)
h2o.init()
prosPath <- system.file("extdata", "prostate.csv", package="h2o")
prostate.hex <- h2o.uploadFile(path = prosPath, destination_frame = "prostate.hex")
summary(prostate.hex)

# Counts of the ages of all patients
head(h2o.table(prostate.hex[,3]))
h2o.table(prostate.hex[,3])

# Two-way table of ages (rows) and race (cols) of all patients
head(h2o.table(prostate.hex[,c(3,4)]))
h2o.table(prostate.hex[,c(3,4)])
```

`h2o.tabulate`*Tabulation between Two Columns of a H2O Frame*

Description

Simple Co-Occurrence based tabulation of X vs Y, where X and Y are two Vectors in a given dataset. Uses histogram of given resolution in X and Y. Handles numerical/categorical data and missing values. Supports observation weights.

Usage

```
h2o.tabulate(data, x, y, weights_column = NULL, nbins_x = 50,
             nbins_y = 50)
```

Arguments

<code>data</code>	An H2O Frame object.
<code>x</code>	predictor column
<code>y</code>	response column
<code>weights_column</code>	(optional) observation weights column
<code>nbins_x</code>	number of bins for predictor column
<code>nbins_y</code>	number of bins for response column

Value

Returns two TwoDimTables of 3 columns each `count_table`: X Y counts `response_table`: X mean Y counts

Examples

```
library(h2o)
h2o.init()
df <- as.h2o(iris)
tab <- h2o.tabulate(data = df, x = "Sepal.Length", y = "Petal.Width",
                   weights_column = NULL, nbins_x = 10, nbins_y = 10)
plot(tab)
```

h2o.toLower	<i>To Lower</i>
-------------	-----------------

Description

To Lower

Usage

```
h2o.toLower(x)
```

Arguments

x	A Frame object whose strings should be lower'd
---	------------------------------------------------

h2o.totss	<i>Get the total sum of squares. If "train", "valid", and "xval" parameters are FALSE (default), then the training totss value is returned. If more than one parameter is set to TRUE, then a named vector of totss' are returned, where the names are "train", "valid" or "xval".</i>
-----------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Description

Get the total sum of squares. If "train", "valid", and "xval" parameters are FALSE (default), then the training totss value is returned. If more than one parameter is set to TRUE, then a named vector of totss' are returned, where the names are "train", "valid" or "xval".

Usage

```
h2o.totss(object, train = FALSE, valid = FALSE, xval = FALSE, ...)
```

Arguments

object	An H2OClusteringModel object.
train	Retrieve the training total sum of squares
valid	Retrieve the validation total sum of squares
xval	Retrieve the cross-validation total sum of squares
...	further arguments to be passed on (currently unimplemented)

h2o.tot_withinss	<i>Get the total within cluster sum of squares. If "train", "valid", and "xval" parameters are FALSE (default), then the training tot_withinss value is returned. If more than one parameter is set to TRUE, then a named vector of tot_withinss' are returned, where the names are "train", "valid" or "xval".</i>
------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Description

Get the total within cluster sum of squares. If "train", "valid", and "xval" parameters are FALSE (default), then the training tot_withinss value is returned. If more than one parameter is set to TRUE, then a named vector of tot_withinss' are returned, where the names are "train", "valid" or "xval".

Usage

```
h2o.tot_withinss(object, train = FALSE, valid = FALSE, xval = FALSE, ...)
```

Arguments

object	An H2OClusteringModel object.
train	Retrieve the training total within cluster sum of squares
valid	Retrieve the validation total within cluster sum of squares
xval	Retrieve the cross-validation total within cluster sum of squares
...	further arguments to be passed on (currently unimplemented)

h2o.toupper	<i>To Upper</i>
-------------	-----------------

Description

To Upper

Usage

```
h2o.toupper(x)
```

Arguments

x	A Frame object whose strings should be upper'd
---	------------------------------------------------

h2o.trim	<i>Trim Space</i>
----------	-------------------

Description

Trim Space

Usage

```
h2o.trim(x)
```

Arguments

x	The column whose strings should be trimmed.
---	---------------------------------------------

h2o.var	<i>Variance of a column.</i>
---------	------------------------------

Description

Obtain the variance of a column of a parsed H2O data object.

Usage

```
h2o.var(x, y = NULL, na.rm = FALSE, use)
```

```
var(x, y = NULL, na.rm = FALSE, use)
```

Arguments

x	An H2O Frame object.
y	NULL (default) or a column of an H2O Frame object. The default is equivalent to y = x (but more efficient).
na.rm	logical. Should missing values be removed?
use	An optional character string to be used in the presence of missing values. This must be one of the following strings. "everything", "all.obs", or "complete.obs".

See Also

[var](#) for the base R implementation. [h2o.sd](#) for standard deviation.

Examples

```

h2o.init()
prosPath <- system.file("extdata", "prostate.csv", package="h2o")
prostate.hex <- h2o.uploadFile(path = prosPath)
var(prostate.hex$AGE)

```

h2o.varimp	<i>Retrieve the variable importance.</i>
------------	------------------------------------------

Description

Retrieve the variable importance.

Usage

```
h2o.varimp(object, ...)
```

Arguments

object	An H2OModel object.
...	further arguments to be passed on (currently unimplemented)

h2o.week	<i>Convert Milliseconds to Week of Week Year in H2O Datasets</i>
----------	------------------------------------------------------------------

Description

Converts the entries of a Frame object from milliseconds to weeks of the week year (starting from 1).

Usage

```

h2o.week(x)

week(x)

## S3 method for class Frame
week(x)

```

Arguments

x	An H2O Frame object.
---	----------------------

Value

A Frame object containing the entries of x converted to weeks of the week year.

See Also

[h2o.month](#)

h2o.weights	<i>Retrieve the respective weight matrix</i>
-------------	----------------------------------------------

Description

Retrieve the respective weight matrix

Usage

```
h2o.weights(object, matrix_id = 1, ...)
```

Arguments

object	An H2OModel or H2OModelMetrics
matrix_id	An integer, ranging from 1 to number of layers + 1, that specifies the weight matrix to return.
...	further arguments to be passed to/from this method.

h2o.withinss	<i>Get the Within SS</i>
--------------	--------------------------

Description

Get the Within SS

Usage

```
h2o.withinss(object, ...)
```

Arguments

object	An H2OClusteringModel object.
...	further arguments to be passed on (currently unimplemented)

h2o.year	<i>Convert Milliseconds to Years in H2O Datasets</i>
----------	------------------------------------------------------

Description

Convert the entries of a Frame object from milliseconds to years, indexed starting from 1900.

Usage

```
h2o.year(x)
```

```
year(x)
```

```
## S3 method for class Frame  
year(x)
```

Arguments

x An H2O Frame object.

Details

This method calls the function of the MutableDateTime class in Java.

Value

A Frame object containig the entries of x converted to years starting from 1900, e.g. 69 corresponds to the year 1969.

See Also

[h2o.month](#)

H2OClusteringModel-class	<i>The H2OClusteringModel object.</i>
--------------------------	---------------------------------------

Description

This virtual class represents a clustering model built by H2O.

Details

This object has slots for the key, which is a character string that points to the model key existing in the H2O cloud, the data used to build the model (an object of class Frame).

Slots

model_id A character string specifying the key for the model fit in the H2O cloud's key-value store.

algorithm A character string specifying the algorithm that was used to fit the model.

parameters A list containing the parameter settings that were used to fit the model that differ from the defaults.

allparameters A list containing all parameters used to fit the model.

model A list containing the characteristics of the model returned by the algorithm.

size The number of points in each cluster.

totss Total sum of squared error to grand mean.

withinss A vector of within-cluster sum of squared error.

tot_withinss Total within-cluster sum of squared error.

betweenss Between-cluster sum of squared error.

H2OConnection-class *The H2OConnection class.*

Description

This class represents a connection to an H2O cloud.

Usage

```
## S4 method for signature H2OConnection
show(object)
```

Arguments

object an H2OConnection object.

Details

Because H2O is not a master-slave architecture, there is no restriction on which H2O node is used to establish the connection between R (the client) and H2O (the server).

A new H2O connection is established via the `h2o.init()` function, which takes as parameters the 'ip' and 'port' of the machine running an instance to connect with. The default behavior is to connect with a local instance of H2O at port 54321, or to boot a new local instance if one is not found at port 54321.

Slots

ip A character string specifying the IP address of the H2O cloud.
 port A numeric value specifying the port number of the H2O cloud.
 https Set this to TRUE to use https instead of http.
 insecure Set this to TRUE to disable SSL certificate checking.
 username Username to login with.
 password Password to login with.
 mutable An H2OConnectionMutableState object to hold the mutable state for the H2O connection.

 H2OGrid-class

H2O Grid

Description

A class to contain the information about grid results
 Format grid object in user-friendly way

Usage

```
## S4 method for signature H2OGrid
show(object)
```

Arguments

object an H2OGrid object.

Slots

grid_id the final identifier of grid
 model_ids list of model IDs which are included in the grid object
 hyper_names list of parameter names used for grid search
 failed_params list of model parameters which caused a failure during model building, it can contain a null value
 failure_details list of detailed messages which correspond to failed parameters field
 failure_stack_traces list of stack traces corresponding to model failures reported by failed_params and failure_details fields
 failed_raw_params list of failed raw parameters

See Also

[H2OModel](#) for the final model types.

H2OModel-class *The H2OModel object.*

Description

This virtual class represents a model built by H2O.

Usage

```
## S4 method for signature H2OModel
show(object)
```

Arguments

object an H2OModel object.

Details

This object has slots for the key, which is a character string that points to the model key existing in the H2O cloud, the data used to build the model (an object of class Frame).

Slots

model_id A character string specifying the key for the model fit in the H2O cloud's key-value store.

algorithm A character string specifying the algorithm that were used to fit the model.

parameters A list containing the parameter settings that were used to fit the model that differ from the defaults.

allparameters A list containing all parameters used to fit the model.

model A list containing the characteristics of the model returned by the algorithm.

H2OModelFuture-class *H2O Future Model*

Description

A class to contain the information for background model jobs.

Slots

job_key a character key representing the identification of the job process.

model_id the final identifier for the model

See Also

[H2OModel](#) for the final model types.

H2OModelMetrics-class *The H2OModelMetrics Object.*

Description

A class for constructing performance measures of H2O models.

Usage

```
## S4 method for signature H2OModelMetrics
show(object)

## S4 method for signature H20BinomialMetrics
show(object)

## S4 method for signature H20MultinomialMetrics
show(object)

## S4 method for signature H20RegressionMetrics
show(object)

## S4 method for signature H20ClusteringMetrics
show(object)

## S4 method for signature H20AutoEncoderMetrics
show(object)

## S4 method for signature H20DimReductionMetrics
show(object)
```

Arguments

object An H2OModelMetrics object

housevotes *United States Congressional Voting Records 1984*

Description

This data set includes votes for each of the U.S. House of Representatives Congressmen on the 16 key votes identified by the CQA. The CQA lists nine different types of votes: voted for, paired for, and announced for (these three simplified to yea), voted against, paired against, and announced against (these three simplified to nay), voted present, voted present to avoid conflict of interest, and did not vote or otherwise make a position known (these three simplified to an unknown disposition).

Format

A data frame with 435 rows and 17 columns

Source

Congressional Quarterly Almanac, 98th Congress, 2nd session 1984, Volume XL: Congressional Quarterly Inc., Washington, D.C., 1985

References

Newman, D.J. & Hettich, S. & Blake, C.L. & Merz, C.J. (1998). UCI Repository of machine learning databases [<http://www.ics.uci.edu/~mllearn/MLRepository.html>]. Irvine, CA: University of California, Department of Information and Computer Science.

iris	<i>Edgar Anderson's Iris Data</i>
------	-----------------------------------

Description

Measurements in centimeters of the sepal length and width and petal length and width, respectively, for three species of iris flowers.

Format

A data frame with 150 rows and 5 columns

Source

Fisher, R. A. (1936) The use of multiple measurements in taxonomic problems. *Annals of Eugenics*, 7, Part II, 179-188.

The data were collected by Anderson, Edgar (1935). The irises of the Gaspe Peninsula, *Bulletin of the American Iris Society*, 59, 2-5.

is.factor	<i>Check if factor</i>
-----------	------------------------

Description

Check if factor

Usage

```
is.factor(x)
```

Arguments

x An H2O Frame object

is.numeric	<i>Check if numeric</i>
------------	-------------------------

Description

Check if numeric

Usage

```
is.numeric(x)
```

Arguments

x	An H2O Frame object
---	---------------------

ModelAccessors	<i>Accessor Methods for H2OModel Object</i>
----------------	---------------------------------------------

Description

Function accessor methods for various H2O output fields.

Usage

```
getParms(object)  
  
## S4 method for signature H2OModel  
getParms(object)  
  
getCenters(object)  
  
getCentersStd(object)  
  
getWithinSS(object)  
  
getTotWithinSS(object)  
  
getBetweenSS(object)  
  
getTotSS(object)  
  
getIterations(object)  
  
getClusterSizes(object)
```

```

## S4 method for signature H2OClusteringModel
getCenters(object)

## S4 method for signature H2OClusteringModel
getCentersStd(object)

## S4 method for signature H2OClusteringModel
getWithinSS(object)

## S4 method for signature H2OClusteringModel
getTotWithinSS(object)

## S4 method for signature H2OClusteringModel
getBetweenSS(object)

## S4 method for signature H2OClusteringModel
getTotSS(object)

## S4 method for signature H2OClusteringModel
getIterations(object)

## S4 method for signature H2OClusteringModel
getClusterSizes(object)

```

Arguments

object an [H2OModel](#) class object.

na.omit.Frame	<i>Remove Rows With NAs</i>
---------------	-----------------------------

Description

Remove Rows With NAs

Usage

```

## S3 method for class Frame
na.omit(object, ...)

```

Arguments

object	Frame object
...	Ignored

names.Frame	<i>Column names of an H2O Frame</i>
-------------	-------------------------------------

Description

Column names of an H2O Frame

Usage

```
## S3 method for class Frame
names(x)
```

Arguments

x A Frame

Ops.Frame	<i>S3 Group Generic Functions for H2O</i>
-----------	-------------------------------------------

Description

Methods for group generic functions and H2O objects.

Usage

```
## S3 method for class Frame
Ops(e1, e2)

## S3 method for class Frame
Math(x, ...)

## S3 method for class Frame
Math(x, ...)

## S3 method for class Frame
Math(x, ...)

## S3 method for class Frame
Summary(x, ..., na.rm)

## S3 method for class Frame
!x

## S3 method for class Frame
is.na(x)
```

```

## S3 method for class Frame
t(x)

log(x, ...)

trunc(x, ...)

x %*% y

nrow.Frame(x)

ncol.Frame(x)

## S3 method for class Frame
length(x)

h2o.length(x)

## S3 replacement method for class Frame
names(x) <- value

colnames(x) <- value

```

Arguments

e1	object
e2	object
x	object
...	Further arguments passed to or from other methods.
na.rm	logical. whether or not missing values should be removed
y	object
value	To be assigned

plot.H2OModel

Plot an H2O Model

Description

Plots training set (and validation set if available) scoring history for an H2O Model

Usage

```

## S3 method for class H2OModel
plot(x, timestep = "AUTO", metric = "AUTO", ...)

```

Arguments

x	A fitted H2OModel object for which the scoring history plot is desired.
timestep	A unit of measurement for the x-axis.
metric	A unit of measurement for the y-axis.
...	additional arguments to pass on.

Details

This method dispatches on the type of H2O model to select the correct scoring history. The timestep and metric arguments are restricted to what is available in the scoring history for a particular type of model.

Value

Returns a scoring history plot.

See Also

[link{h2o.deeplearning}](#), [link{h2o.gbm}](#), [link{h2o.glm}](#), [link{h2o.randomForest}](#) for model generation in h2o.

Examples

```
library(h2o)
library(mlbench)
h2o.init()

df <- as.h2o(mlbench::mlbench.friedman1(10000,1))
rng <- h2o.runif(df, seed=1234)
train <- df[rng<0.8,]
valid <- df[rng>=0.8,]

gbm <- h2o.gbm(x = 1:10, y = "y", training_frame = train, validation_frame = valid,
  ntrees=500, learn_rate=0.01, score_each_iteration = TRUE)
plot(gbm)
plot(gbm, timestep = "duration", metric = "deviance")
plot(gbm, timestep = "number_of_trees", metric = "deviance")
plot(gbm, timestep = "number_of_trees", metric = "MSE")
```

plot.H2OTabulate *Plot an H2O Tabulate Heatmap*

Description

Plots the simple co-occurrence based tabulation of X vs Y as a heatmap, where X and Y are two Vecs in a given dataset.

Usage

```
## S3 method for class H2OTabulate
plot(x, xlab = x$cols[1], ylab = x$cols[2],
     base_size = 12, ...)
```

Arguments

x	An H2OTabulate object for which the heatmap plot is desired.
xlab	A title for the x-axis. Defaults to what is specified in the given H2OTabulate object.
ylab	A title for the y-axis. Defaults to what is specified in the given H2OTabulate object.
base_size	Base font size for plot.
...	additional arguments to pass on.

Value

Returns a ggplot2-based heatmap of co-occurrence.

See Also

[link{h2o.tabulate}](#)

Examples

```
library(h2o)
h2o.init()
df <- as.h2o(iris)
tab <- h2o.tabulate(data = df, x = "Sepal.Length", y = "Petal.Width",
                   weights_column = NULL, nbins_x = 10, nbins_y = 10)
plot(tab)
```

predict.H2OModel *Predict on an H2O Model*

Description

Obtains predictions from various fitted H2O model objects.

Usage

```
## S3 method for class H2OModel
predict(object, newdata, ...)

h2o.predict(object, newdata, ...)
```

Arguments

object	a fitted H2OModel object for which prediction is desired
newdata	A Frame object in which to look for variables with which to predict.
...	additional arguments to pass on.

Details

This method dispatches on the type of H2O model to select the correct prediction/scoring algorithm. The order of the rows in the results is the same as the order in which the data was loaded, even if some rows fail (for example, due to missing values or unseen factor levels).

Value

Returns an H2O Frame object with probabilities and default predictions.

See Also

[link{h2o.deeplearning}](#), [link{h2o.gbm}](#), [link{h2o.glm}](#), [link{h2o.randomForest}](#) for model generation in h2o.

print.Frame *Print An H2O Frame*

Description

Print An H2O Frame

Usage

```
## S3 method for class Frame
print(x, ...)
```

Arguments

x An H2O Frame object
 ... Further arguments to be passed from or to other methods.

print.H2OTable *Print method for H2OTable objects*

Description

This will print a truncated view of the table if there are more than 20 rows.

Usage

```
## S3 method for class H2OTable
print(x, header = TRUE, ...)
```

Arguments

x An H2OTable object
 header A logical value dictating whether or not the table name should be printed.
 ... Further arguments passed to or from other methods.

Value

The original x object

prostate *Prostate Cancer Study*

Description

Baseline exam results on prostate cancer patients from Dr. Donn Young at The Ohio State University Comprehensive Cancer Center.

Format

A data frame with 380 rows and 9 columns

Source

Hosmer and Lemeshow (2000) Applied Logistic Regression: Second Edition.

range.Frame	<i>Range of an H2O Column</i>
-------------	-------------------------------

Description

Range of an H2O Column

Usage

```
## S3 method for class Frame
range(..., na.rm = TRUE)
```

Arguments

...	An H2O Frame object.
na.rm	ignore missing values

str.Frame	<i>Display the structure of an H2O Frame object</i>
-----------	-----------------------------------------------------

Description

Display the structure of an H2O Frame object

Usage

```
## S3 method for class Frame
str(object, ..., cols = FALSE)
```

Arguments

object	An H2O Frame.
...	Further arguments to be passed from or to other methods.
cols	Print the per-column str for the Frame

summary,H2OGrid-method

Format grid object in user-friendly way

Description

Format grid object in user-friendly way

Usage

```
## S4 method for signature H2OGrid
summary(object, show_stack_traces = FALSE)
```

Arguments

object an H2OGrid object.
show_stack_traces a flag to show stack traces for model failures

summary,H2OModel-method

Print the Model Summary

Description

Print the Model Summary

Usage

```
## S4 method for signature H2OModel
summary(object, ...)
```

Arguments

object An [H2OModel](#) object.
... further arguments to be passed on (currently unimplemented)

walking

Muscular Actuations for Walking Subject

Description

The musculoskeletal model, experimental data, settings files, and results for three-dimensional, muscle-actuated simulations at walking speed as described in Hamner and Delp (2013). Simulations were generated using OpenSim 2.4. The data is available from https://simtk.org/project/xml/downloads.xml?group_id=603.

Format

A data frame with 151 rows and 124 columns

References

Hamner, S.R., Delp, S.L. Muscle contributions to fore-aft and vertical body mass center accelerations over a range of running speeds. *Journal of Biomechanics*, vol 46, pp 780-787. (2013)

Index

- !.Frame (Ops.Frame), [123](#)
- *Topic **datasets**
 - australia, [10](#)
 - housevotes, [119](#)
 - iris, [120](#)
 - prostate, [128](#)
 - walking, [131](#)
- *Topic **package**
 - h2o-package, [5](#)
- [,Frame-method (Frame-Extract), [12](#)
- [.Frame (Frame-Extract), [12](#)
- [<-.Frame (Frame-Extract), [12](#)
- [[.Frame (Frame-Extract), [12](#)
- [[<-.Frame (Frame-Extract), [12](#)
- \$.Frame (Frame-Extract), [12](#)
- \$<-.Frame (Frame-Extract), [12](#)
- %% (Ops.Frame), [123](#)
- %in% (h2o.match), [71](#)

- aaa, [6](#)
- apply, [6](#), [6](#)
- as.character.Frame, [7](#)
- as.data.frame.Frame, [7](#)
- as.factor, [8](#)
- as.h2o, [8](#)
- as.matrix.Frame, [9](#)
- as.numeric, [9](#)
- as.vector, [10](#)
- australia, [10](#)

- cbind, [17](#)
- colnames, [10](#)
- colnames<- (Ops.Frame), [123](#)
- cut.Frame (h2o.cut), [25](#)

- day (h2o.day), [26](#)
- dayOfWeek (h2o.dayOfWeek), [27](#)
- ddply, [28](#)
- dim, [11](#)
- dim.Frame, [11](#)

- dimnames.Frame, [11](#)

- Frame-Extract, [12](#)

- getBetweenSS (ModelAccessors), [121](#)
- getBetweenSS,H2OClusteringModel-method (ModelAccessors), [121](#)
- getCenters (ModelAccessors), [121](#)
- getCenters,H2OClusteringModel-method (ModelAccessors), [121](#)
- getCentersStd (ModelAccessors), [121](#)
- getCentersStd,H2OClusteringModel-method (ModelAccessors), [121](#)
- getClusterSizes (ModelAccessors), [121](#)
- getClusterSizes,H2OClusteringModel-method (ModelAccessors), [121](#)
- getIterations (ModelAccessors), [121](#)
- getIterations,H2OClusteringModel-method (ModelAccessors), [121](#)
- getParms (ModelAccessors), [121](#)
- getParms,H2OModel-method (ModelAccessors), [121](#)
- getTotSS (ModelAccessors), [121](#)
- getTotSS,H2OClusteringModel-method (ModelAccessors), [121](#)
- getTotWithinSS (ModelAccessors), [121](#)
- getTotWithinSS,H2OClusteringModel-method (ModelAccessors), [121](#)
- getWithinSS (ModelAccessors), [121](#)
- getWithinSS,H2OClusteringModel-method (ModelAccessors), [121](#)

- h2o (h2o-package), [5](#)
- h2o-package, [5](#)
- h2o.accuracy (h2o.metric), [75](#)
- h2o.aic, [13](#)
- h2o.anomaly, [13](#)
- h2o.anyFactor, [14](#)
- h2o.assign, [15](#), [95](#)
- h2o.auc, [15](#), [46](#), [49](#), [76](#), [78](#)

h2o.betweenness, 16, 67
h2o.biases, 17
h2o.cbind, 17
h2o.centers, 18, 67
h2o.centersSTD, 18, 67
h2o.centroid_stats, 19
h2o.clearLog, 19, 82, 104
h2o.cluster_sizes, 21, 67
h2o.clusterInfo, 20
h2o.clusterIsUp, 20
h2o.clusterStatus, 21
h2o.coef, 22
h2o.coef_norm, 22
h2o.confusionMatrix, 22, 49
h2o.confusionMatrix, H2OModel-method
 (h2o.confusionMatrix), 22
h2o.confusionMatrix, H2OModelMetrics-method
 (h2o.confusionMatrix), 22
h2o.createFrame, 24
h2o.cut, 25
h2o.day, 26, 27, 57
h2o.dayOfWeek, 27
h2o.dct, 27
h2o.ddply, 28
h2o.deepfeatures, 29
h2o.deeplearning, 14, 30
h2o.download_pojo, 36
h2o.downloadAllLogs, 35
h2o.downloadCSV, 35
h2o.error (h2o.metric), 75
h2o.exportFile, 37
h2o.exportHDFS, 38
h2o.F0point5 (h2o.metric), 75
h2o.F1 (h2o.metric), 75
h2o.F2 (h2o.metric), 75
h2o.fallout (h2o.metric), 75
h2o.filterNACols, 38
h2o.find_row_by_threshold, 39
h2o.find_threshold_by_max_metric, 39
h2o.fnr (h2o.metric), 75
h2o.fpr (h2o.metric), 75
h2o.gbm, 40
h2o.getConnection, 42
h2o.getFrame, 43
h2o.getFutureModel, 43
h2o.getGrid, 43
h2o.getId, 44
h2o.getModel, 44
h2o.getTimezone, 45
h2o.getTypes, 45
h2o.getVersion, 46
h2o.giniCoef, 15, 46, 46, 49, 76
h2o.glm, 5, 47
h2o.glm, 50, 87
h2o.grid, 53
h2o.group_by, 54
h2o.gsub, 54
h2o.head, 55
h2o.hist, 56
h2o.hit_ratio_table, 56
h2o.hour, 57
h2o.ifelse, 57
h2o.importFile, 58
h2o.importFolder (h2o.importFile), 58
h2o.importHDFS (h2o.importFile), 58
h2o.importURL (h2o.importFile), 58
h2o.impute, 60
h2o.init, 21, 61, 100
h2o.insertMissingValues, 63
h2o.interaction, 64
h2o.is_client, 65
h2o.killMinus3, 66
h2o.kmeans, 52, 66
h2o.length (Ops.Frame), 123
h2o.levels, 67
h2o.listTimezones, 68
h2o.loadModel, 68, 96
h2o.logAndEcho, 69
h2o.logloss, 49, 69
h2o.ls, 70, 95
h2o.makeGLMModel, 70
h2o.match, 71
h2o.maxPerClassError (h2o.metric), 75
h2o.mcc (h2o.metric), 75
h2o.mean, 71
h2o.mean_residual_deviance, 72
h2o.median, 73
h2o.merge, 74
h2o.metric, 15, 46, 75, 78
h2o.missrate (h2o.metric), 75
h2o.mktime, 76
h2o.month, 26, 27, 77, 114, 115
h2o.mse, 15, 49, 76, 78, 78
h2o.naiveBayes, 79
h2o.nchar, 80
h2o.networkTest, 80

- h2o.null_deviance, [81](#)
- h2o.null_dof, [81](#)
- h2o.num_iterations, [67](#), [82](#)
- h2o.openLog, [19](#), [82](#), [104](#)
- h2o.parseRaw, [83](#)
- h2o.parseSetup, [84](#)
- h2o.performance, [15](#), [23](#), [46](#), [49](#), [76](#), [78](#), [85](#)
- h2o.prcomp, [52](#), [86](#)
- h2o.precision (h2o.metric), [75](#)
- h2o.predict (predict.H2OModel), [127](#)
- h2o.quantile, [87](#)
- h2o.r2, [88](#)
- h2o.randomForest, [89](#)
- h2o.rbind, [91](#)
- h2o.recall (h2o.metric), [75](#)
- h2o.removeAll, [92](#)
- h2o.removeVecs, [93](#)
- h2o.rep_len, [93](#)
- h2o.residual_deviance, [94](#)
- h2o.residual_dof, [94](#)
- h2o.rm, [92](#), [95](#)
- h2o.runif, [95](#)
- h2o.saveModel, [68](#), [96](#)
- h2o.scale, [97](#)
- h2o.scoreHistory, [49](#), [98](#)
- h2o.sd, [98](#), [112](#)
- h2o.sdev, [99](#)
- h2o.sensitivity (h2o.metric), [75](#)
- h2o.setLevels, [99](#)
- h2o.setTimezone, [99](#)
- h2o.shutdown, [62](#), [100](#)
- h2o.specificity (h2o.metric), [75](#)
- h2o.splitFrame, [101](#)
- h2o.startGLMJob, [101](#)
- h2o.startLogging, [19](#), [82](#), [103](#), [104](#)
- h2o.stopLogging, [19](#), [82](#), [104](#), [104](#)
- h2o.strsplit, [105](#)
- h2o.sub, [105](#)
- h2o.summary, [106](#)
- h2o.svd, [52](#), [87](#), [106](#)
- h2o.table, [108](#)
- h2o.tabulate, [109](#)
- h2o.tail (h2o.head), [55](#)
- h2o.tnr (h2o.metric), [75](#)
- h2o.tolower, [110](#)
- h2o.tot_withinss, [67](#), [111](#)
- h2o.totss, [67](#), [110](#)
- h2o.toupper, [111](#)
- h2o.tpr (h2o.metric), [75](#)
- h2o.trim, [112](#)
- h2o.uploadFile (h2o.importFile), [58](#)
- h2o.var, [98](#), [112](#)
- h2o.varimp, [49](#), [113](#)
- h2o.week, [113](#)
- h2o.weights, [114](#)
- h2o.withinss, [67](#), [114](#)
- h2o.year, [77](#), [115](#)
- H2OAutoEncoderMetrics-class
(H2OModelMetrics-class), [119](#)
- H2OAutoEncoderModel, [13](#)
- H2OAutoEncoderModel-class
(H2OModel-class), [118](#)
- H2OBinomialMetrics, [15](#), [23](#), [46](#), [69](#), [76](#), [78](#)
- H2OBinomialMetrics-class
(H2OModelMetrics-class), [119](#)
- H2OBinomialModel, [49](#), [80](#)
- H2OBinomialModel-class
(H2OModel-class), [118](#)
- H2OClusteringMetrics-class
(H2OModelMetrics-class), [119](#)
- H2OClusteringModel, [16](#), [18](#), [19](#), [21](#), [67](#), [82](#),
[110](#), [111](#), [114](#)
- H2OClusteringModel-class, [115](#)
- H2OConnection, [21](#), [42](#)
- H2OConnection (H2OConnection-class), [116](#)
- H2OConnection-class, [116](#)
- H2ODimReductionMetrics-class
(H2OModelMetrics-class), [119](#)
- H2ODimReductionModel, [52](#), [87](#), [99](#), [107](#)
- H2ODimReductionModel-class
(H2OModel-class), [118](#)
- H2OGrid (H2OGrid-class), [117](#)
- H2OGrid-class, [117](#)
- H2OModel, [13](#), [15](#), [17](#), [22](#), [23](#), [29](#), [38](#), [45](#), [46](#),
[49](#), [56](#), [68](#), [70](#), [73](#), [78](#), [81](#), [82](#), [85](#), [88](#),
[91](#), [94–96](#), [98](#), [113](#), [114](#), [117](#), [118](#),
[122](#), [125](#), [127](#), [130](#)
- H2OModel (H2OModel-class), [118](#)
- H2OModel-class, [118](#)
- H2OModelFuture, [103](#)
- H2OModelFuture-class, [118](#)
- H2OModelMetrics, [13](#), [17](#), [23](#), [70](#), [75](#), [78](#), [81](#),
[82](#), [85](#), [94](#), [95](#), [114](#)
- H2OModelMetrics
(H2OModelMetrics-class), [119](#)
- H2OModelMetrics-class, [119](#)

- H2OMultinomialMetrics, [23](#), [69](#), [78](#)
- H2OMultinomialMetrics-class
 - (H2OModelMetrics-class), [119](#)
- H2OMultinomialModel, [80](#)
- H2OMultinomialModel-class
 - (H2OModel-class), [118](#)
- H2ORegressionMetrics, [78](#)
- H2ORegressionMetrics-class
 - (H2OModelMetrics-class), [119](#)
- H2ORegressionModel, [49](#)
- H2ORegressionModel-class
 - (H2OModel-class), [118](#)
- H2OUnknownMetrics-class
 - (H2OModelMetrics-class), [119](#)
- H2OUnknownModel-class (H2OModel-class), [118](#)
- head.Frame (h2o.head), [55](#)
- hour (h2o.hour), [57](#)
- housevotes, [119](#)
- ifelse (h2o.ifelse), [57](#)
- iris, [120](#)
- is.factor, [8](#), [120](#)
- is.na.Frame (Ops.Frame), [123](#)
- is.numeric, [121](#)
- length.Frame (Ops.Frame), [123](#)
- levels, [67](#)
- log (Ops.Frame), [123](#)
- match, [71](#)
- match.Frame (h2o.match), [71](#)
- Math.Frame (Ops.Frame), [123](#)
- mean, [72](#)
- mean.Frame (h2o.mean), [71](#)
- median.Frame (h2o.median), [73](#)
- ModelAccessors, [121](#)
- month (h2o.month), [77](#)
- na.omit.Frame, [122](#)
- names.Frame, [123](#)
- names<- .Frame (Ops.Frame), [123](#)
- ncol.Frame (Ops.Frame), [123](#)
- nrow.Frame (Ops.Frame), [123](#)
- Ops.Frame, [123](#)
- plot.H2OModel, [124](#)
- plot.H2OTabulate, [126](#)
- predict, [23](#)
- predict.H2OModel, [34](#), [42](#), [49](#), [91](#), [127](#)
- print.Frame, [127](#)
- print.H2OTable, [128](#)
- prostate, [128](#)
- quantile, [88](#)
- quantile.Frame (h2o.quantile), [87](#)
- range.Frame, [129](#)
- rbind, [91](#)
- scale.Frame (h2o.scale), [97](#)
- sd, [98](#)
- sd (h2o.sd), [98](#)
- show, H2OAutoEncoderMetrics-method
 - (H2OModelMetrics-class), [119](#)
- show, H2OBinomialMetrics-method
 - (H2OModelMetrics-class), [119](#)
- show, H2OClusteringMetrics-method
 - (H2OModelMetrics-class), [119](#)
- show, H2OConnection-method
 - (H2OConnection-class), [116](#)
- show, H2ODimReductionMetrics-method
 - (H2OModelMetrics-class), [119](#)
- show, H2OGrid-method (H2OGrid-class), [117](#)
- show, H2OModel-method (H2OModel-class), [118](#)
- show, H2OModelMetrics-method
 - (H2OModelMetrics-class), [119](#)
- show, H2OMultinomialMetrics-method
 - (H2OModelMetrics-class), [119](#)
- show, H2ORegressionMetrics-method
 - (H2OModelMetrics-class), [119](#)
- str.Frame, [129](#)
- summary, [106](#)
- summary, H2OGrid-method, [130](#)
- summary, H2OModel-method, [130](#)
- Summary.Frame (Ops.Frame), [123](#)
- summary.Frame (h2o.summary), [106](#)
- t.Frame (Ops.Frame), [123](#)
- table.Frame (h2o.table), [108](#)
- tail.Frame (h2o.head), [55](#)
- trunc (Ops.Frame), [123](#)
- var, [112](#)
- var (h2o.var), [112](#)
- walking, [131](#)
- week (h2o.week), [113](#)

year (h2o.year), [115](#)