

# "h2o"

December 21, 2018

## R topics documented:

|  |    |
|--|----|
| h2o-package . . . . .                  | 8  |
| .addParm . . . . .                     | 9  |
| .collapse . . . . .                    | 9  |
| .h2o.doGET . . . . .                   | 10 |
| .h2o.doPOST . . . . .                  | 10 |
| .h2o.doRawGET . . . . .                | 11 |
| .h2o.doRawPOST . . . . .               | 11 |
| .h2o.doSafeGET . . . . .               | 12 |
| .h2o.doSafePOST . . . . .              | 13 |
| .h2o.is_progress . . . . .             | 13 |
| .h2o.locate . . . . .                  | 14 |
| .h2o.primitives . . . . .              | 14 |
| .h2o.__ALL_CAPABILITIES . . . . .      | 14 |
| .h2o.__checkConnectionHealth . . . . . | 15 |
| .h2o.__CREATE_FRAME . . . . .          | 15 |
| .h2o.__DECRYPTION_SETUP . . . . .      | 15 |
| .h2o.__DKV . . . . .                   | 16 |
| .h2o.__EXPORT_FILES . . . . .          | 16 |
| .h2o.__FRAMES . . . . .                | 16 |
| .h2o.__IMPORT . . . . .                | 17 |
| .h2o.__JOBS . . . . .                  | 17 |
| .h2o.__LOGANDECHO . . . . .            | 17 |
| .h2o.__MODELS . . . . .                | 18 |
| .h2o.__MODEL_BUILDERS . . . . .        | 18 |
| .h2o.__MODEL_METRICS . . . . .         | 18 |
| .h2o.__PARSE_SETUP . . . . .           | 19 |
| .h2o.__RAPIDS . . . . .                | 19 |
| .h2o.__REST_API_VERSION . . . . .      | 19 |
| .h2o.__W2V_SYNONYMS . . . . .          | 20 |
| .pkg.env . . . . .                     | 20 |
| .skip_if_not_developer . . . . .       | 20 |
| .verify_dataxy . . . . .               | 21 |
| aaa . . . . .                          | 21 |
| apply . . . . .                        | 21 |
| as.character.H2OFrame . . . . .        | 22 |
| as.data.frame.H2OFrame . . . . .       | 23 |
| as.factor . . . . .                    | 23 |

|                                      |    |
|--------------------------------------|----|
| as.h2o                               | 24 |
| as.matrix.H2OFrame                   | 25 |
| as.numeric                           | 26 |
| as.vector.H2OFrame                   | 26 |
| australia                            | 27 |
| colnames                             | 27 |
| dim.H2OFrame                         | 28 |
| dimnames.H2OFrame                    | 28 |
| generate_col_ind                     | 29 |
| h2o.abs                              | 29 |
| h2o.acos                             | 30 |
| h2o.aggregated_frame                 | 31 |
| h2o.aggregator                       | 31 |
| h2o.aic                              | 32 |
| h2o.all                              | 33 |
| h2o.anomaly                          | 34 |
| h2o.any                              | 34 |
| h2o.anyFactor                        | 35 |
| h2o.arrange                          | 35 |
| h2o.ascharacter                      | 36 |
| h2o.asfactor                         | 36 |
| h2o.asnumeric                        | 37 |
| h2o.assign                           | 37 |
| h2o.as_date                          | 38 |
| h2o.auc                              | 38 |
| h2o.automl                           | 39 |
| h2o.betweenss                        | 42 |
| h2o.biases                           | 42 |
| h2o.bottomN                          | 43 |
| h2o.cbind                            | 43 |
| h2o.ceiling                          | 44 |
| h2o.centers                          | 44 |
| h2o.centersSTD                       | 45 |
| h2o.centroid_stats                   | 45 |
| h2o.clearLog                         | 46 |
| h2o.clusterInfo                      | 46 |
| h2o.clusterIsUp                      | 47 |
| h2o.clusterStatus                    | 47 |
| h2o.cluster_sizes                    | 48 |
| h2o.coef                             | 48 |
| h2o.coef_norm                        | 49 |
| h2o.colnames                         | 49 |
| h2o.columns_by_type                  | 50 |
| h2o.computeGram                      | 50 |
| h2o.confusionMatrix                  | 51 |
| h2o.connect                          | 52 |
| h2o.cor                              | 53 |
| h2o.cos                              | 54 |
| h2o.cosh                             | 54 |
| h2o.coxph                            | 55 |
| h2o.createFrame                      | 56 |
| h2o.cross_validation_fold_assignment | 57 |

|  |    |
|--|----|
| h2o.cross_validation_holdout_predictions | 58 |
| h2o.cross_validation_models              | 58 |
| h2o.cross_validation_predictions         | 59 |
| h2o.cummax                               | 59 |
| h2o.cummin                               | 60 |
| h2o.cumprod                              | 60 |
| h2o.cumsum                               | 61 |
| h2o.cut                                  | 61 |
| h2o.day                                  | 62 |
| h2o.dayOfWeek                            | 63 |
| h2o.dct                                  | 63 |
| h2o.ddply                                | 64 |
| h2o.decryptionSetup                      | 65 |
| h2o.deepfeatures                         | 66 |
| h2o.deeplearning                         | 67 |
| h2o.deepwater                            | 73 |
| h2o.deepwater.available                  | 77 |
| h2o.describe                             | 78 |
| h2o.diffflag1                            | 78 |
| h2o.dim                                  | 79 |
| h2o.dimnames                             | 79 |
| h2o.distance                             | 80 |
| h2o.downloadAllLogs                      | 80 |
| h2o.downloadCSV                          | 81 |
| h2o.download_mojo                        | 81 |
| h2o.download_pojo                        | 82 |
| h2o.entropy                              | 83 |
| h2o.exp                                  | 84 |
| h2o.exportFile                           | 84 |
| h2o.exportHDFS                           | 85 |
| h2o.fillna                               | 85 |
| h2o.filterNACols                         | 86 |
| h2o.findSynonyms                         | 86 |
| h2o.find_row_by_threshold                | 87 |
| h2o.find_threshold_by_max_metric         | 87 |
| h2o.floor                                | 88 |
| h2o.flow                                 | 88 |
| h2o.gainsLift                            | 88 |
| h2o.gbm                                  | 89 |
| h2o.getAutoML                            | 94 |
| h2o.getConnection                        | 94 |
| h2o.getFrame                             | 95 |
| h2o.getFutureModel                       | 95 |
| h2o.getGLMFullRegularizationPath         | 95 |
| h2o.getGrid                              | 96 |
| h2o.getId                                | 96 |
| h2o.getModel                             | 97 |
| h2o.getModelTree                         | 97 |
| h2o.getTimezone                          | 98 |
| h2o.getTypes                             | 98 |
| h2o.getVersion                           | 99 |
| h2o.giniCoef                             | 99 |

|                            |     |
|----------------------------|-----|
| h2o.glm                    | 100 |
| h2o.glm                    | 104 |
| h2o.grep                   | 106 |
| h2o.grid                   | 107 |
| h2o.group_by               | 108 |
| h2o.gsub                   | 109 |
| h2o.head                   | 110 |
| h2o.hist                   | 111 |
| h2o.hit_ratio_table        | 111 |
| h2o.hour                   | 112 |
| h2o.ifelse                 | 112 |
| h2o.importFile             | 113 |
| h2o.import_sql_select      | 115 |
| h2o.import_sql_table       | 116 |
| h2o.impute                 | 116 |
| h2o.init                   | 117 |
| h2o.insertMissingValues    | 120 |
| h2o.interaction            | 121 |
| h2o.isax                   | 122 |
| h2o.ischaracter            | 123 |
| h2o.isfactor               | 123 |
| h2o.isnumeric              | 124 |
| h2o.isolationForest        | 124 |
| h2o.is_client              | 125 |
| h2o.kfold_column           | 126 |
| h2o.killMinus3             | 126 |
| h2o.kmeans                 | 126 |
| h2o.kurtosis               | 128 |
| h2o.levels                 | 129 |
| h2o.listTimezones          | 130 |
| h2o.list_all_extensions    | 130 |
| h2o.list_api_extensions    | 130 |
| h2o.list_core_extensions   | 130 |
| h2o.loadModel              | 131 |
| h2o.log                    | 131 |
| h2o.log10                  | 132 |
| h2o.log1p                  | 132 |
| h2o.log2                   | 133 |
| h2o.logAndEcho             | 133 |
| h2o.logloss                | 134 |
| h2o.ls                     | 134 |
| h2o.lstrip                 | 135 |
| h2o.mae                    | 135 |
| h2o.makeGLMModel           | 136 |
| h2o.make_metrics           | 136 |
| h2o.match                  | 137 |
| h2o.max                    | 138 |
| h2o.mean                   | 138 |
| h2o.mean_per_class_error   | 139 |
| h2o.mean_residual_deviance | 140 |
| h2o.median                 | 141 |
| h2o.merge                  | 141 |

|                                    |     |
|------------------------------------|-----|
| h2o.metric . . . . .               | 142 |
| h2o.min . . . . .                  | 144 |
| h2o.mktime . . . . .               | 144 |
| h2o.mojo_predict_csv . . . . .     | 145 |
| h2o.mojo_predict_df . . . . .      | 145 |
| h2o.month . . . . .                | 146 |
| h2o.mse . . . . .                  | 147 |
| h2o.nacnt . . . . .                | 148 |
| h2o.naiveBayes . . . . .           | 148 |
| h2o.names . . . . .                | 151 |
| h2o.na_omit . . . . .              | 151 |
| h2o.nchar . . . . .                | 152 |
| h2o.ncol . . . . .                 | 152 |
| h2o.networkTest . . . . .          | 153 |
| h2o.nlevels . . . . .              | 153 |
| h2o.no_progress . . . . .          | 153 |
| h2o.nrow . . . . .                 | 154 |
| h2o.null_deviance . . . . .        | 154 |
| h2o.null_dof . . . . .             | 155 |
| h2o.num_iterations . . . . .       | 155 |
| h2o.num_valid_substrings . . . . . | 156 |
| h2o.openLog . . . . .              | 156 |
| h2o.parseRaw . . . . .             | 157 |
| h2o.parseSetup . . . . .           | 158 |
| h2o.partialPlot . . . . .          | 159 |
| h2o.performance . . . . .          | 160 |
| h2o.pivot . . . . .                | 161 |
| h2o.pcomp . . . . .                | 162 |
| h2o.predict_json . . . . .         | 163 |
| h2o.print . . . . .                | 164 |
| h2o.prod . . . . .                 | 165 |
| h2o.proj_archetypes . . . . .      | 165 |
| h2o.pr_auc . . . . .               | 166 |
| h2o.quantile . . . . .             | 167 |
| h2o.r2 . . . . .                   | 168 |
| h2o.randomForest . . . . .         | 168 |
| h2o.range . . . . .                | 172 |
| h2o.rank_within_group_by . . . . . | 172 |
| h2o.rbind . . . . .                | 174 |
| h2o.reconstruct . . . . .          | 175 |
| h2o.relevel . . . . .              | 176 |
| h2o.removeAll . . . . .            | 176 |
| h2o.removeVecs . . . . .           | 177 |
| h2o.rep_len . . . . .              | 177 |
| h2o.residual_deviance . . . . .    | 178 |
| h2o.residual_dof . . . . .         | 178 |
| h2o.rm . . . . .                   | 179 |
| h2o.rmse . . . . .                 | 179 |
| h2o.rmsle . . . . .                | 180 |
| h2o.round . . . . .                | 181 |
| h2o.rstrip . . . . .               | 181 |
| h2o.runif . . . . .                | 182 |

|                          |     |
|--------------------------|-----|
| h2o.saveModel            | 182 |
| h2o.saveModelDetails     | 183 |
| h2o.saveMojo             | 184 |
| h2o.scale                | 185 |
| h2o.scoreHistory         | 185 |
| h2o.sd                   | 186 |
| h2o.sdev                 | 186 |
| h2o.setLevels            | 187 |
| h2o.setTimezone          | 187 |
| h2o.show_progress        | 188 |
| h2o.shutdown             | 188 |
| h2o.signif               | 189 |
| h2o.sin                  | 189 |
| h2o.skewness             | 190 |
| h2o.splitFrame           | 190 |
| h2o.sqrt                 | 191 |
| h2o.stackedEnsemble      | 192 |
| h2o.startLogging         | 193 |
| h2o.std_coef_plot        | 194 |
| h2o.stopLogging          | 194 |
| h2o.str                  | 195 |
| h2o.stringdist           | 195 |
| h2o.strsplit             | 196 |
| h2o.sub                  | 196 |
| h2o.substring            | 197 |
| h2o.sum                  | 198 |
| h2o.summary              | 198 |
| h2o.svd                  | 199 |
| h2o.table                | 201 |
| h2o.tabulate             | 201 |
| h2o.tan                  | 202 |
| h2o.tanh                 | 203 |
| h2o.target_encode_apply  | 203 |
| h2o.target_encode_create | 204 |
| h2o.toFrame              | 205 |
| h2o.tokenize             | 206 |
| h2o.tolower              | 207 |
| h2o.topN                 | 207 |
| h2o.totss                | 208 |
| h2o.tot_withinss         | 208 |
| h2o.toupper              | 209 |
| h2o.transform            | 209 |
| h2o.trim                 | 210 |
| h2o.trunc                | 210 |
| h2o.unique               | 211 |
| h2o.var                  | 211 |
| h2o.varimp               | 212 |
| h2o.varimp_plot          | 212 |
| h2o.week                 | 213 |
| h2o.weights              | 214 |
| h2o.which                | 214 |
| h2o.which_max            | 215 |

|                                       |     |
|---------------------------------------|-----|
| h2o.which_min                         | 215 |
| h2o.withinss                          | 216 |
| h2o.word2vec                          | 216 |
| h2o.xgboost                           | 217 |
| h2o.xgboost.available                 | 221 |
| h2o.year                              | 221 |
| H2OAutoML-class                       | 221 |
| H2OClusteringModel-class              | 222 |
| H2OConnection-class                   | 222 |
| H2OConnectionMutableState             | 223 |
| H2OCoxPHModel-class                   | 224 |
| H2OCoxPHModelSummary-class            | 224 |
| H2OFrame-class                        | 225 |
| H2OFrame-Extract                      | 225 |
| H2OGrid-class                         | 226 |
| H2OLeafNode-class                     | 227 |
| H2OModel-class                        | 227 |
| H2OModelFuture-class                  | 228 |
| H2OModelMetrics-class                 | 228 |
| H2ONode-class                         | 229 |
| H2OSplitNode-class                    | 229 |
| H2OTree-class                         | 230 |
| housevotes                            | 231 |
| iris                                  | 231 |
| is.character                          | 232 |
| is.factor                             | 232 |
| is.h2o                                | 232 |
| is.numeric                            | 233 |
| length,H2OTree-method                 | 233 |
| Logical-or                            | 233 |
| ModelAccessors                        | 234 |
| names.H2OFrame                        | 235 |
| Ops.H2OFrame                          | 235 |
| plot.H2OModel                         | 236 |
| plot.H2OTabulate                      | 238 |
| predict.H2OAutoML                     | 239 |
| predict.H2OModel                      | 239 |
| predict_leaf_node_assignment.H2OModel | 240 |
| print.H2OFrame                        | 241 |
| print.H2OTable                        | 241 |
| prostate                              | 242 |
| range.H2OFrame                        | 242 |
| staged_predict_proba.H2OModel         | 243 |
| str.H2OFrame                          | 244 |
| summary,H2OCoxPHModel-method          | 244 |
| summary,H2OGrid-method                | 245 |
| summary,H2OModel-method               | 245 |
| use.package                           | 246 |
| walking                               | 247 |
| zzz                                   | 247 |
| &&                                    | 247 |

---

h2o-package

*H2O R Interface*

---

## Description

This is a package for running H2O via its REST API from within R. To communicate with a H2O instance, the version of the R package must match the version of H2O. When connecting to a new H2O cluster, it is necessary to re-run the initializer.

## Details

Package: h2o  
Type: Package  
Version: 3.22.0.3  
Branch: rel-xia  
Date: Fri Dec 21 23:45:39 UTC 2018  
License: Apache License (== 2.0)  
Depends: R (>= 2.13.0), RCurl, jsonlite, statmod, tools, methods, utils

This package allows the user to run basic H2O commands using R commands. In order to use it, you must first have H2O running. To run H2O on your local machine, call `h2o.init` without any arguments, and H2O will be automatically launched at `localhost:54321`, where the IP is "127.0.0.1" and the port is 54321. If H2O is running on a cluster, you must provide the IP and port of the remote machine as arguments to the `h2o.init()` call.

H2O supports a number of standard statistical models, such as GLM, K-means, and Random Forest. For example, to run GLM, call `h2o.glm` with the H2O parsed data and parameters (response variable, error distribution, etc...) as arguments. (The operation will be done on the server associated with the data object where H2O is running, not within the R environment).

Note that no actual data is stored in the R workspace; and no actual work is carried out by R. R only saves the named objects, which uniquely identify the data set, model, etc on the server. When the user makes a request, R queries the server via the REST API, which returns a JSON file with the relevant information that R then displays in the console.

If you are using an older version of H2O, use the following porting guide to update your scripts:  
[Porting Scripts](#)

## Author(s)

Maintainer: The H2O.ai team <tomk@0xdata.com>

## References

- [H2O.ai Homepage](#)
- [H2O Documentation](#)
- [H2O on GitHub](#)



---

.addParm *TODO: No objects in this file are being used. Either remove file or use objects.*

---

### Description

Append a <key,value> pair to a list.

### Usage

```
.addParm(parms, k, v)
```

### Arguments

|       |   |
|-------|---|
| parms | a list to add the <k,v> pair to                       |
| k     | a key, typically the name of some algorithm parameter |
| v     | a value, the value of the algorithm parameter         |

### Details

Contained here are a set of helper methods that perform type checking on the value passed in.

---

.collapse *Helper Collapse Function*

---

### Description

Collapse a character vector into a ','-sep array of the form: [thing1,thing2,...]

### Usage

```
.collapse(v)
```

### Arguments

|   |                   |
|---|-------------------|
| v | Character vector. |
|---|-------------------|

---

|            |  |
|------------|--|
| .h2o.doGET | <i>Just like doRawGET but fills in the default h2oRestApiVersion if none is provided</i> |
|------------|--|

---

**Description**

Just like doRawGET but fills in the default h2oRestApiVersion if none is provided

**Usage**

```
.h2o.doGET(h2oRestApiVersion, urlSuffix, parms, ...)
```

**Arguments**

|                   |   |
|-------------------|---|
| h2oRestApiVersion | (Optional) A version number to prefix to the urlSuffix. If no version is provided, a default version is chosen for you. |
| urlSuffix         | The partial URL suffix to add to the calculated base URL for the instance   |
| parms             | (Optional) Parameters to include in the request   |
| ...               | (Optional) Additional parameters.   |

**Value**

A list object as described above

---

|             |   |
|-------------|---|
| .h2o.doPOST | <i>Just like doRawPOST but fills in the default h2oRestApiVersion if none is provided</i> |
|-------------|---|

---

**Description**

Just like doRawPOST but fills in the default h2oRestApiVersion if none is provided

**Usage**

```
.h2o.doPOST(h2oRestApiVersion, urlSuffix, parms, ...)
```

**Arguments**

|                   |   |
|-------------------|---|
| h2oRestApiVersion | (Optional) A version number to prefix to the urlSuffix. If no version is provided, a default version is chosen for you. |
| urlSuffix         | The partial URL suffix to add to the calculated base URL for the instance   |
| parms             | (Optional) Parameters to include in the request   |
| ...               | (Optional) Additional parameters.   |

**Value**

A list object as described above

---

.h2o.doRawGET                      *Perform a low-level HTTP GET operation on an H2O instance*

---

**Description**

Does not do any I/O level error checking. Caller must do its own validations. Does not modify the response payload in any way. Log the request and response if h2o.startLogging() has been called.

**Usage**

.h2o.doRawGET(conn = h2o.getConnection(), h2oRestApiVersion, urlSuffix, parms, ...)

**Arguments**

|                   |   |
|-------------------|---|
| conn              | H2OConnection   |
| h2oRestApiVersion | (Optional) A version number to prefix to the urlSuffix. If no version is provided, the version prefix is skipped. |
| urlSuffix         | The partial URL suffix to add to the calculated base URL for the instance   |
| parms             | (Optional) Parameters to include in the request   |
| ...               | (Optional) Additional parameters.   |

**Details**

The return value is a list as follows: \$url – Final calculated URL. \$postBody – The body of the POST request from client to server. \$curlError – TRUE if a socket-level error occurred. FALSE otherwise. \$curlErrorMessage – If curlError is TRUE a message about the error. \$statusCode – The HTTP status code. Usually 200 if the request succeeded. \$statusCodeMessage – A string describing the statusCode. \$payload – The raw response payload as a character vector.

**Value**

A list object as described above

---

.h2o.doRawPOST                      *Perform a low-level HTTP POST operation on an H2O instance*

---

**Description**

Does not do any I/O level error checking. Caller must do its own validations. Does not modify the response payload in any way. Log the request and response if h2o.startLogging() has been called.

**Usage**

.h2o.doRawPOST(conn = h2o.getConnection(), h2oRestApiVersion, urlSuffix, parms, fileUploadInfo, ...)

**Arguments**

|                   |   |
|-------------------|---|
| conn              | H2OConnection   |
| h2oRestApiVersion | (Optional) A version number to prefix to the urlSuffix. If no version is provided, the version prefix is skipped.                                   |
| urlSuffix         | The partial URL suffix to add to the calculated base URL for the instance   |
| parms             | (Optional) Parameters to include in the request   |
| fileUploadInfo    | (Optional) Information to POST (NOTE: changes Content-type from XXX-www-url-encoded to multi-part). Use fileUpload(normalizePath("/path/to/file")). |
| ...               | (Optional) Additional parameters.   |

**Details**

The return value is a list as follows: \$url – Final calculated URL. \$postBody – The body of the POST request from client to server. \$curlError – TRUE if a socket-level error occurred. FALSE otherwise. \$curlErrorMessage – If curlError is TRUE a message about the error. \$statusCode – The HTTP status code. Usually 200 if the request succeeded. \$statusCodeMessage – A string describing the statusCode. \$payload – The raw response payload as a character vector.

**Value**

A list object as described above

---

|                |  |
|----------------|--|
| .h2o.doSafeGET | <i>Perform a safe (i.e. error-checked) HTTP GET request to an H2O cluster.</i> |
|----------------|--|

---

**Description**

This function validates that no CURL error occurred and that the HTTP response code is successful. If a failure occurred, then stop() is called with an error message. Since all necessary error checking is done inside this call, the valid payload is directly returned if the function successfully finishes without calling stop().

**Usage**

```
.h2o.doSafeGET(h2oRestApiVersion, urlSuffix, parms, ...)
```

**Arguments**

|                   |   |
|-------------------|---|
| h2oRestApiVersion | (Optional) A version number to prefix to the urlSuffix. If no version is provided, a default version is chosen for you. |
| urlSuffix         | The partial URL suffix to add to the calculated base URL for the instance   |
| parms             | (Optional) Parameters to include in the request   |
| ...               | (Optional) Additional parameters.   |

**Value**

The raw response payload as a character vector

---

|                 |   |
|-----------------|---|
| .h2o.doSafePOST | <i>Perform a safe (i.e. error-checked) HTTP POST request to an H2O cluster.</i> |
|-----------------|---|

---

**Description**

This function validates that no CURL error occurred and that the HTTP response code is successful. If a failure occurred, then stop() is called with an error message. Since all necessary error checking is done inside this call, the valid payload is directly returned if the function successfully finishes without calling stop().

**Usage**

```
.h2o.doSafePOST(h2oRestApiVersion, urlSuffix, parms, fileUploadInfo, ...)
```

**Arguments**

|                   |   |
|-------------------|---|
| h2oRestApiVersion | (Optional) A version number to prefix to the urlSuffix. If no version is provided, a default version is chosen for you.                             |
| urlSuffix         | The partial URL suffix to add to the calculated base URL for the instance   |
| parms             | (Optional) Parameters to include in the request   |
| fileUploadInfo    | (Optional) Information to POST (NOTE: changes Content-type from XXX-www-url-encoded to multi-part). Use fileUpload(normalizePath("/path/to/file")). |
| ...               | (Optional) Additional parameters.   |

**Value**

The raw response payload as a character vector

---

|                  |   |
|------------------|---|
| .h2o.is_progress | <i>Check if Progress Bar is Enabled</i> |
|------------------|---|

---

**Description**

Check if Progress Bar is Enabled

**Usage**

```
.h2o.is_progress()
```

---

|             |   |
|-------------|---|
| .h2o.locate | <i>Locate a file given the pattern &lt;bucket&gt;/&lt;path/to/file&gt; e.g. h2o:::h2o.locate("smalldata/iris/iris22.csv") returns the absolute path to iris22.csv</i> |
|-------------|---|

---

**Description**

Locate a file given the pattern <bucket>/<path/to/file> e.g. h2o:::h2o.locate("smalldata/iris/iris22.csv") returns the absolute path to iris22.csv

**Usage**

```
.h2o.locate(pathStub, root.parent = NULL)
```

**Arguments**

|             |                       |
|-------------|-----------------------|
| pathStub    | relative path         |
| root.parent | search root directory |

---

|                 |                                       |
|-----------------|---------------------------------------|
| .h2o.primitives | <i>Map of operations known to H2O</i> |
|-----------------|---------------------------------------|

---

**Description**

Map of operations known to H2O

**Usage**

```
.h2o.primitives
```

**Format**

An object of class character of length 39.

---

|                         |                               |
|-------------------------|-------------------------------|
| .h2o.__ALL_CAPABILITIES | <i>Capabilities endpoints</i> |
|-------------------------|-------------------------------|

---

**Description**

Capabilities endpoints

**Usage**

```
.h2o.__ALL_CAPABILITIES
```

**Format**

An object of class character of length 1.

---

.h2o.\_\_checkConnectionHealth  
*Check H2O Server Health*

---

**Description**

Warn if there are sick nodes.

**Usage**

.h2o.\_\_checkConnectionHealth()

---

.h2o.\_\_CREATE\_FRAME *H2OFrame Manipulation*

---

**Description**

H2OFrame Manipulation

**Usage**

.h2o.\_\_CREATE\_FRAME

**Format**

An object of class character of length 1.

---

.h2o.\_\_DECRYPTION\_SETUP  
*Decryption Endpoints*

---

**Description**

Decryption Endpoints

**Usage**

.h2o.\_\_DECRYPTION\_SETUP

**Format**

An object of class character of length 1.

---

`.h2o.__DKV`      *Removal Endpoints*

---

**Description**

Removal Endpoints

**Usage**

`.h2o.__DKV`

**Format**

An object of class character of length 1.

---

`.h2o.__EXPORT_FILES`      *Export Files Endpoint Generator*

---

**Description**

Export Files Endpoint Generator

**Usage**

`.h2o.__EXPORT_FILES(frame)`

**Arguments**

frame              H2OFrame

---

`.h2o.__FRAMES`      *Inspect/Summary Endpoints*

---

**Description**

Inspect/Summary Endpoints

**Usage**

`.h2o.__FRAMES`

**Format**

An object of class character of length 1.



---

.h2o.\_\_IMPORT            *Import/Export Endpoints*

---

**Description**

Import/Export Endpoints

**Usage**

.h2o.\_\_IMPORT

**Format**

An object of class character of length 1.

---

.h2o.\_\_JOBS            *Administrative Endpoints*

---

**Description**

Administrative Endpoints

**Usage**

.h2o.\_\_JOBS

**Format**

An object of class character of length 1.

---

.h2o.\_\_LOGANDECHO    *Log and Echo Endpoint*

---

**Description**

Log and Echo Endpoint

**Usage**

.h2o.\_\_LOGANDECHO

**Format**

An object of class character of length 1.

---

`.h2o.__MODELS`      *Model Endpoint*

---

**Description**

Model Endpoint

**Usage**

`.h2o.__MODELS`

**Format**

An object of class character of length 1.

---

`.h2o.__MODEL_BUILDERS`      *Model Builder Endpoint Generator*

---

**Description**

Model Builder Endpoint Generator

**Usage**

`.h2o.__MODEL_BUILDERS(algo)`

**Arguments**

`algo`      Canonical identifier of H2O algorithm.

---

`.h2o.__MODEL_METRICS`      *Model Metrics Endpoint*

---

**Description**

Model Metrics Endpoint

**Usage**

`.h2o.__MODEL_METRICS(model, data)`

**Arguments**

`model`      H2OModel.  
`data`      H2OFrame.

---

.h2o.\_\_PARSE\_SETUP      *Parse Endpoints*

---

**Description**

Parse Endpoints

**Usage**

.h2o.\_\_PARSE\_SETUP

**Format**

An object of class character of length 1.

---

.h2o.\_\_RAPIDS      *Rapids Endpoint*

---

**Description**

Rapids Endpoint

**Usage**

.h2o.\_\_RAPIDS

**Format**

An object of class character of length 1.

---

.h2o.\_\_REST\_API\_VERSION  
*H2O Package Constants*

---

**Description**

The API endpoints for interacting with H2O via REST are named here.

**Usage**

.h2o.\_\_REST\_API\_VERSION

**Format**

An object of class integer of length 1.

**Details**

Additionally, environment variables for the H2O package are named here. Endpoint Version

---

`.h2o.__W2V_SYNONYMS`     *Word2Vec Endpoints*

---

**Description**

Word2Vec Endpoints

**Usage**

`.h2o.__W2V_SYNONYMS`

**Format**

An object of class character of length 1.

---

`.pkg.env`     *The H2O Package Environment*

---

**Description**

The H2O Package Environment

**Usage**

`.pkg.env`

**Format**

An object of class environment of length 4.

---

`.skip_if_not_developer`     *H2O <-> R Communication and Utility Methods*

---

**Description**

Collected here are the various methods used by the h2o-R package to communicate with the H2O backend. There are methods for checking cluster health, polling, and inspecting objects in the H2O store.

**Usage**

`.skip_if_not_developer()`

---

.verify\_dataxy                    *Used to verify data, x, y and turn into the appropriate things*

---

**Description**

Used to verify data, x, y and turn into the appropriate things

**Usage**

```
.verify_dataxy(data, x, y, autoencoder = FALSE)
```

**Arguments**

|             |                  |
|-------------|------------------|
| data        | H2OFrame         |
| x           | features         |
| y           | response         |
| autoencoder | autoencoder flag |

---

aaa                                    *Starting H2O For examples*

---

**Description**

Starting H2O For examples

**Examples**

```
if(Sys.info()['sysname'] == "Darwin" && Sys.info()['release'] == '13.4.0'){  
  quit(save="no")  
}else{  
  h2o.init(nthreads = 2)  
}
```

---

apply                                *Apply on H2O Datasets*

---

**Description**

Method for apply on H2OFrame objects.

**Usage**

```
apply(X, MARGIN, FUN, ...)
```

**Arguments**

|        |  |
|--------|--|
| X      | an H2OFrame object on which apply will operate.  |
| MARGIN | the vector on which the function will be applied over, either 1 for rows or 2 for columns. |
| FUN    | the function to be applied.  |
| ...    | optional arguments to FUN.   |

**Value**

Produces a new H2OFrame of the output of the applied function. The output is stored in H2O so that it can be used in subsequent H2O processes.

**See Also**

[apply](#) for the base generic

**Examples**

```
h2o.init()
irisPath <- system.file("extdata", "iris.csv", package="h2o")
iris.hex <- h2o.importFile(path = irisPath, destination_frame = "iris.hex")
summary(apply(iris.hex, 2, sum))
```

---

as.character.H2OFrame *Convert an H2OFrame to a String*

---

**Description**

Convert an H2OFrame to a String

**Usage**

```
## S3 method for class 'H2OFrame'
as.character(x, ...)
```

**Arguments**

|     |  |
|-----|--|
| x   | An H2OFrame object                                       |
| ... | Further arguments to be passed from or to other methods. |

**Examples**

```
h2o.init()
pretrained.frame <- as.h2o(data.frame(
  C1 = c("a", "b"), C2 = c(0, 1), C3 = c(1, 0), C4 = c(0.2, 0.8),
  stringsAsFactors = FALSE))
pretrained.w2v <- h2o.word2vec(pre_trained = pretrained.frame, vec_size = 3)
words <- as.character(as.h2o(c("b", "a", "c", NA, "a")))
vecs <- h2o.transform(pretrained.w2v, words = words)
```

---

`as.data.frame.H2OFrame`*Converts parsed H2O data into an R data frame*

---

**Description**

Downloads the H2O data and then scans it in to an R data frame.

**Usage**

```
## S3 method for class 'H2OFrame'  
as.data.frame(x, ...)
```

**Arguments**

`x` An H2OFrame object.  
`...` Further arguments to be passed down from other methods.

**Details**

Method `as.data.frame.H2OFrame` will use `fread` if `data.table` package is installed in required version.

**See Also**

[use.package](#)

**Examples**

```
h2o.init()  
prosPath <- system.file("extdata", "prostate.csv", package="h2o")  
prostate.hex <- h2o.uploadFile(path = prosPath)  
as.data.frame(prostate.hex)
```

---

`as.factor`*Convert H2O Data to Factors*

---

**Description**

Convert a column into a factor column.

**Usage**

```
as.factor(x)
```

**Arguments**

`x` a column from an H2OFrame data set.

**See Also**

[as.factor](#).

**Examples**

```
h2o.init()
prosPath <- system.file("extdata", "prostate.csv", package="h2o")
prostate.hex <- h2o.uploadFile(path = prosPath)
prostate.hex[,2] <- as.factor(prostate.hex[,2])
summary(prostate.hex)
```

---

as.h2o

*Create H2OFrame*

---

**Description**

Import R object to the H2O cloud.

**Usage**

```
as.h2o(x, destination_frame = "", ...)
```

## Default S3 method:

```
as.h2o(x, destination_frame = "", ...)
```

## S3 method for class 'H2OFrame'

```
as.h2o(x, destination_frame = "", ...)
```

## S3 method for class 'data.frame'

```
as.h2o(x, destination_frame = "", ...)
```

## S3 method for class 'Matrix'

```
as.h2o(x, destination_frame = "", ...)
```

**Arguments**

|                   |  |
|-------------------|--|
| x                 | An R object.                                     |
| destination_frame | A string with the desired name for the H2OFrame. |
| ...               | arguments passed to method arguments.            |

**Details**

Method `as.h2o.data.frame` will use `fwrite` if `data.table` package is installed in required version.

To speedup execution time for large sparse matrices, use `h2o.datatable`. Make sure you have installed and imported `data.table` and `slam` packages. Turn on `h2o.datatable` by `options("h2o.use.data.table"=TRUE)`

**References**

<http://blog.h2o.ai/2016/04/fast-csv-writing-for-r/>



**See Also**[use.package](#)**Examples**

```

h2o.init()
hi <- as.h2o(iris)
he <- as.h2o(euro)
hl <- as.h2o(letters)
hm <- as.h2o(state.x77)
hh <- as.h2o(hi)
stopifnot(is.h2o(hi), dim(hi)==dim(iris),
          is.h2o(he), dim(he)==c(length(euro),1L),
          is.h2o(hl), dim(hl)==c(length(letters),1L),
          is.h2o(hm), dim(hm)==dim(state.x77),
          is.h2o(hh), dim(hh)==dim(hi))
if (requireNamespace("Matrix", quietly=TRUE)) {
  data <- rep(0, 100)
  data[(1:10)^2] <- 1:10 * pi
  m <- matrix(data, ncol = 20, byrow = TRUE)
  m <- Matrix::Matrix(m, sparse = TRUE)
  hs <- as.h2o(m)
  stopifnot(is.h2o(hs), dim(hs)==dim(m))
}

```

---

as.matrix.H2OFrame      *Convert an H2OFrame to a matrix*

---

**Description**

Convert an H2OFrame to a matrix

**Usage**

```

## S3 method for class 'H2OFrame'
as.matrix(x, ...)

```

**Arguments**

x                      An H2OFrame object  
 ...                    Further arguments to be passed down from other methods.

**Examples**

```

h2o.init()
irisPath <- system.file("extdata", "iris.csv", package="h2o")
iris <- h2o.uploadFile(path = irisPath)
iris.hex <- as.h2o(iris)
describe <- h2o.describe(iris.hex)
mins = as.matrix(apply(iris.hex, 2, min))
print(mins)

```

---

|            |                                    |
|------------|------------------------------------|
| as.numeric | <i>Convert H2O Data to Numeric</i> |
|------------|------------------------------------|

---

### Description

Converts an H2O column into a numeric value column.

### Usage

```
as.numeric(x)
```

### Arguments

|     |  |
|-----|--|
| x   | a column from an H2OFrame data set.                      |
| ... | Further arguments to be passed from or to other methods. |

### Examples

```
h2o.init()
prosPath <- system.file("extdata", "prostate.csv", package="h2o")
prostate.hex <- h2o.uploadFile(path = prosPath)
prostate.hex[,2] <- as.factor (prostate.hex[,2])
prostate.hex[,2] <- as.numeric(prostate.hex[,2])
```

---

|                    |  |
|--------------------|--|
| as.vector.H2OFrame | <i>Convert an H2OFrame to a vector</i> |
|--------------------|--|

---

### Description

Convert an H2OFrame to a vector

### Usage

```
## S3 method for class 'H2OFrame'
as.vector(x,mode)
```

### Arguments

|      |                          |
|------|--------------------------|
| x    | An H2OFrame object       |
| mode | Mode to coerce vector to |

**Examples**

```

h2o.init()
irisPath <- system.file("extdata", "iris.csv", package="h2o")
iris <- h2o.uploadFile(path = irisPath)
hex <- as.h2o(iris)
cor_R <- cor(as.matrix(iris[,1]))
cor_h2o <- cor(hex[,1])
iris_Rcor <- cor(iris[,1:4])
iris_H2Ocor <- as.data.frame(cor(hex[,1:4]))
h2o_vec <- as.vector(unlist(iris_H2Ocor))
r_vec <- as.vector(unlist(iris_Rcor))

```

australia

*Australia Coastal Data***Description**

Temperature, soil moisture, runoff, and other environmental measurements from the Australia coast. The data is available from <http://cs.colby.edu/courses/S11/cs251/labs/lab07/AustraliaSubset.csv>.

**Format**

A data frame with 251 rows and 8 columns

colnames

*Returns the column names of an H2OFrame***Description**

Returns the column names of an H2OFrame

**Usage**

```
colnames(x, do.NULL = TRUE, prefix = "col")
```

**Arguments**

|         |  |
|---------|--|
| x       | An H2OFrame object.                                      |
| do.NULL | logical. If FALSE and names are NULL, names are created. |
| prefix  | for created names.                                       |

**Examples**

```

h2o.init()
iris.hex <- as.h2o(iris)
colnames(iris) # Returns "Sepal.Length" "Sepal.Width" "Petal.Length" "Petal.Width" "Species"

```

dim.H2OFrame            *Returns the Dimensions of an H2OFrame*

---

### Description

Returns the number of rows and columns for an H2OFrame object.

### Usage

```
## S3 method for class 'H2OFrame'  
dim(x)
```

### Arguments

x                      An H2OFrame object.

### See Also

[dim](#) for the base R method.

### Examples

```
h2o.init()  
iris.hex <- as.h2o(iris)  
dim(iris.hex)
```

---

dimnames.H2OFrame        *Column names of an H2OFrame*

---

### Description

Set column names of an H2O Frame

### Usage

```
## S3 method for class 'H2OFrame'  
dimnames(x)
```

### Arguments

x                      An H2OFrame

**Examples**

```

h2o.init()
n <- 2000
# Generate variables V1, ... V10
X <- matrix(rnorm(10*n), n, 10)
# y = +1 if sum_i x_{ij}^2 > chisq median on 10 df
y <- rep(-1, n)
y[apply(X*X, 1, sum) > qchisq(.5, 10)] <- 1
# Assign names to the columns of X:
dimnames(X)[[2]] <- c("V1", "V2", "V3", "V4", "V5", "V6", "V7", "V8", "V9", "V10")

```

---

|                  |  |
|------------------|--|
| generate_col_ind | <i>CHeck to see if the column names/indices entered is valid for the dataframe given. This is an internal function</i> |
|------------------|--|

---

**Description**

CHeck to see if the column names/indices entered is valid for the dataframe given. This is an internal function

**Usage**

```
generate_col_ind(data, by)
```

**Arguments**

|      |  |
|------|--|
| data | The H2OFrame whose column names or indices are entered as a list |
| by   | The column names/indices in a list.                              |

---

|         |  |
|---------|--|
| h2o.abs | <i>Compute the absolute value of x</i> |
|---------|--|

---

**Description**

Compute the absolute value of x

**Usage**

```
h2o.abs(x)
```

**Arguments**

|   |                     |
|---|---------------------|
| x | An H2OFrame object. |
|---|---------------------|

**See Also**

[abs](#) for the base R implementation.

## Examples

```
h2o.init()
url <- "https://s3.amazonaws.com/h2o-public-test-data/smalldata/gbm_test/smtrees.csv"
smtreesH2O <- h2o.importFile(url)
smtreesR <- read.csv("https://s3.amazonaws.com/h2o-public-test-data/smalldata/gbm_test/smtrees.csv")
fith2o <- h2o.gbm(x=c("girth", "height"), y="vol", ntrees=3, max_depth=1, distribution="gaussian",
                 min_rows=2, learn_rate=.1, training_frame=smtreesH2O)
pred <- as.data.frame(predict(fith2o, newdata=smtreesH2O))
diff <- pred-smtreesR[,4]
diff_abs <- abs(diff)
print(diff_abs)
```

---

h2o.acos

*Compute the arc cosine of x*

---

## Description

Compute the arc cosine of x

## Usage

```
h2o.acos(x)
```

## Arguments

x                    An H2OFrame object.

## See Also

[acos](#) for the base R implementation.

## Examples

```
h2o.init()
prosPath <- system.file("extdata", "prostate.csv", package="h2o")
prostate.hex <- h2o.uploadFile(path = prosPath)
h2o.acos(prostate.hex[,2])
```

---

h2o.agggregated\_frame *Retrieve an aggregated frame from an Aggregator model*

---

### Description

Retrieve an aggregated frame from the Aggregator model and use it to create a new frame.

### Usage

```
h2o.agggregated_frame(model)
```

### Arguments

model                    an [H2OClusteringModel](#) corresponding from a h2o.agggregator call.

### Examples

```
library(h2o)
h2o.init()
df <- h2o.createFrame(rows=100, cols=5, categorical_fraction=0.6, integer_fraction=0,
                      binary_fraction=0, real_range=100, integer_range=100, missing_fraction=0)
target_num_exemplars=1000
rel_tol_num_exemplars=0.5
encoding="Eigen"
agg <- h2o.agggregator(training_frame=df,
                       target_num_exemplars=target_num_exemplars,
                       rel_tol_num_exemplars=rel_tol_num_exemplars,
                       categorical_encoding=encoding)
# Use the aggregated frame to create a new dataframe
new_df <- h2o.agggregated_frame(agg)
```

---

h2o.agggregator            *Build an Aggregated Frame*

---

### Description

Builds an Aggregated Frame of an H2OFrame.

### Usage

```
h2o.agggregator(training_frame, x, model_id = NULL,
                 ignore_const_cols = TRUE, target_num_exemplars = 5000,
                 rel_tol_num_exemplars = 0.5, transform = c("NONE", "STANDARDIZE",
                 "NORMALIZE", "DEMEAN", "DESCALE"), categorical_encoding = c("AUTO",
                 "Enum", "OneHotInternal", "OneHotExplicit", "Binary", "Eigen",
                 "LabelEncoder", "SortByResponse", "EnumLimited"),
                 save_mapping_frame = FALSE, num_iteration_without_new_exemplar = 500)
```

**Arguments**

|                                    |   |
|------------------------------------|---|
| training_frame                     | Id of the training data frame.  |
| x                                  | A vector containing the character names of the predictors in the model.   |
| model_id                           | Destination id for this model; auto-generated if not specified.   |
| ignore_const_cols                  | Logical. Ignore constant columns. Defaults to TRUE.   |
| target_num_exemplars               | Targeted number of exemplars Defaults to 5000.  |
| rel_tol_num_exemplars              | Relative tolerance for number of exemplars (e.g. 0.5 is +/- 50 percents) Defaults to 0.5.   |
| transform                          | Transformation of training data Must be one of: "NONE", "STANDARDIZE", "NORMALIZE", "DEMEAN", "DESCALE". Defaults to NORMALIZE.   |
| categorical_encoding               | Encoding scheme for categorical features Must be one of: "AUTO", "Enum", "OneHotInternal", "OneHotExplicit", "Binary", "Eigen", "LabelEncoder", "Sort-ByResponse", "EnumLimited". Defaults to AUTO. |
| save_mapping_frame                 | Logical. Whether to export the mapping of the aggregated frame Defaults to FALSE.   |
| num_iteration_without_new_exemplar | The number of iterations to run before aggregator exits if the number of exemplars collected didn't change Defaults to 500.   |

**Examples**

```
library(h2o)
h2o.init()
df <- h2o.createFrame(rows=100, cols=5, categorical_fraction=0.6, integer_fraction=0,
binary_fraction=0, real_range=100, integer_range=100, missing_fraction=0)
target_num_exemplars=1000
rel_tol_num_exemplars=0.5
encoding="Eigen"
agg <- h2o.aggregator(training_frame=df,
target_num_exemplars=target_num_exemplars,
rel_tol_num_exemplars=rel_tol_num_exemplars,
categorical_encoding=encoding)
```

---

h2o.aic

*Retrieve the Akaike information criterion (AIC) value*


---

**Description**

Retrieves the AIC value. If "train", "valid", and "xval" parameters are FALSE (default), then the training AIC value is returned. If more than one parameter is set to TRUE, then a named vector of AICs are returned, where the names are "train", "valid" or "xval".



**Usage**

```
h2o.aic(object, train = FALSE, valid = FALSE, xval = FALSE)
```

**Arguments**

|        |  |
|--------|--|
| object | An <a href="#">H2OModel</a> or <a href="#">H2OModelMetrics</a> . |
| train  | Retrieve the training AIC  |
| valid  | Retrieve the validation AIC                                      |
| xval   | Retrieve the cross-validation AIC                                |

**Examples**

```
h2o.init()
prosPath <- system.file("extdata", "prostate.csv", package="h2o")
prostate.hex <- h2o.uploadFile(path = prosPath)
p.sid <- h2o.runif(prostate.hex)
prostate.train <- h2o.assign(prostate.hex[p.sid > .2,], "prostate.train")
prostate.glm <- h2o.glm(x=3:7, y=2, training_frame=prostate.train)
aic.basic <- h2o.aic(prostate.glm)
print(aic.basic)
```

---

h2o.all

*Given a set of logical vectors, are all of the values true?*

---

**Description**

Given a set of logical vectors, are all of the values true?

**Usage**

```
h2o.all(x)
```

**Arguments**

|   |                     |
|---|---------------------|
| x | An H2OFrame object. |
|---|---------------------|

**See Also**

[all](#) for the base R implementation.

---

h2o.anomaly

*Anomaly Detection via H2O Deep Learning Model*


---

**Description**

Detect anomalies in an H2O dataset using an H2O deep learning model with auto-encoding.

**Usage**

```
h2o.anomaly(object, data, per_feature = FALSE)
```

**Arguments**

|             |   |
|-------------|---|
| object      | An <a href="#">H2OAutoEncoderModel</a> object that represents the model to be used for anomaly detection. |
| data        | An H2OFrame object.   |
| per_feature | Whether to return the per-feature squared reconstruction error  |

**Value**

Returns an H2OFrame object containing the reconstruction MSE or the per-feature squared error.

**See Also**

[h2o.deeplearning](#) for making an H2OAutoEncoderModel.

**Examples**

```
library(h2o)
h2o.init()
prosPath = system.file("extdata", "prostate.csv", package = "h2o")
prostate.hex = h2o.importFile(path = prosPath)
prostate.dl = h2o.deeplearning(x = 3:9, training_frame = prostate.hex, autoencoder = TRUE,
                             hidden = c(10, 10), epochs = 5)
prostate.anon = h2o.anomaly(prostate.dl, prostate.hex)
head(prostate.anon)
prostate.anon.per.feature = h2o.anomaly(prostate.dl, prostate.hex, per_feature=TRUE)
head(prostate.anon.per.feature)
```

---

h2o.any

*Given a set of logical vectors, is at least one of the values true?*


---

**Description**

Given a set of logical vectors, is at least one of the values true?

**Usage**

```
h2o.any(x)
```

**Arguments**

x                    An H2OFrame object.

**See Also**

[all](#) for the base R implementation.

---

|               |   |
|---------------|---|
| h2o.anyFactor | <i>Check H2OFrame columns for factors</i> |
|---------------|---|

---

**Description**

Determines if any column of an H2OFrame object contains categorical data.

**Usage**

```
h2o.anyFactor(x)
```

**Arguments**

x                    An H2OFrame object.

**Value**

Returns a logical value indicating whether any of the columns in x are factors.

**Examples**

```
library(h2o)
h2o.init()
irisPath <- system.file("extdata", "iris_wheader.csv", package="h2o")
iris.hex <- h2o.importFile(path = irisPath)
h2o.anyFactor(iris.hex)
```

---

|             |                                      |
|-------------|--------------------------------------|
| h2o.arrange | <i>Sorts an H2O frame by columns</i> |
|-------------|--------------------------------------|

---

**Description**

Sorts H2OFrame by the columns specified. H2OFrame can contain String columns but should not sort on any String columns. Otherwise, an error will be thrown. To sort column c1 in descending order, do desc(c1). Returns a new H2OFrame, like dplyr::arrange.

**Usage**

```
h2o.arrange(x, ...)
```

**Arguments**

x                    The H2OFrame input to be sorted.

...                  The column names to sort by.

h2o.ascharacter      *Convert H2O Data to Characters*

---

**Description**

Convert H2O Data to Characters

**Usage**

```
h2o.ascharacter(x)
```

**Arguments**

x                      An H2OFrame object.

**See Also**

[as.character](#) for the base R implementation.

---

h2o.asfactor              *Convert H2O Data to Factors*

---

**Description**

Convert H2O Data to Factors

**Usage**

```
h2o.asfactor(x)
```

**Arguments**

x                      An H2OFrame object.

**See Also**

[as.factor](#) for the base R implementation.

---

|               |                                     |
|---------------|-------------------------------------|
| h2o.asnumeric | <i>Convert H2O Data to Numerics</i> |
|---------------|-------------------------------------|

---

**Description**

Convert H2O Data to Numerics

**Usage**

```
h2o.asnumeric(x)
```

**Arguments**

x                    An H2OFrame object.

**See Also**

[as.numeric](#) for the base R implementation.

---

|            |                              |
|------------|------------------------------|
| h2o.assign | <i>Rename an H2O object.</i> |
|------------|------------------------------|

---

**Description**

Makes a copy of the data frame and gives it the desired the key.

**Usage**

```
h2o.assign(data, key)
```

**Arguments**

data                An H2OFrame object  
key                 The hex key to be associated with the H2O parsed data object

---

|             |  |
|-------------|--|
| h2o.as_date | <i>Convert between character representations and objects of Date class</i> |
|-------------|--|

---

### Description

Functions to convert between character representations and objects of class "Date" representing calendar dates.

### Usage

```
h2o.as_date(x, format, ...)
```

### Arguments

|        |  |
|--------|--|
| x      | H2OFrame column of strings or factors to be converted    |
| format | A character string indicating date pattern               |
| ...    | Further arguments to be passed from or to other methods. |

---

|         |                         |
|---------|-------------------------|
| h2o.auc | <i>Retrieve the AUC</i> |
|---------|-------------------------|

---

### Description

Retrieves the AUC value from an [H2OBinomialMetrics](#). If "train", "valid", and "xval" parameters are FALSE (default), then the training AUC value is returned. If more than one parameter is set to TRUE, then a named vector of AUCs are returned, where the names are "train", "valid" or "xval".

### Usage

```
h2o.auc(object, train = FALSE, valid = FALSE, xval = FALSE)
```

### Arguments

|        |   |
|--------|---|
| object | An <a href="#">H2OBinomialMetrics</a> object. |
| train  | Retrieve the training AUC                     |
| valid  | Retrieve the validation AUC                   |
| xval   | Retrieve the cross-validation AUC             |

### See Also

[h2o.giniCoef](#) for the Gini coefficient, [h2o.mse](#) for MSE, and [h2o.metric](#) for the various threshold metrics. See [h2o.performance](#) for creating H2OModelMetrics objects.

## Examples

```
library(h2o)
h2o.init()

prosPath <- system.file("extdata", "prostate.csv", package="h2o")
hex <- h2o.uploadFile(prosPath)

hex[,2] <- as.factor(hex[,2])
model <- h2o.gbm(x = 3:9, y = 2, training_frame = hex, distribution = "bernoulli")
perf <- h2o.performance(model, hex)
h2o.auc(perf)
```

---

h2o.automl

*Automatic Machine Learning*


---

## Description

The Automatic Machine Learning (AutoML) function automates the supervised machine learning model training process. The current version of AutoML trains and cross-validates a Random Forest, an Extremely-Randomized Forest, a random grid of Gradient Boosting Machines (GBMs), a random grid of Deep Neural Nets, and then trains a Stacked Ensemble using all of the models.

## Usage

```
h2o.automl(x, y, training_frame, validation_frame = NULL,
  leaderboard_frame = NULL, nfolds = 5, fold_column = NULL,
  weights_column = NULL, balance_classes = FALSE,
  class_sampling_factors = NULL, max_after_balance_size = 5,
  max_runtime_secs = 3600, max_models = NULL,
  stopping_metric = c("AUTO", "deviance", "logloss", "MSE", "RMSE",
    "MAE", "RMSLE", "AUC", "lift_top_group", "misclassification",
    "mean_per_class_error"), stopping_tolerance = NULL,
  stopping_rounds = 3, seed = NULL, project_name = NULL,
  exclude_algos = NULL, keep_cross_validation_predictions = FALSE,
  keep_cross_validation_models = FALSE,
  keep_cross_validation_fold_assignment = FALSE,
  sort_metric = c("AUTO", "deviance", "logloss", "MSE", "RMSE", "MAE",
    "RMSLE", "AUC", "mean_per_class_error"))
```

## Arguments

- x A vector containing the names or indices of the predictor variables to use in building the model. If x is missing, then all columns except y are used.
- y The name or index of the response variable in the model. For classification, the y column must be a factor, otherwise regression will be performed. Indexes are 1-based in R.
- training\_frame Training frame (H2OFrame or ID).

|                        |  |
|------------------------|--|
| validation_frame       | Validation frame (H2OFrame or ID); Optional. This argument is ignored unless the user sets <code>nfolds = 0</code> . If cross-validation is turned off, then a validation frame can be specified and used for early stopping of individual models and early stopping of the grid searches. By default and when <code>nfolds &gt; 1</code> , cross-validation metrics will be used for early stopping and thus <code>validation_frame</code> will be ignored. |
| leaderboard_frame      | Leaderboard frame (H2OFrame or ID); Optional. If provided, the Leaderboard will be scored using this data frame instead of using cross-validation metrics, which is the default.   |
| nfolds                 | Number of folds for k-fold cross-validation. Defaults to 5. Use 0 to disable cross-validation; this will also disable Stacked Ensemble (thus decreasing the overall model performance).  |
| fold_column            | Column with cross-validation fold index assignment per observation; used to override the default, randomized, 5-fold cross-validation scheme for individual models in the AutoML run.  |
| weights_column         | Column with observation weights. Giving some observation a weight of zero is equivalent to excluding it from the dataset; giving an observation a relative weight of 2 is equivalent to repeating that row twice. Negative weights are not allowed.  |
| balance_classes        | Logical. Balance training data class counts via over/under-sampling (for imbalanced data). Defaults to FALSE.  |
| class_sampling_factors | Desired over/under-sampling ratios per class (in lexicographic order). If not specified, sampling factors will be automatically computed to obtain class balance during training. Requires <code>balance_classes</code> .  |
| max_after_balance_size | Maximum relative size of the training data after balancing class counts (can be less than 1.0). Requires <code>balance_classes</code> . Defaults to 5.0.   |
| max_runtime_secs       | Maximum allowed runtime in seconds for the entire model training process. Use 0 to disable. Defaults to 3600 secs (1 hour).  |
| max_models             | Maximum number of models to build in the AutoML process (does not include Stacked Ensembles). Defaults to NULL.  |
| stopping_metric        | Metric to use for early stopping ("AUTO" is logloss for classification, deviance for regression). Must be one of "AUTO", "deviance", "logloss", "MSE", "RMSE", "MAE", "RMSLE", "AUC", "lift_top_group", "misclassification", "mean_per_class_error". Defaults to AUTO.   |
| stopping_tolerance     | Relative tolerance for metric-based stopping criterion (stop if relative improvement is not at least this much). This value defaults to 0.001 if the dataset is at least 1 million rows; otherwise it defaults to a bigger value determined by the size of the dataset and the non-NA-rate. In that case, the value is computed as $1/\sqrt{(nrows * non-NA-rate)}$ .  |
| stopping_rounds        | Integer. Early stopping based on convergence of <code>stopping_metric</code> . Stop if simple moving average of length <code>k</code> of the <code>stopping_metric</code> does not improve for <code>k</code>  |



|                                       |  |
|---------------------------------------|--|
|                                       | (stopping_rounds) scoring events. Defaults to 3 and must be a non-zero integer. Use 0 to disable early stopping.   |
| seed                                  | Integer. Set a seed for reproducibility. AutoML can only guarantee reproducibility if max_models or early stopping is used because max_runtime_secs is resource limited, meaning that if the resources are not the same between runs, AutoML may be able to train more models on one run vs another.   |
| project_name                          | Character string to identify an AutoML project. Defaults to NULL, which means a project name will be auto-generated based on the training frame ID.  |
| exclude_algos                         | Vector of character strings naming the algorithms to skip during the model-building phase. An example use is exclude_algos = c("GLM", "DeepLearning", "DRF"), and the full list of options is: "DRF" (Random Forest and Extremely-Randomized Trees), "GLM", "XGBoost", "GBM", "DeepLearning" and "StackedEnsemble". Defaults to NULL, which means that all appropriate H2O algorithms will be used, if the search stopping criteria allow. Optional.   |
| keep_cross_validation_predictions     | Logical. Whether to keep the predictions of the cross-validation predictions. This needs to be set to TRUE if running the same AutoML object for repeated runs because CV predictions are required to build additional Stacked Ensemble models in AutoML. This option defaults to FALSE.   |
| keep_cross_validation_models          | Logical. Whether to keep the cross-validated models. Keeping cross-validation models may consume significantly more memory in the H2O cluster. This option defaults to FALSE.  |
| keep_cross_validation_fold_assignment | Logical. Whether to keep fold assignments in the models. Deleting them will save memory in the H2O cluster. Defaults to FALSE.   |
| sort_metric                           | Metric to sort the leaderboard by. For binomial classification choose between "AUC", "logloss", "mean_per_class_error", "RMSE", "MSE". For regression choose between "mean_residual_deviance", "RMSE", "MSE", "MAE", and "RMSE". For multinomial classification choose between "mean_per_class_error", "logloss", "RMSE", "MSE". Default is "AUTO". If set to "AUTO", then "AUC" will be used for binomial classification, "mean_per_class_error" for multinomial classification, and "mean_residual_deviance" for regression. |

## Details

AutoML finds the best model, given a training frame and response, and returns an H2OAutoML object, which contains a leaderboard of all the models that were trained in the process, ranked by a default model performance metric.

## Value

An [H2OAutoML](#) object.

## Examples

```
library(h2o)
h2o.init()
votes_path <- system.file("extdata", "housevotes.csv", package = "h2o")
votes_hf <- h2o.uploadFile(path = votes_path, header = TRUE)
aml <- h2o.automl(y = "Class", training_frame = votes_hf, max_runtime_secs = 30)
```

---

|               |   |
|---------------|---|
| h2o.betweenss | <i>Get the between cluster sum of squares</i> |
|---------------|---|

---

### Description

Get the between cluster sum of squares. If "train", "valid", and "xval" parameters are FALSE (default), then the training betweenss value is returned. If more than one parameter is set to TRUE, then a named vector of betweenss' are returned, where the names are "train", "valid" or "xval".

### Usage

```
h2o.betweenss(object, train = FALSE, valid = FALSE, xval = FALSE)
```

### Arguments

|        |  |
|--------|--|
| object | An <a href="#">H2OClusteringModel</a> object.                |
| train  | Retrieve the training between cluster sum of squares         |
| valid  | Retrieve the validation between cluster sum of squares       |
| xval   | Retrieve the cross-validation between cluster sum of squares |

---

|            |  |
|------------|--|
| h2o.biases | <i>Return the respective bias vector</i> |
|------------|--|

---

### Description

Return the respective bias vector

### Usage

```
h2o.biases(object, vector_id = 1)
```

### Arguments

|           |   |
|-----------|---|
| object    | An <a href="#">H2OModel</a> or <a href="#">H2OModelMetrics</a>                                |
| vector_id | An integer, ranging from 1 to number of layers + 1, that specifies the bias vector to return. |

---

|             |                    |
|-------------|--------------------|
| h2o.bottomN | <i>H2O bottomN</i> |
|-------------|--------------------|

---

**Description**

bottomN function will grab the bottom N percent of values of a column and return it in a H2OFrame. Extract the top N percent of values of a column and return it in a H2OFrame.

**Usage**

```
h2o.bottomN(x, column, nPercent)
```

**Arguments**

|          |   |
|----------|---|
| x        | an H2OFrame   |
| column   | is a column name or column index to grab the top N percent value from |
| nPercent | is a bottom percentage value to grab                                  |

**Value**

An H2OFrame with 2 columns. The first column is the original row indices, second column contains the bottomN values

---

|           |  |
|-----------|--|
| h2o.cbind | <i>Combine H2O Datasets by Columns</i> |
|-----------|--|

---

**Description**

Takes a sequence of H2O data sets and combines them by column

**Usage**

```
h2o.cbind(...)
```

**Arguments**

|     |   |
|-----|---|
| ... | A sequence of H2OFrame arguments. All datasets must exist on the same H2O instance (IP and port) and contain the same number of rows. |
|-----|---|

**Value**

An H2OFrame object containing the combined ...arguments column-wise.

**See Also**

[cbind](#) for the base R method.

## Examples

```
library(h2o)
h2o.init()
prosPath <- system.file("extdata", "prostate.csv", package="h2o")
prostate.hex <- h2o.uploadFile(path = prosPath)
prostate.cbind <- h2o.cbind(prostate.hex, prostate.hex)
head(prostate.cbind)
```

---

|             |  |
|-------------|--|
| h2o.ceiling | <i>Take a single numeric argument and return a numeric vector with the smallest integers</i> |
|-------------|--|

---

## Description

ceiling takes a single numeric argument *x* and returns a numeric vector containing the smallest integers not less than the corresponding elements of *x*.

## Usage

```
h2o.ceiling(x)
```

## Arguments

|          |                     |
|----------|---------------------|
| <i>x</i> | An H2OFrame object. |
|----------|---------------------|

## See Also

[ceiling](#) for the base R implementation.

---

|             |                                   |
|-------------|-----------------------------------|
| h2o.centers | <i>Retrieve the Model Centers</i> |
|-------------|-----------------------------------|

---

## Description

Retrieve the Model Centers

## Usage

```
h2o.centers(object)
```

## Arguments

|               |   |
|---------------|---|
| <i>object</i> | An <a href="#">H2OClusteringModel</a> object. |
|---------------|---|

---

|                |                                       |
|----------------|---------------------------------------|
| h2o.centersSTD | <i>Retrieve the Model Centers STD</i> |
|----------------|---------------------------------------|

---

**Description**

Retrieve the Model Centers STD

**Usage**

```
h2o.centersSTD(object)
```

**Arguments**

|        |   |
|--------|---|
| object | An <a href="#">H2OClusteringModel</a> object. |
|--------|---|

---

|                    |                                     |
|--------------------|-------------------------------------|
| h2o.centroid_stats | <i>Retrieve centroid statistics</i> |
|--------------------|-------------------------------------|

---

**Description**

Retrieve the centroid statistics. If "train", "valid", and "xval" parameters are FALSE (default), then the training centroid stats value is returned. If more than one parameter is set to TRUE, then a named list of centroid stats data frames are returned, where the names are "train", "valid" or "xval".

**Usage**

```
h2o.centroid_stats(object, train = FALSE, valid = FALSE,  
  xval = FALSE)
```

**Arguments**

|        |   |
|--------|---|
| object | An <a href="#">H2OClusteringModel</a> object.     |
| train  | Retrieve the training centroid statistics         |
| valid  | Retrieve the validation centroid statistics       |
| xval   | Retrieve the cross-validation centroid statistics |

h2o.clearLog      *Delete All H2O R Logs*

---

**Description**

Clear all H2O R command and error response logs from the local disk. Used primarily for debugging purposes.

**Usage**

```
h2o.clearLog()
```

**See Also**

[h2o.startLogging](#), [h2o.stopLogging](#),      [h2o.openLog](#)

**Examples**

```
library(h2o)
h2o.init()
h2o.startLogging()
ausPath = system.file("extdata", "australia.csv", package="h2o")
australia.hex = h2o.importFile(path = ausPath)
h2o.stopLogging()
h2o.clearLog()
```

---

h2o.clusterInfo      *Print H2O cluster info*

---

**Description**

Print H2O cluster info

**Usage**

```
h2o.clusterInfo()
```

---

|                 |   |
|-----------------|---|
| h2o.clusterIsUp | <i>Determine if an H2O cluster is up or not</i> |
|-----------------|---|

---

**Description**

Determine if an H2O cluster is up or not

**Usage**

```
h2o.clusterIsUp(conn = h2o.getConnection())
```

**Arguments**

|      |                      |
|------|----------------------|
| conn | H2OConnection object |
|------|----------------------|

**Value**

TRUE if the cluster is up; FALSE otherwise

---

|                   |   |
|-------------------|---|
| h2o.clusterStatus | <i>Return the status of the cluster</i> |
|-------------------|---|

---

**Description**

Retrieve information on the status of the cluster running H2O.

**Usage**

```
h2o.clusterStatus()
```

**See Also**

[H2OConnection](#), [h2o.init](#)

**Examples**

```
h2o.init()  
h2o.clusterStatus()
```

---

|                   |                                   |
|-------------------|-----------------------------------|
| h2o.cluster_sizes | <i>Retrieve the cluster sizes</i> |
|-------------------|-----------------------------------|

---

### Description

Retrieve the cluster sizes. If "train", "valid", and "xval" parameters are FALSE (default), then the training cluster sizes value is returned. If more than one parameter is set to TRUE, then a named list of cluster size vectors are returned, where the names are "train", "valid" or "xval".

### Usage

```
h2o.cluster_sizes(object, train = FALSE, valid = FALSE, xval = FALSE)
```

### Arguments

|        |   |
|--------|---|
| object | An <a href="#">H2OClusteringModel</a> object. |
| train  | Retrieve the training cluster sizes           |
| valid  | Retrieve the validation cluster sizes         |
| xval   | Retrieve the cross-validation cluster sizes   |

---

|          |  |
|----------|--|
| h2o.coef | <i>Return the coefficients that can be applied to the non-standardized data.</i> |
|----------|--|

---

### Description

Note: standardize = True by default. If set to False, then coef() returns the coefficients that are fit directly.

### Usage

```
h2o.coef(object)
```

### Arguments

|        |                                     |
|--------|-------------------------------------|
| object | an <a href="#">H2OModel</a> object. |
|--------|-------------------------------------|



---

|               |   |
|---------------|---|
| h2o.coef_norm | <i>Return coefficients fitted on the standardized data (requires standardize = True, which is on by default). These coefficients can be used to evaluate variable importance.</i> |
|---------------|---|

---

**Description**

Return coefficients fitted on the standardized data (requires standardize = True, which is on by default). These coefficients can be used to evaluate variable importance.

**Usage**

```
h2o.coef_norm(object)
```

**Arguments**

object            an [H2OModel](#) object.

---

|              |   |
|--------------|---|
| h2o.colnames | <i>Return column names of an H2OFrame</i> |
|--------------|---|

---

**Description**

Return column names of an H2OFrame

**Usage**

```
h2o.colnames(x)
```

**Arguments**

x                An H2OFrame object.

**See Also**

[colnames](#) for the base R implementation.

---

h2o.columns\_by\_type      *Obtain a list of columns that are specified by 'coltype'*

---

### Description

Obtain a list of columns that are specified by 'coltype'

### Usage

```
h2o.columns_by_type(object, coltype = "numeric", ...)
```

### Arguments

|         |  |
|---------|--|
| object  | H2OFrame object  |
| coltype | A character string indicating which column type to filter by. This must be one of the following: "numeric" - Numeric, but not categorical or time "categorical" - Integer, with a categorical/factor String mapping "string" - String column "time" - Long msec since the Unix Epoch - with a variety of display/parse options "uuid" - UUID "bad" - No none-NA rows (triple negative! all NAs or zero rows) |
| ...     | Ignored  |

### Value

A list of column indices that correspond to "type"

### Examples

```
h2o.init()
prosPath <- system.file("extdata", "prostate.csv", package="h2o")
prostate.hex <- h2o.uploadFile(path = prosPath)
h2o.columns_by_type(prostate.hex,coltype="numeric")
```

---

h2o.computeGram      *Compute weighted gram matrix.*

---

### Description

Compute weighted gram matrix.

### Usage

```
h2o.computeGram(X, weights = "", use_all_factor_levels = FALSE,
  standardize = TRUE, skip_missing = FALSE)
```

**Arguments**

|                       |   |
|-----------------------|---|
| X                     | an <a href="#">H2OModel</a> corresponding to H2O frame.   |
| weights               | character corresponding to name of weight vector in frame.  |
| use_all_factor_levels | logical flag telling h2o whether or not to skip first level of categorical variables during one-hot encoding. |
| standardize           | logical flag telling h2o whether or not to standardize data   |
| skip_missing          | logical flag telling h2o whether skip rows with missing data or impute them with mean                         |

---

h2o.confusionMatrix    *Access H2O Confusion Matrices*

---

**Description**

Retrieve either a single or many confusion matrices from H2O objects.

**Usage**

```
h2o.confusionMatrix(object, ...)

## S4 method for signature 'H2OModel'
h2o.confusionMatrix(object, newdata, valid = FALSE,
  ...)

## S4 method for signature 'H2OModelMetrics'
h2o.confusionMatrix(object,
  thresholds = NULL, metrics = NULL)
```

**Arguments**

|            |  |
|------------|--|
| object     | Either an <a href="#">H2OModel</a> object or an <a href="#">H2OModelMetrics</a> object.  |
| ...        | Extra arguments for extracting train or valid confusion matrices.  |
| newdata    | An H2OFrame object that can be scored on. Requires a valid response column.  |
| valid      | Retrieve the validation metric.  |
| thresholds | (Optional) A value or a list of valid values between 0.0 and 1.0. This value is only used in the case of <a href="#">H2OBinomialMetrics</a> objects.   |
| metrics    | (Optional) A metric or a list of valid metrics ("min_per_class_accuracy", "absolute_mcc", "tnr", "fnr", "fpr", "tpr", "precision", "accuracy", "f0point5", "f2", "f1"). This value is only used in the case of <a href="#">H2OBinomialMetrics</a> objects. |

**Details**

The [H2OModelMetrics](#) version of this function will only take [H2OBinomialMetrics](#) or [H2OMultinomialMetrics](#) objects. If no threshold is specified, all possible thresholds are selected.

**Value**

Calling this function on [H2OModel](#) objects returns a confusion matrix corresponding to the [predict](#) function. If used on an [H2OBinomialMetrics](#) object, returns a list of matrices corresponding to the number of thresholds specified.

**See Also**

[predict](#) for generating prediction frames, [h2o.performance](#) for creating [H2OModelMetrics](#).

**Examples**

```
library(h2o)
h2o.init()
prosPath <- system.file("extdata", "prostate.csv", package="h2o")
hex <- h2o.uploadFile(prosPath)
hex[,2] <- as.factor(hex[,2])
model <- h2o.gbm(x = 3:9, y = 2, training_frame = hex, distribution = "bernoulli")
h2o.confusionMatrix(model, hex)
# Generating a ModelMetrics object
perf <- h2o.performance(model, hex)
h2o.confusionMatrix(perf)
```

---

h2o.connect

*Connect to a running H2O instance.*


---

**Description**

Connect to a running H2O instance.

**Usage**

```
h2o.connect(ip = "localhost", port = 54321,
  strict_version_check = TRUE, proxy = NA_character_, https = FALSE,
  insecure = FALSE, username = NA_character_,
  password = NA_character_, cookies = NA_character_,
  context_path = NA_character_, config = NULL)
```

**Arguments**

|                      |  |
|----------------------|--|
| ip                   | Object of class character representing the IP address of the server where H2O is running.                  |
| port                 | Object of class numeric representing the port number of the H2O server.                                    |
| strict_version_check | (Optional) Setting this to FALSE is unsupported and should only be done when advised by technical support. |
| proxy                | (Optional) A character string specifying the proxy path.   |
| https                | (Optional) Set this to TRUE to use https instead of http.  |
| insecure             | (Optional) Set this to TRUE to disable SSL certificate checking.   |

|              |   |
|--------------|---|
| username     | (Optional) Username to login with.  |
| password     | (Optional) Password to login with.  |
| cookies      | (Optional) Vector(or list) of cookies to add to request.  |
| context_path | (Optional) The last part of connection URL: http://<ip>:<port>/<context_path>   |
| config       | (Optional) A list describing connection parameters. Using config makes h2o.connect ignore other parameters and collect named list members instead (see examples). |

**Value**

an instance of H2OConnection object representing a connection to the running H2O instance.

**Examples**

```
## Not run:
library(h2o)
# Try to connect to a H2O instance running at http://localhost:54321/cluster_X
# If not found, start a local H2O instance from R with the default settings.
#h2o.connect(ip = "localhost", port = 54321, context_path = "cluster_X")
# Or
#config = list(ip = "localhost", port = 54321, context_path = "cluster_X")
#h2o.connect(config = config)

# Skip strict version check during connecting to the instance
#h2o.connect(config = c(strict_version_check = FALSE, config))

## End(Not run)
```

---

h2o.cor

*Correlation of columns.*


---

**Description**

Compute the correlation matrix of one or two H2OFrames.

**Usage**

```
h2o.cor(x, y = NULL, na.rm = FALSE, use)

cor(x, ...)
```

**Arguments**

|       |   |
|-------|---|
| x     | An H2OFrame object.   |
| y     | NULL (default) or an H2OFrame. The default is equivalent to y = x.  |
| na.rm | logical. Should missing values be removed?  |
| use   | An optional character string indicating how to handle missing values. This must be one of the following: "everything" - outputs NaNs whenever one of its contributing observations is missing "all.obs" - presence of missing observations will throw an error "complete.obs" - discards missing values along with all observations in their rows so that only complete observations are used |
| ...   | Further arguments to be passed down from other methods.   |

**Examples**

```
h2o.init()
prosPath <- system.file("extdata", "prostate.csv", package="h2o")
prostate.hex <- h2o.uploadFile(path = prosPath)
cor(prostate.hex$AGE)
```

---

|         |                                |
|---------|--------------------------------|
| h2o.cos | <i>Compute the cosine of x</i> |
|---------|--------------------------------|

---

**Description**

Compute the cosine of x

**Usage**

```
h2o.cos(x)
```

**Arguments**

x                    An H2OFrame object.

**See Also**

[cos](#) for the base R implementation.

---

|          |   |
|----------|---|
| h2o.cosh | <i>Compute the hyperbolic cosine of x</i> |
|----------|---|

---

**Description**

Compute the hyperbolic cosine of x

**Usage**

```
h2o.cosh(x)
```

**Arguments**

x                    An H2OFrame object.

**See Also**

[cosh](#) for the base R implementation.

---

|           |  |
|-----------|--|
| h2o.coxph | <i>Trains a Cox Proportional Hazards Model (CoxPH) on an H2O dataset</i> |
|-----------|--|

---

### Description

Trains a Cox Proportional Hazards Model (CoxPH) on an H2O dataset

### Usage

```
h2o.coxph(x, event_column, training_frame, model_id = NULL,
  start_column = NULL, stop_column = NULL, weights_column = NULL,
  offset_column = NULL, stratify_by = NULL, ties = c("efron",
  "breslow"), init = 0, lre_min = 9, max_iterations = 20,
  interactions = NULL, interaction_pairs = NULL,
  interactions_only = NULL, use_all_factor_levels = FALSE)
```

### Arguments

|                   |   |
|-------------------|---|
| x                 | (Optional) A vector containing the names or indices of the predictor variables to use in building the model. If x is missing, then all columns except event_column, start_column and stop_column are used.  |
| event_column      | The name of binary data column in the training frame indicating the occurrence of an event.   |
| training_frame    | Id of the training data frame.  |
| model_id          | Destination id for this model; auto-generated if not specified.   |
| start_column      | Start Time Column.  |
| stop_column       | Stop Time Column.   |
| weights_column    | Column with observation weights. Giving some observation a weight of zero is equivalent to excluding it from the dataset; giving an observation a relative weight of 2 is equivalent to repeating that row twice. Negative weights are not allowed. Note: Weights are per-row observation weights and do not increase the size of the data frame. This is typically the number of times a row is repeated, but non-integer values are supported as well. During training, rows with higher weights matter more, due to the larger loss function pre-factor. |
| offset_column     | Offset column. This will be added to the combination of columns before applying the link function.  |
| stratify_by       | List of columns to use for stratification.  |
| ties              | Method for Handling Ties. Must be one of: "efron", "breslow". Defaults to efron.  |
| init              | Coefficient starting value. Defaults to 0.  |
| lre_min           | Minimum log-relative error. Defaults to 9.  |
| max_iterations    | Maximum number of iterations. Defaults to 20.   |
| interactions      | A list of predictor column indices to interact. All pairwise combinations will be computed for the list.  |
| interaction_pairs | A list of pairwise (first order) column interactions.   |

|                       |  |
|-----------------------|--|
| interactions_only     | A list of columns that should only be used to create interactions but should not itself participate in model training. |
| use_all_factor_levels | Logical. (Internal. For development only!) Indicates whether to use all factor levels. Defaults to FALSE.              |

---

h2o.createFrame

*Data H2OFrame Creation in H2O*


---

### Description

Creates a data frame in H2O with real-valued, categorical, integer, and binary columns specified by the user.

### Usage

```
h2o.createFrame(rows = 10000, cols = 10, randomize = TRUE,
  value = 0, real_range = 100, categorical_fraction = 0.2,
  factors = 100, integer_fraction = 0.2, integer_range = 100,
  binary_fraction = 0.1, binary_ones_fraction = 0.02,
  time_fraction = 0, string_fraction = 0, missing_fraction = 0.01,
  response_factors = 2, has_response = FALSE, seed,
  seed_for_column_types)
```

### Arguments

|                      |  |
|----------------------|--|
| rows                 | The number of rows of data to generate.  |
| cols                 | The number of columns of data to generate. Excludes the response column if has_response = TRUE.  |
| randomize            | A logical value indicating whether data values should be randomly generated. This must be TRUE if either categorical_fraction or integer_fraction is non-zero. |
| value                | If randomize = FALSE, then all real-valued entries will be set to this value.  |
| real_range           | The range of randomly generated real values.   |
| categorical_fraction | The fraction of total columns that are categorical.  |
| factors              | The number of (unique) factor levels in each categorical column.   |
| integer_fraction     | The fraction of total columns that are integer-valued.   |
| integer_range        | The range of randomly generated integer values.  |
| binary_fraction      | The fraction of total columns that are binary-valued.  |
| binary_ones_fraction | The fraction of values in a binary column that are set to 1.   |
| time_fraction        | The fraction of randomly created date/time columns.  |
| string_fraction      | The fraction of randomly created string columns.   |



|                       |   |
|-----------------------|---|
| missing_fraction      | The fraction of total entries in the data frame that are set to NA.   |
| response_factors      | If has_response = TRUE, then this is the number of factor levels in the response column.  |
| has_response          | A logical value indicating whether an additional response column should be prepended to the final H2O data frame. If set to TRUE, the total number of columns will be cols+1. |
| seed                  | A seed used to generate random values when randomize = TRUE.  |
| seed_for_column_types | A seed used to generate random column types when randomize = TRUE.  |

**Value**

Returns an H2OFrame object.

**Examples**

```
library(h2o)
h2o.init()
hex <- h2o.createFrame(rows = 1000, cols = 100, categorical_fraction = 0.1,
                      factors = 5, integer_fraction = 0.5, integer_range = 1,
                      has_response = TRUE)

head(hex)
summary(hex)

hex2 <- h2o.createFrame(rows = 100, cols = 10, randomize = FALSE, value = 5,
                      categorical_fraction = 0, integer_fraction = 0)

summary(hex2)
```

---

h2o.cross\_validation\_fold\_assignment

*Retrieve the cross-validation fold assignment*

---

**Description**

Retrieve the cross-validation fold assignment

**Usage**

```
h2o.cross_validation_fold_assignment(object)
```

**Arguments**

object      An [H2OModel](#) object.

**Value**

Returns a H2OFrame

h2o.cross\_validation\_holdout\_predictions

*Retrieve the cross-validation holdout predictions*

---

### **Description**

Retrieve the cross-validation holdout predictions

### **Usage**

```
h2o.cross_validation_holdout_predictions(object)
```

### **Arguments**

object            An [H2OModel](#) object.

### **Value**

Returns a H2OFrame

---

h2o.cross\_validation\_models

*Retrieve the cross-validation models*

---

### **Description**

Retrieve the cross-validation models

### **Usage**

```
h2o.cross_validation_models(object)
```

### **Arguments**

object            An [H2OModel](#) object.

### **Value**

Returns a list of H2OModel objects

---

h2o.cross\_validation\_predictions  
*Retrieve the cross-validation predictions*

---

**Description**

Retrieve the cross-validation predictions

**Usage**

```
h2o.cross_validation_predictions(object)
```

**Arguments**

object            An [H2OModel](#) object.

**Value**

Returns a list of H2OFrame objects

---

h2o.cummax            *Return the cumulative max over a column or across a row*

---

**Description**

Return the cumulative max over a column or across a row

**Usage**

```
h2o.cummax(x, axis = 0)
```

**Arguments**

x                    An H2OFrame object.  
axis                 An int that indicates whether to do down a column (0) or across a row (1).

**See Also**

[cummax](#) for the base R implementation.

---

|            |  |
|------------|--|
| h2o.cummin | <i>Return the cumulative min over a column or across a row</i> |
|------------|--|

---

**Description**

Return the cumulative min over a column or across a row

**Usage**

```
h2o.cummin(x, axis = 0)
```

**Arguments**

|      |  |
|------|--|
| x    | An H2OFrame object.  |
| axis | An int that indicates whether to do down a column (0) or across a row (1). |

**See Also**

[cummin](#) for the base R implementation.

---

|             |  |
|-------------|--|
| h2o.cumprod | <i>Return the cumulative product over a column or across a row</i> |
|-------------|--|

---

**Description**

Return the cumulative product over a column or across a row

**Usage**

```
h2o.cumprod(x, axis = 0)
```

**Arguments**

|      |  |
|------|--|
| x    | An H2OFrame object.  |
| axis | An int that indicates whether to do down a column (0) or across a row (1). |

**See Also**

[cumprod](#) for the base R implementation.

---

|            |  |
|------------|--|
| h2o.cumsum | <i>Return the cumulative sum over a column or across a row</i> |
|------------|--|

---

**Description**

Return the cumulative sum over a column or across a row

**Usage**

```
h2o.cumsum(x, axis = 0)
```

**Arguments**

|      |  |
|------|--|
| x    | An H2OFrame object.  |
| axis | An int that indicates whether to do down a column (0) or across a row (1). |

**See Also**

[cumsum](#) for the base R implementation.

---

|         |                                       |
|---------|---------------------------------------|
| h2o.cut | <i>Cut H2O Numeric Data to Factor</i> |
|---------|---------------------------------------|

---

**Description**

Divides the range of the H2O data into intervals and codes the values according to which interval they fall in. The leftmost interval corresponds to the level one, the next is level two, etc.

**Usage**

```
h2o.cut(x, breaks, labels = NULL, include.lowest = FALSE,
        right = TRUE, dig.lab = 3, ...)
```

```
## S3 method for class 'H2OFrame'
cut(x, breaks, labels = NULL,
    include.lowest = FALSE, right = TRUE, dig.lab = 3, ...)
```

**Arguments**

|                |  |
|----------------|--|
| x              | An H2OFrame object with a single numeric column.   |
| breaks         | A numeric vector of two or more unique cut points.   |
| labels         | Labels for the levels of the resulting category. By default, labels are constructed using "(a,b]" interval notation.   |
| include.lowest | Logical, indicating if an 'x[i]' equal to the lowest (or highest, for right = FALSE) 'breaks' value should be included |
| right          | Logical, indicating if the intervals should be closed on the right (opened on the left) or vice versa.                 |
| dig.lab        | Integer which is used when labels are not given, determines the number of digits used in formatting the break numbers. |
| ...            | Further arguments passed to or from other methods.   |

**Value**

Returns an H2OFrame object containing the factored data with intervals as levels.

**Examples**

```
library(h2o)
h2o.init()
irisPath <- system.file("extdata", "iris_wheader.csv", package="h2o")
iris.hex <- h2o.uploadFile(path = irisPath, destination_frame = "iris.hex")
summary(iris.hex)

# Cut sepal length column into intervals determined by min/max/quantiles
sepal_len.cut <- cut(iris.hex$sepal_len, c(4.2, 4.8, 5.8, 6, 8))
head(sepal_len.cut)
summary(sepal_len.cut)
```

---

h2o.day

*Convert Milliseconds to Day of Month in H2O Datasets*

---

**Description**

Converts the entries of an H2OFrame object from milliseconds to days of the month (on a 1 to 31 scale).

**Usage**

```
h2o.day(x)

day(x)

## S3 method for class 'H2OFrame'
day(x)
```

**Arguments**

x                    An H2OFrame object.

**Value**

An H2OFrame object containing the entries of x converted to days of the month.

**See Also**

[h2o.month](#)

---

|               |  |
|---------------|--|
| h2o.dayOfWeek | <i>Convert Milliseconds to Day of Week in H2O Datasets</i> |
|---------------|--|

---

**Description**

Converts the entries of an H2OFrame object from milliseconds to days of the week (on a 0 to 6 scale).

**Usage**

```
h2o.dayOfWeek(x)

dayOfWeek(x)

## S3 method for class 'H2OFrame'
dayOfWeek(x)
```

**Arguments**

x                    An H2OFrame object.

**Value**

An H2OFrame object containing the entries of x converted to days of the week.

**See Also**

[h2o.day](#), [h2o.month](#)

---

|         |                                   |
|---------|-----------------------------------|
| h2o.dct | <i>Compute DCT of an H2OFrame</i> |
|---------|-----------------------------------|

---

**Description**

Compute the Discrete Cosine Transform of every row in the H2OFrame

**Usage**

```
h2o.dct(data, destination_frame, dimensions, inverse = FALSE)
```

**Arguments**

|                   |  |
|-------------------|--|
| data              | An H2OFrame object representing the dataset to transform   |
| destination_frame | A frame ID for the result  |
| dimensions        | An array containing the 3 integer values for height, width, depth of each sample. The product of HxWxD must total up to less than the number of columns. For 1D, use c(L,1,1), for 2D, use C(N,M,1). |
| inverse           | Whether to perform the inverse transform   |

**Value**

Returns an H2OFrame object.

**Examples**

```
library(h2o)
h2o.init()
df <- h2o.createFrame(rows = 1000, cols = 8*16*24,
                      categorical_fraction = 0, integer_fraction = 0, missing_fraction = 0)
df1 <- h2o.dct(data=df, dimensions=c(8*16*24,1,1))
df2 <- h2o.dct(data=df1,dimensions=c(8*16*24,1,1),inverse=TRUE)
max(abs(df1-df2))

df1 <- h2o.dct(data=df, dimensions=c(8*16,24,1))
df2 <- h2o.dct(data=df1,dimensions=c(8*16,24,1),inverse=TRUE)
max(abs(df1-df2))

df1 <- h2o.dct(data=df, dimensions=c(8,16,24))
df2 <- h2o.dct(data=df1,dimensions=c(8,16,24),inverse=TRUE)
max(abs(df1-df2))
```

---

h2o.ddply

*Split H2O Dataset, Apply Function, and Return Results*


---

**Description**

For each subset of an H2O data set, apply a user-specified function, then combine the results. This is an experimental feature.

**Usage**

```
h2o.ddply(X, .variables, FUN, ..., .progress = "none")
```

**Arguments**

|            |   |
|------------|---|
| X          | An H2OFrame object to be processed.                                       |
| .variables | Variables to split X by, either the indices or names of a set of columns. |
| FUN        | Function to apply to each subset grouping.                                |
| ...        | Additional arguments passed on to FUN.                                    |
| .progress  | Name of the progress bar to use. #TODO: (Currently unimplemented)         |

**Value**

Returns an H2OFrame object containing the results from the split/apply operation, arranged

**See Also**

[ddply](#) for the plyr library implementation.



**Examples**

```

library(h2o)
h2o.init()

# Import iris dataset to H2O
irisPath <- system.file("extdata", "iris_wheader.csv", package = "h2o")
iris.hex <- h2o.uploadFile(path = irisPath, destination_frame = "iris.hex")
# Add function taking mean of sepal_len column
fun <- function(df) { sum(df[,1], na.rm = TRUE)/nrow(df) }
# Apply function to groups by class of flower
# uses h2o's ddply, since iris.hex is an H2OFrame object
res <- h2o.ddply(iris.hex, "class", fun)
head(res)

```

---

h2o.decryptionSetup     *Setup a Decryption Tool*

---

**Description**

If your source file is encrypted - setup a Decryption Tool and then provide the reference (result of this function) to the import functions.

**Usage**

```

h2o.decryptionSetup(keystore, keystore_type = "JCEKS",
  key_alias = NA_character_, password = NA_character_,
  decrypt_tool = "",
  decrypt_impl = "water.parser.GenericDecryptionTool",
  cipher_spec = NA_character_)

```

**Arguments**

|               |  |
|---------------|--|
| keystore      | An H2OFrame object referencing a loaded Java Keystore (see example). |
| keystore_type | (Optional) Specification of Keystore type, defaults to JCEKS.        |
| key_alias     | Which key from the keystore to use for decryption.                   |
| password      | Password to the keystore and the key.                                |
| decrypt_tool  | (Optional) Name of the decryption tool.                              |
| decrypt_impl  | (Optional) Java class name implementing the Decryption Tool.         |
| cipher_spec   | Specification of a cipher (eg.: AES/ECB/PKCS5Padding).               |

**See Also**

[h2o.importFile](#), [h2o.parseSetup](#)

**Examples**

```
## Not run:
library(h2o)
h2o.init()
ksPath <- system.file("extdata", "keystore.jks", package = "h2o")
keystore <- h2o.importFile(path = ksPath, parse = FALSE) # don't parse, keep as a binary file
cipher <- "AES/ECB/PKCS5Padding"
pwd <- "Password123"
kAlias <- "secretKeyAlias"
dt <- h2o.decryptionSetup(keystore, key_alias = kAlias, password = pwd, cipher_spec = cipher)
dataPath <- system.file("extdata", "prostate.csv.aes", package = "h2o")
data <- h2o.importFile(dataPath, decrypt_tool = dt)
summary(data)

## End(Not run)
```

---

h2o.deepfeatures

*Feature Generation via H2O Deep Learning or DeepWater Model*


---

**Description**

Extract the non-linear feature from an H2O data set using an H2O deep learning model.

**Usage**

```
h2o.deepfeatures(object, data, layer)
```

**Arguments**

|        |  |
|--------|--|
| object | An <a href="#">H2OModel</a> object that represents the deep learning model to be used for feature extraction.                      |
| data   | An <a href="#">H2OFrame</a> object.  |
| layer  | Index (for <a href="#">DeepLearning</a> , integer) or Name (for <a href="#">DeepWater</a> , String) of the hidden layer to extract |

**Value**

Returns an [H2OFrame](#) object with as many features as the number of units in the hidden layer of the specified index.

**See Also**

[h2o.deeplearning](#) for making H2O Deep Learning models.

[h2o.deepwater](#) for making H2O DeepWater models.

**Examples**

```

library(h2o)
h2o.init()
prosPath = system.file("extdata", "prostate.csv", package = "h2o")
prostate.hex = h2o.importFile(path = prosPath)
prostate.dl = h2o.deeplearning(x = 3:9, y = 2, training_frame = prostate.hex,
                             hidden = c(100, 200), epochs = 5)
prostate.deepfeatures_layer1 = h2o.deepfeatures(prostate.dl, prostate.hex, layer = 1)
prostate.deepfeatures_layer2 = h2o.deepfeatures(prostate.dl, prostate.hex, layer = 2)
head(prostate.deepfeatures_layer1)
head(prostate.deepfeatures_layer2)

#if (h2o.deepwater.available()) {
# prostate.dl = h2o.deepwater(x = 3:9, y = 2, backend="mxnet", training_frame = prostate.hex,
#                             hidden = c(100, 200), epochs = 5)
# prostate.deepfeatures_layer1 =
#   h2o.deepfeatures(prostate.dl, prostate.hex, layer = "fc1_w")
# prostate.deepfeatures_layer2 =
#   h2o.deepfeatures(prostate.dl, prostate.hex, layer = "fc2_w")
# head(prostate.deepfeatures_layer1)
# head(prostate.deepfeatures_layer2)
#}

```

h2o.deeplearning

*Build a Deep Neural Network model using CPUs***Description**

Builds a feed-forward multilayer artificial neural network on an H2OFrame.

**Usage**

```

h2o.deeplearning(x, y, training_frame, model_id = NULL,
                validation_frame = NULL, nfolds = 0,
                keep_cross_validation_models = TRUE,
                keep_cross_validation_predictions = FALSE,
                keep_cross_validation_fold_assignment = FALSE,
                fold_assignment = c("AUTO", "Random", "Modulo", "Stratified"),
                fold_column = NULL, ignore_const_cols = TRUE,
                score_each_iteration = FALSE, weights_column = NULL,
                offset_column = NULL, balance_classes = FALSE,
                class_sampling_factors = NULL, max_after_balance_size = 5,
                max_hit_ratio_k = 0, checkpoint = NULL,
                pretrained_autoencoder = NULL, overwrite_with_best_model = TRUE,
                use_all_factor_levels = TRUE, standardize = TRUE,
                activation = c("Tanh", "TanhWithDropout", "Rectifier",
                               "RectifierWithDropout", "Maxout", "MaxoutWithDropout"), hidden = c(200,
                200), epochs = 10, train_samples_per_iteration = -2,
                target_ratio_comm_to_comp = 0.05, seed = -1, adaptive_rate = TRUE,
                rho = 0.99, epsilon = 1e-08, rate = 0.005,

```

```

rate_annealing = 1e-06, rate_decay = 1, momentum_start = 0,
momentum_ramp = 1e+06, momentum_stable = 0,
nesterov_accelerated_gradient = TRUE, input_dropout_ratio = 0,
hidden_dropout_ratios = NULL, l1 = 0, l2 = 0,
max_w2 = 3.4028235e+38,
initial_weight_distribution = c("UniformAdaptive", "Uniform",
"Normal"), initial_weight_scale = 1, initial_weights = NULL,
initial_biases = NULL, loss = c("Automatic", "CrossEntropy",
"Quadratic", "Huber", "Absolute", "Quantile"), distribution = c("AUTO",
"bernoulli", "multinomial", "gaussian", "poisson", "gamma", "tweedie",
"laplace", "quantile", "huber"), quantile_alpha = 0.5,
tweedie_power = 1.5, huber_alpha = 0.9, score_interval = 5,
score_training_samples = 10000, score_validation_samples = 0,
score_duty_cycle = 0.1, classification_stop = 0,
regression_stop = 1e-06, stopping_rounds = 5,
stopping_metric = c("AUTO", "deviance", "logloss", "MSE", "RMSE",
"MAE", "RMSLE", "AUC", "lift_top_group", "misclassification",
"mean_per_class_error"), stopping_tolerance = 0,
max_runtime_secs = 0, score_validation_sampling = c("Uniform",
"Stratified"), diagnostics = TRUE, fast_mode = TRUE,
force_load_balance = TRUE, variable_importances = TRUE,
replicate_training_data = TRUE, single_node_mode = FALSE,
shuffle_training_data = FALSE,
missing_values_handling = c("MeanImputation", "Skip"),
quiet_mode = FALSE, autoencoder = FALSE, sparse = FALSE,
col_major = FALSE, average_activation = 0, sparsity_beta = 0,
max_categorical_features = 2147483647, reproducible = FALSE,
export_weights_and_biases = FALSE, mini_batch_size = 1,
categorical_encoding = c("AUTO", "Enum", "OneHotInternal",
"OneHotExplicit", "Binary", "Eigen", "LabelEncoder", "SortByResponse",
"EnumLimited"), elastic_averaging = FALSE,
elastic_averaging_moving_rate = 0.9,
elastic_averaging_regularization = 0.001, verbose = FALSE)

```

## Arguments

|                              |   |
|------------------------------|---|
| x                            | (Optional) A vector containing the names or indices of the predictor variables to use in building the model. If x is missing, then all columns except y are used.   |
| y                            | The name or column index of the response variable in the data. The response must be either a numeric or a categorical/factor variable. If the response is numeric, then a regression model will be trained, otherwise it will train a classification model. |
| training_frame               | Id of the training data frame.  |
| model_id                     | Destination id for this model; auto-generated if not specified.   |
| validation_frame             | Id of the validation data frame.  |
| nfolds                       | Number of folds for K-fold cross-validation (0 to disable or >= 2). Defaults to 0.  |
| keep_cross_validation_models | Logical. Whether to keep the cross-validation models. Defaults to TRUE.   |

|                                       |   |
|---------------------------------------|---|
| keep_cross_validation_predictions     | Logical. Whether to keep the predictions of the cross-validation models. Defaults to FALSE.   |
| keep_cross_validation_fold_assignment | Logical. Whether to keep the cross-validation fold assignment. Defaults to FALSE.   |
| fold_assignment                       | Cross-validation fold assignment scheme, if fold_column is not specified. The 'Stratified' option will stratify the folds based on the response variable, for classification problems. Must be one of: "AUTO", "Random", "Modulo", "Stratified". Defaults to AUTO.  |
| fold_column                           | Column with cross-validation fold index assignment per observation.   |
| ignore_const_cols                     | Logical. Ignore constant columns. Defaults to TRUE.   |
| score_each_iteration                  | Logical. Whether to score during each iteration of model training. Defaults to FALSE.   |
| weights_column                        | Column with observation weights. Giving some observation a weight of zero is equivalent to excluding it from the dataset; giving an observation a relative weight of 2 is equivalent to repeating that row twice. Negative weights are not allowed. Note: Weights are per-row observation weights and do not increase the size of the data frame. This is typically the number of times a row is repeated, but non-integer values are supported as well. During training, rows with higher weights matter more, due to the larger loss function pre-factor. |
| offset_column                         | Offset column. This will be added to the combination of columns before applying the link function.  |
| balance_classes                       | Logical. Balance training data class counts via over/under-sampling (for imbalanced data). Defaults to FALSE.   |
| class_sampling_factors                | Desired over/under-sampling ratios per class (in lexicographic order). If not specified, sampling factors will be automatically computed to obtain class balance during training. Requires balance_classes.   |
| max_after_balance_size                | Maximum relative size of the training data after balancing class counts (can be less than 1.0). Requires balance_classes. Defaults to 5.0.  |
| max_hit_ratio_k                       | Max. number (top K) of predictions to use for hit ratio computation (for multi-class only, 0 to disable). Defaults to 0.  |
| checkpoint                            | Model checkpoint to resume training with.   |
| pretrained_autoencoder                | Pretrained autoencoder model to initialize this model with.   |
| overwrite_with_best_model             | Logical. If enabled, override the final model with the best model found during training. Defaults to TRUE.  |
| use_all_factor_levels                 | Logical. Use all factor levels of categorical variables. Otherwise, the first factor level is omitted (without loss of accuracy). Useful for variable importances and auto-enabled for autoencoder. Defaults to TRUE.   |

|                               |   |
|-------------------------------|---|
| standardize                   | Logical. If enabled, automatically standardize the data. If disabled, the user must provide properly scaled input data. Defaults to TRUE.   |
| activation                    | Activation function. Must be one of: "Tanh", "TanhWithDropout", "Rectifier", "RectifierWithDropout", "Maxout", "MaxoutWithDropout". Defaults to Rectifier.  |
| hidden                        | Hidden layer sizes (e.g. [100, 100]). Defaults to [200, 200].   |
| epochs                        | How many times the dataset should be iterated (streamed), can be fractional. Defaults to 10.  |
| train_samples_per_iteration   | Number of training samples (globally) per MapReduce iteration. Special values are 0: one epoch, -1: all available data (e.g., replicated training data), -2: automatic. Defaults to -2.   |
| target_ratio_comm_to_comp     | Target ratio of communication overhead to computation. Only for multi-node operation and train_samples_per_iteration = -2 (auto-tuning). Defaults to 0.05.  |
| seed                          | Seed for random numbers (affects certain parts of the algo that are stochastic and those might or might not be enabled by default) Note: only reproducible when running single threaded. Defaults to -1 (time-based random number). |
| adaptive_rate                 | Logical. Adaptive learning rate. Defaults to TRUE.  |
| rho                           | Adaptive learning rate time decay factor (similarity to prior updates). Defaults to 0.99.   |
| epsilon                       | Adaptive learning rate smoothing factor (to avoid divisions by zero and allow progress). Defaults to 1e-08.   |
| rate                          | Learning rate (higher => less stable, lower => slower convergence). Defaults to 0.005.  |
| rate_annealing                | Learning rate annealing: $rate / (1 + rate\_annealing * samples)$ . Defaults to 1e-06.  |
| rate_decay                    | Learning rate decay factor between layers (N-th layer: $rate * rate\_decay ^ (n - 1)$ ). Defaults to 1.   |
| momentum_start                | Initial momentum at the beginning of training (try 0.5). Defaults to 0.   |
| momentum_ramp                 | Number of training samples for which momentum increases. Defaults to 1000000.   |
| momentum_stable               | Final momentum after the ramp is over (try 0.99). Defaults to 0.  |
| nesterov_accelerated_gradient | Logical. Use Nesterov accelerated gradient (recommended). Defaults to TRUE.   |
| input_dropout_ratio           | Input layer dropout ratio (can improve generalization, try 0.1 or 0.2). Defaults to 0.  |
| hidden_dropout_ratios         | Hidden layer dropout ratios (can improve generalization), specify one value per hidden layer, defaults to 0.5.  |
| l1                            | L1 regularization (can add stability and improve generalization, causes many weights to become 0). Defaults to 0.   |
| l2                            | L2 regularization (can add stability and improve generalization, causes many weights to be small. Defaults to 0.  |
| max_w2                        | Constraint for squared sum of incoming weights per unit (e.g. for Rectifier). Defaults to 3.4028235e+38.  |

|  |  |
|--|--|
| <code>initial_weight_distribution</code> | Initial weight distribution. Must be one of: "UniformAdaptive", "Uniform", "Normal". Defaults to UniformAdaptive.  |
| <code>initial_weight_scale</code>        | Uniform: -value...value, Normal: stddev. Defaults to 1.  |
| <code>initial_weights</code>             | A list of H2OFrame ids to initialize the weight matrices of this model with.   |
| <code>initial_biases</code>              | A list of H2OFrame ids to initialize the bias vectors of this model with.  |
| <code>loss</code>                        | Loss function. Must be one of: "Automatic", "CrossEntropy", "Quadratic", "Huber", "Absolute", "Quantile". Defaults to Automatic.   |
| <code>distribution</code>                | Distribution function Must be one of: "AUTO", "bernoulli", "multinomial", "gaussian", "poisson", "gamma", "tweedie", "laplace", "quantile", "huber". Defaults to AUTO.   |
| <code>quantile_alpha</code>              | Desired quantile for Quantile regression, must be between 0 and 1. Defaults to 0.5.  |
| <code>tweedie_power</code>               | Tweedie power for Tweedie regression, must be between 1 and 2. Defaults to 1.5.  |
| <code>huber_alpha</code>                 | Desired quantile for Huber/M-regression (threshold between quadratic and linear loss, must be between 0 and 1). Defaults to 0.9.   |
| <code>score_interval</code>              | Shortest time interval (in seconds) between model scoring. Defaults to 5.  |
| <code>score_training_samples</code>      | Number of training set samples for scoring (0 for all). Defaults to 10000.   |
| <code>score_validation_samples</code>    | Number of validation set samples for scoring (0 for all). Defaults to 0.   |
| <code>score_duty_cycle</code>            | Maximum duty cycle fraction for scoring (lower: more training, higher: more scoring). Defaults to 0.1.   |
| <code>classification_stop</code>         | Stopping criterion for classification error fraction on training data (-1 to disable). Defaults to 0.  |
| <code>regression_stop</code>             | Stopping criterion for regression error (MSE) on training data (-1 to disable). Defaults to 1e-06.   |
| <code>stopping_rounds</code>             | Early stopping based on convergence of stopping_metric. Stop if simple moving average of length k of the stopping_metric does not improve for k:=stopping_rounds scoring events (0 to disable) Defaults to 5.  |
| <code>stopping_metric</code>             | Metric to use for early stopping (AUTO: logloss for classification, deviance for regression) Must be one of: "AUTO", "deviance", "logloss", "MSE", "RMSE", "MAE", "RMSLE", "AUC", "lift_top_group", "misclassification", "mean_per_class_error". Defaults to AUTO. |
| <code>stopping_tolerance</code>          | Relative tolerance for metric-based stopping criterion (stop if relative improvement is not at least this much) Defaults to 0.   |
| <code>max_runtime_secs</code>            | Maximum allowed runtime in seconds for model training. Use 0 to disable. Defaults to 0.  |

|                           |   |
|---------------------------|---|
| score_validation_sampling | Method used to sample validation dataset for scoring. Must be one of: "Uniform", "Stratified". Defaults to Uniform.   |
| diagnostics               | Logical. Enable diagnostics for hidden layers. Defaults to TRUE.  |
| fast_mode                 | Logical. Enable fast mode (minor approximation in back-propagation). Defaults to TRUE.  |
| force_load_balance        | Logical. Force extra load balancing to increase training speed for small datasets (to keep all cores busy). Defaults to TRUE.   |
| variable_importances      | Logical. Compute variable importances for input features (Gedeon method) - can be slow for large networks. Defaults to TRUE.  |
| replicate_training_data   | Logical. Replicate the entire training dataset onto every node for faster training on small datasets. Defaults to TRUE.   |
| single_node_mode          | Logical. Run on a single node for fine-tuning of model parameters. Defaults to FALSE.   |
| shuffle_training_data     | Logical. Enable shuffling of training data (recommended if training data is replicated and train_samples_per_iteration is close to #nodes x #rows, or if using balance_classes). Defaults to FALSE. |
| missing_values_handling   | Handling of missing values. Either MeanImputation or Skip. Must be one of: "MeanImputation", "Skip". Defaults to MeanImputation.  |
| quiet_mode                | Logical. Enable quiet mode for less output to standard output. Defaults to FALSE.   |
| autoencoder               | Logical. Auto-Encoder. Defaults to FALSE.   |
| sparse                    | Logical. Sparse data handling (more efficient for data with lots of 0 values). Defaults to FALSE.   |
| col_major                 | Logical. #DEPRECATED Use a column major weight matrix for input layer. Can speed up forward propagation, but might slow down backpropagation. Defaults to FALSE.                                    |
| average_activation        | Average activation for sparse auto-encoder. #Experimental Defaults to 0.  |
| sparsity_beta             | Sparsity regularization. #Experimental Defaults to 0.   |
| max_categorical_features  | Max. number of categorical features, enforced via hashing. #Experimental Defaults to 2147483647.  |
| reproducible              | Logical. Force reproducibility on small data (will be slow - only uses 1 thread). Defaults to FALSE.  |
| export_weights_and_biases | Logical. Whether to export Neural Network weights and biases to H2O Frames. Defaults to FALSE.  |
| mini_batch_size           | Mini-batch size (smaller leads to better fit, larger can speed up and generalize better). Defaults to 1.  |
| categorical_encoding      | Encoding scheme for categorical features Must be one of: "AUTO", "Enum", "OneHotInternal", "OneHotExplicit", "Binary", "Eigen", "LabelEncoder", "Sort-ByResponse", "EnumLimited". Defaults to AUTO. |



|                                  |   |
|----------------------------------|---|
| elastic_averaging                | Logical. Elastic averaging between compute nodes can improve distributed model convergence. #Experimental Defaults to FALSE.                      |
| elastic_averaging_moving_rate    | Elastic averaging moving rate (only if elastic averaging is enabled). Defaults to 0.9.  |
| elastic_averaging_regularization | Elastic averaging regularization strength (only if elastic averaging is enabled). Defaults to 0.001.  |
| verbose                          | Logical. Print scoring history to the console (Metrics per tree for GBM, DRF, & XGBoost. Metrics per epoch for Deep Learning). Defaults to FALSE. |

**See Also**

[predict.H2OModel](#) for prediction

**Examples**

```
library(h2o)
h2o.init()
iris.hex <- as.h2o(iris)
iris.dl <- h2o.deeplearning(x = 1:4, y = 5, training_frame = iris.hex, seed=123456)

# now make a prediction
predictions <- h2o.predict(iris.dl, iris.hex)
```

---

h2o.deepwater

*Build a Deep Learning model using multiple native GPU backends*


---

**Description**

Builds a deep neural network on an H2OFrame containing various data sources.

**Usage**

```
h2o.deepwater(x, y, training_frame, model_id = NULL, checkpoint = NULL,
  autoencoder = FALSE, validation_frame = NULL, nfolds = 0,
  balance_classes = FALSE, max_after_balance_size = 5,
  class_sampling_factors = NULL, keep_cross_validation_models = TRUE,
  keep_cross_validation_predictions = FALSE,
  keep_cross_validation_fold_assignment = FALSE,
  fold_assignment = c("AUTO", "Random", "Modulo", "Stratified"),
  fold_column = NULL, offset_column = NULL, weights_column = NULL,
  score_each_iteration = FALSE, categorical_encoding = c("AUTO",
  "Enum", "OneHotInternal", "OneHotExplicit", "Binary", "Eigen",
  "LabelEncoder", "SortByResponse", "EnumLimited"),
  overwrite_with_best_model = TRUE, epochs = 10,
  train_samples_per_iteration = -2, target_ratio_comm_to_comp = 0.05,
  seed = -1, standardize = TRUE, learning_rate = 0.001,
  learning_rate_annealing = 1e-06, momentum_start = 0.9,
```

```

momentum_ramp = 10000, momentum_stable = 0.9,
distribution = c("AUTO", "bernoulli", "multinomial", "gaussian",
"poisson", "gamma", "tweedie", "laplace", "quantile", "huber"),
score_interval = 5, score_training_samples = 10000,
score_validation_samples = 0, score_duty_cycle = 0.1,
classification_stop = 0, regression_stop = 0, stopping_rounds = 5,
stopping_metric = c("AUTO", "deviance", "logloss", "MSE", "RMSE",
"MAE", "RMSLE", "AUC", "lift_top_group", "misclassification",
"mean_per_class_error"), stopping_tolerance = 0,
max_runtime_secs = 0, ignore_const_cols = TRUE,
shuffle_training_data = TRUE, mini_batch_size = 32,
clip_gradient = 10, network = c("auto", "user", "lenet", "alexnet",
"vgg", "googlenet", "inception_bn", "resnet"), backend = c("mxnet",
"caffe", "tensorflow"), image_shape = c(0, 0), channels = 3,
sparse = FALSE, gpu = TRUE, device_id = c(0), cache_data = TRUE,
network_definition_file = NULL, network_parameters_file = NULL,
mean_image_file = NULL, export_native_parameters_prefix = NULL,
activation = c("Rectifier", "Tanh"), hidden = NULL,
input_dropout_ratio = 0, hidden_dropout_ratios = NULL,
problem_type = c("auto", "image", "dataset")

```

## Arguments

|                              |   |
|------------------------------|---|
| x                            | (Optional) A vector containing the names or indices of the predictor variables to use in building the model. If x is missing, then all columns except y are used.   |
| y                            | The name or column index of the response variable in the data. The response must be either a numeric or a categorical/factor variable. If the response is numeric, then a regression model will be trained, otherwise it will train a classification model. |
| training_frame               | Id of the training data frame.  |
| model_id                     | Destination id for this model; auto-generated if not specified.   |
| checkpoint                   | Model checkpoint to resume training with.   |
| autoencoder                  | Logical. Auto-Encoder. Defaults to FALSE.   |
| validation_frame             | Id of the validation data frame.  |
| nfolds                       | Number of folds for K-fold cross-validation (0 to disable or >= 2). Defaults to 0.  |
| balance_classes              | Logical. Balance training data class counts via over/under-sampling (for imbalanced data). Defaults to FALSE.   |
| max_after_balance_size       | Maximum relative size of the training data after balancing class counts (can be less than 1.0). Requires balance_classes. Defaults to 5.0.  |
| class_sampling_factors       | Desired over/under-sampling ratios per class (in lexicographic order). If not specified, sampling factors will be automatically computed to obtain class balance during training. Requires balance_classes.   |
| keep_cross_validation_models | Logical. Whether to keep the cross-validation models. Defaults to TRUE.   |

|                                       |   |
|---------------------------------------|---|
| keep_cross_validation_predictions     | Logical. Whether to keep the predictions of the cross-validation models. Defaults to FALSE.   |
| keep_cross_validation_fold_assignment | Logical. Whether to keep the cross-validation fold assignment. Defaults to FALSE.   |
| fold_assignment                       | Cross-validation fold assignment scheme, if fold_column is not specified. The 'Stratified' option will stratify the folds based on the response variable, for classification problems. Must be one of: "AUTO", "Random", "Modulo", "Stratified". Defaults to AUTO.  |
| fold_column                           | Column with cross-validation fold index assignment per observation.   |
| offset_column                         | Offset column. This will be added to the combination of columns before applying the link function.  |
| weights_column                        | Column with observation weights. Giving some observation a weight of zero is equivalent to excluding it from the dataset; giving an observation a relative weight of 2 is equivalent to repeating that row twice. Negative weights are not allowed. Note: Weights are per-row observation weights and do not increase the size of the data frame. This is typically the number of times a row is repeated, but non-integer values are supported as well. During training, rows with higher weights matter more, due to the larger loss function pre-factor. |
| score_each_iteration                  | Logical. Whether to score during each iteration of model training. Defaults to FALSE.   |
| categorical_encoding                  | Encoding scheme for categorical features Must be one of: "AUTO", "Enum", "OneHotInternal", "OneHotExplicit", "Binary", "Eigen", "LabelEncoder", "Sort-ByResponse", "EnumLimited". Defaults to AUTO.   |
| overwrite_with_best_model             | Logical. If enabled, override the final model with the best model found during training. Defaults to TRUE.  |
| epochs                                | How many times the dataset should be iterated (streamed), can be fractional. Defaults to 10.  |
| train_samples_per_iteration           | Number of training samples (globally) per MapReduce iteration. Special values are 0: one epoch, -1: all available data (e.g., replicated training data), -2: automatic. Defaults to -2.   |
| target_ratio_comm_to_comp             | Target ratio of communication overhead to computation. Only for multi-node operation and train_samples_per_iteration = -2 (auto-tuning). Defaults to 0.05.  |
| seed                                  | Seed for random numbers (affects certain parts of the algo that are stochastic and those might or might not be enabled by default) Note: only reproducible when running single threaded. Defaults to -1 (time-based random number).   |
| standardize                           | Logical. If enabled, automatically standardize the data. If disabled, the user must provide properly scaled input data. Defaults to TRUE.   |
| learning_rate                         | Learning rate (higher => less stable, lower => slower convergence). Defaults to 0.001.  |
| learning_rate_annealing               | Learning rate annealing: $rate / (1 + rate\_annealing * samples)$ . Defaults to 1e-06.  |

|                                       |  |
|---------------------------------------|--|
| <code>momentum_start</code>           | Initial momentum at the beginning of training (try 0.5). Defaults to 0.9.  |
| <code>momentum_ramp</code>            | Number of training samples for which momentum increases. Defaults to 10000.  |
| <code>momentum_stable</code>          | Final momentum after the ramp is over (try 0.99). Defaults to 0.9.   |
| <code>distribution</code>             | Distribution function Must be one of: "AUTO", "bernoulli", "multinomial", "gaussian", "poisson", "gamma", "tweedie", "laplace", "quantile", "huber". Defaults to AUTO.   |
| <code>score_interval</code>           | Shortest time interval (in seconds) between model scoring. Defaults to 5.  |
| <code>score_training_samples</code>   | Number of training set samples for scoring (0 for all). Defaults to 10000.   |
| <code>score_validation_samples</code> | Number of validation set samples for scoring (0 for all). Defaults to 0.   |
| <code>score_duty_cycle</code>         | Maximum duty cycle fraction for scoring (lower: more training, higher: more scoring). Defaults to 0.1.   |
| <code>classification_stop</code>      | Stopping criterion for classification error fraction on training data (-1 to disable). Defaults to 0.  |
| <code>regression_stop</code>          | Stopping criterion for regression error (MSE) on training data (-1 to disable). Defaults to 0.   |
| <code>stopping_rounds</code>          | Early stopping based on convergence of <code>stopping_metric</code> . Stop if simple moving average of length <code>k</code> of the <code>stopping_metric</code> does not improve for <code>k:=stopping_rounds</code> scoring events (0 to disable) Defaults to 5. |
| <code>stopping_metric</code>          | Metric to use for early stopping (AUTO: logloss for classification, deviance for regression) Must be one of: "AUTO", "deviance", "logloss", "MSE", "RMSE", "MAE", "RMSLE", "AUC", "lift_top_group", "misclassification", "mean_per_class_error". Defaults to AUTO. |
| <code>stopping_tolerance</code>       | Relative tolerance for metric-based stopping criterion (stop if relative improvement is not at least this much) Defaults to 0.   |
| <code>max_runtime_secs</code>         | Maximum allowed runtime in seconds for model training. Use 0 to disable. Defaults to 0.  |
| <code>ignore_const_cols</code>        | Logical. Ignore constant columns. Defaults to TRUE.  |
| <code>shuffle_training_data</code>    | Logical. Enable global shuffling of training data. Defaults to TRUE.   |
| <code>mini_batch_size</code>          | Mini-batch size (smaller leads to better fit, larger can speed up and generalize better). Defaults to 32.  |
| <code>clip_gradient</code>            | Clip gradients once their absolute value is larger than this value. Defaults to 10.  |
| <code>network</code>                  | Network architecture. Must be one of: "auto", "user", "lenet", "alexnet", "vgg", "googlenet", "inception_bn", "resnet". Defaults to auto.  |
| <code>backend</code>                  | Deep Learning Backend. Must be one of: "mxnet", "caffe", "tensorflow". Defaults to mxnet.  |
| <code>image_shape</code>              | Width and height of image. Defaults to [0, 0].   |

|                                 |   |
|---------------------------------|---|
| channels                        | Number of (color) channels. Defaults to 3.  |
| sparse                          | Logical. Sparse data handling (more efficient for data with lots of 0 values). Defaults to FALSE.   |
| gpu                             | Logical. Whether to use a GPU (if available). Defaults to TRUE.   |
| device_id                       | Device IDs (which GPUs to use). Defaults to [0].  |
| cache_data                      | Logical. Whether to cache the data in memory (automatically disabled if data size is too large). Defaults to TRUE.  |
| network_definition_file         | Path of file containing network definition (graph, architecture).   |
| network_parameters_file         | Path of file containing network (initial) parameters (weights, biases).   |
| mean_image_file                 | Path of file containing the mean image data for data normalization.   |
| export_native_parameters_prefix | Path (prefix) where to export the native model parameters after every iteration.  |
| activation                      | Activation function. Only used if no user-defined network architecture file is provided, and only for problem_type=dataset. Must be one of: "Rectifier", "Tanh".  |
| hidden                          | Hidden layer sizes (e.g. [200, 200]). Only used if no user-defined network architecture file is provided, and only for problem_type=dataset.  |
| input_dropout_ratio             | Input layer dropout ratio (can improve generalization, try 0.1 or 0.2). Defaults to 0.  |
| hidden_dropout_ratios           | Hidden layer dropout ratios (can improve generalization), specify one value per hidden layer, defaults to 0.5.  |
| problem_type                    | Problem type, auto-detected by default. If set to image, the H2OFrame must contain a string column containing the path (URI or URL) to the images in the first column. If set to text, the H2OFrame must contain a string column containing the text in the first column. If set to dataset, Deep Water behaves just like any other H2O Model and builds a model on the provided H2OFrame (non-String columns). Must be one of: "auto", "image", "dataset". Defaults to auto. |

---

h2o.deepwater.available

*Determines whether Deep Water is available*

---

### Description

Ask the H2O server whether a Deep Water model can be built. (Depends on availability of native backends.) Returns TRUE if a Deep Water model can be built, or FALSE otherwise.

### Usage

```
h2o.deepwater.available(h2oRestApiVersion = .h2o.__REST_API_VERSION)
```

**Arguments**

h2oRestApiVersion  
(Optional) Specific version of the REST API to use.

---

h2o.describe                    *H2O Description of A Dataset*

---

**Description**

Reports the "Flow" style summary rollups on an instance of H2OFrame. Includes information about column types, mins/maxs/missing/zero counts/stds/number of levels

**Usage**

```
h2o.describe(frame)
```

**Arguments**

frame                    An H2OFrame object.

**Value**

A table with the Frame stats.

**Examples**

```
library(h2o)
h2o.init()
prosPath <- system.file("extdata", "prostate.csv", package="h2o")
prostate.hex <- h2o.importFile(path = prosPath)
h2o.describe(prostate.hex)
```

---

h2o.diff1ag1                    *Conduct a lag 1 transform on a numeric H2OFrame column*

---

**Description**

Conduct a lag 1 transform on a numeric H2OFrame column

**Usage**

```
h2o.diff1ag1(object)
```

**Arguments**

object                    H2OFrame object

**Value**

Returns an H2OFrame object.

---

|         |   |
|---------|---|
| h2o.dim | <i>Returns the number of rows and columns for an H2OFrame object.</i> |
|---------|---|

---

**Description**

Returns the number of rows and columns for an H2OFrame object.

**Usage**

```
h2o.dim(x)
```

**Arguments**

x                    An H2OFrame object.

**See Also**

[dim](#) for the base R implementation.

---

|              |                                    |
|--------------|------------------------------------|
| h2o.dimnames | <i>Column names of an H2OFrame</i> |
|--------------|------------------------------------|

---

**Description**

Column names of an H2OFrame

**Usage**

```
h2o.dimnames(x)
```

**Arguments**

x                    An H2OFrame object.

**See Also**

[dimnames](#) for the base R implementation.

---

|              |   |
|--------------|---|
| h2o.distance | <i>Compute a pairwise distance measure between all rows of two numeric H2OFrames.</i> |
|--------------|---|

---

**Description**

Compute a pairwise distance measure between all rows of two numeric H2OFrames.

**Usage**

```
h2o.distance(x, y, measure)
```

**Arguments**

|         |  |
|---------|--|
| x       | An H2OFrame object (large, references).  |
| y       | An H2OFrame object (small, queries).   |
| measure | An optional string indicating what distance measure to use. Must be one of: "l1" - Absolute distance (L1-norm, >=0) "l2" - Euclidean distance (L2-norm, >=0) "cosine" - Cosine similarity (-1...1) "cosine_sq" - Squared Cosine similarity (0...1) |

**Examples**

```
h2o.init()
prosPath <- system.file("extdata", "prostate.csv", package="h2o")
prostate.hex <- h2o.uploadFile(path = prosPath)
h2o.distance(prostate.hex[11:30,], prostate.hex[1:10,], "cosine")
```

---

|                     |                                       |
|---------------------|---------------------------------------|
| h2o.downloadAllLogs | <i>Download H2O Log Files to Disk</i> |
|---------------------|---------------------------------------|

---

**Description**

h2o.downloadAllLogs downloads all H2O log files to local disk in .zip format. Generally used for debugging purposes.

**Usage**

```
h2o.downloadAllLogs(dirname = ".", filename = NULL)
```

**Arguments**

|          |   |
|----------|---|
| dirname  | (Optional) A character string indicating the directory that the log file should be saved in.  |
| filename | (Optional) A character string indicating the name that the log file should be saved to. Note that the saved format is .zip, so the file name must include the .zip extension. |



**Examples**

```
h2o.downloadAllLogs(dirname='./your_directory_name/', filename = 'autoh2o_log.zip')
```

---

|                 |                                  |
|-----------------|----------------------------------|
| h2o.downloadCSV | <i>Download H2O Data to Disk</i> |
|-----------------|----------------------------------|

---

**Description**

Download an H2O data set to a CSV file on the local disk

**Usage**

```
h2o.downloadCSV(data, filename)
```

**Arguments**

|          |  |
|----------|--|
| data     | an H2OFrame object to be downloaded.   |
| filename | A string indicating the name that the CSV file should be should be saved to. |

**Warning**

Files located on the H2O server may be very large! Make sure you have enough hard drive space to accomodate the entire file.

**Examples**

```
library(h2o)
h2o.init()
irisPath <- system.file("extdata", "iris_wheader.csv", package = "h2o")
iris.hex <- h2o.uploadFile(path = irisPath)

myFile <- paste(getwd(), "my_iris_file.csv", sep = .Platform$file.sep)
h2o.downloadCSV(iris.hex, myFile)
file.info(myFile)
file.remove(myFile)
```

---

|                   |   |
|-------------------|---|
| h2o.download_mojo | <i>Download the model in MOJO format.</i> |
|-------------------|---|

---

**Description**

Download the model in MOJO format.

**Usage**

```
h2o.download_mojo(model, path = getwd(), get_genmodel_jar = FALSE,
  genmodel_name = "", genmodel_path = "")
```

**Arguments**

|                  |   |
|------------------|---|
| model            | An H2OModel   |
| path             | The path where MOJO file should be saved. Saved to current directory by default.                        |
| get_genmodel_jar | If TRUE, then also download h2o-genmodel.jar and store it in either in the same folder                  |
| genmodel_name    | Custom name of genmodel jar.  |
| genmodel_path    | Path to store h2o-genmodel.jar. If left blank and “get_genmodel_jar“ is TRUE, then the h2o-genmodel.jar |

**Value**

Name of the MOJO file written to the path.

**Examples**

```
library(h2o)
h <- h2o.init()
fr <- as.h2o(iris)
my_model <- h2o.gbm(x=1:4, y=5, training_frame=fr)
h2o.download_mojo(my_model) # save to the current working directory
```

---

|                   |  |
|-------------------|--|
| h2o.download_pojo | <i>Download the Scoring POJO (Plain Old Java Object) of an H2O Model</i> |
|-------------------|--|

---

**Description**

Download the Scoring POJO (Plain Old Java Object) of an H2O Model

**Usage**

```
h2o.download_pojo(model, path = NULL, getjar = NULL, get_jar = TRUE,
  jar_name = "")
```

**Arguments**

|          |  |
|----------|--|
| model    | An H2OModel  |
| path     | The path to the directory to store the POJO (no trailing slash). If NULL, then print to to console. The file name will be a compilable java file name. |
| getjar   | (DEPRECATED) Whether to also download the h2o-genmodel.jar file needed to compile the POJO. This argument is now called ‘get_jar‘.                     |
| get_jar  | Whether to also download the h2o-genmodel.jar file needed to compile the POJO  |
| jar_name | Custom name of genmodel jar.   |

**Value**

If path is NULL, then pretty print the POJO to the console. Otherwise save it to the specified directory and return POJO file name.

**Examples**

```
library(h2o)
h <- h2o.init()
fr <- as.h2o(iris)
my_model <- h2o.gbm(x=1:4, y=5, training_frame=fr)

h2o.download_pojo(my_model) # print the model to screen
# h2o.download_pojo(my_model, getwd()) # save the POJO and jar file to the current working
#                                     directory, NOT RUN
# h2o.download_pojo(my_model, getwd(), get_jar = FALSE ) # save only the POJO to the current
#                                                         working directory, NOT RUN
h2o.download_pojo(my_model, getwd()) # save to the current working directory
```

---

h2o.entropy

*Shannon entropy*

---

**Description**

Return the Shannon entropy of a string column. If the string is empty, the entropy is 0.

**Usage**

```
h2o.entropy(x)
```

**Arguments**

x                    The column on which to calculate the entropy.

**Examples**

```
library(h2o)
h2o.init()
buys <- as.h2o(c("no", "no", "yes", "yes", "yes", "no", "yes", "no", "yes", "yes", "no"))
buys_entropy <- h2o.entropy(buys)
```

---

|         |  |
|---------|--|
| h2o.exp | <i>Compute the exponential function of x</i> |
|---------|--|

---

**Description**

Compute the exponential function of x

**Usage**

```
h2o.exp(x)
```

**Arguments**

|   |                     |
|---|---------------------|
| x | An H2OFrame object. |
|---|---------------------|

**See Also**

[exp](#) for the base R implementation.

---

|                |   |
|----------------|---|
| h2o.exportFile | <i>Export an H2O Data Frame (H2OFrame) to a File or to a collection of Files.</i> |
|----------------|---|

---

**Description**

Exports an H2OFrame (which can be either VA or FV) to a file. This file may be on the H2O instace's local filesystem, or to HDFS (preface the path with hdfs://) or to S3N (preface the path with s3n://).

**Usage**

```
h2o.exportFile(data, path, force = FALSE, parts = 1)
```

**Arguments**

|       |   |
|-------|---|
| data  | An H2OFrame object.   |
| path  | The path to write the file to. Must include the directory and also filename if exporting to a single file. May be prefaced with hdfs:// or s3n://. Each row of data appears as line of the file.  |
| force | logical, indicates how to deal with files that already exist.   |
| parts | integer, number of part files to export to. Default is to write to a single file. Large data can be exported to multiple 'part' files, where each part file contains subset of the data. User can specify the maximum number of part files or use value -1 to indicate that H2O should itself determine the optimal number of files. Parameter path will be considered to be a path to a directory if export to multiple part files is desired. Part files conform to naming scheme 'part-m-?????'. |

**Details**

In the case of existing files force = TRUE will overwrite the file. Otherwise, the operation will fail.

**Examples**

```
## Not run:
library(h2o)
h2o.init()
irisPath <- system.file("extdata", "iris.csv", package = "h2o")
iris.hex <- h2o.uploadFile(path = irisPath)

# These aren't real paths
# h2o.exportFile(iris.hex, path = "/path/on/h2o/server/filesystem/iris.csv")
# h2o.exportFile(iris.hex, path = "hdfs://path/in/hdfs/iris.csv")
# h2o.exportFile(iris.hex, path = "s3n://path/in/s3/iris.csv")

## End(Not run)
```

---

|                |                               |
|----------------|-------------------------------|
| h2o.exportHDFS | <i>Export a Model to HDFS</i> |
|----------------|-------------------------------|

---

**Description**

Exports an [H2OModel](#) to HDFS.

**Usage**

```
h2o.exportHDFS(object, path, force = FALSE)
```

**Arguments**

|        |  |
|--------|--|
| object | an <a href="#">H2OModel</a> class object.                                |
| path   | The path to write the model to. Must include the driectory and filename. |
| force  | logical, indicates how to deal with files that already exist.            |

---

|            |               |
|------------|---------------|
| h2o.fillna | <i>fillNA</i> |
|------------|---------------|

---

**Description**

Fill NA's in a sequential manner up to a specified limit

**Usage**

```
h2o.fillna(x, method = "forward", axis = 1, maxlen = 1L)
```

**Arguments**

|        |  |
|--------|--|
| x      | an H2OFrame  |
| method | A String: "forward" or "backward"                                |
| axis   | An Integer 1 for row-wise fill (default), 2 for column-wise fill |
| maxlen | An Integer for maximum number of consecutive NA's to fill        |

**Value**

An H2OFrame after filling missing values

**Examples**

```
library(h2o)
h2o.init()
fr.with.nas = h2o.createFrame(categorical_fraction=0.0,missing_fraction=0.7,rows=6,cols=2,seed=123)
fr <- h2o.fillna(fr.with.nas, "forward", axis=1, maxlen=2L)
```

---

|                  |                          |
|------------------|--------------------------|
| h2o.filterNACols | <i>Filter NA Columns</i> |
|------------------|--------------------------|

---

**Description**

Filter NA Columns

**Usage**

```
h2o.filterNACols(data, frac = 0.2)
```

**Arguments**

|      |   |
|------|---|
| data | A dataset to filter on.   |
| frac | The threshold of NAs to allow per column (columns $\geq$ this threshold are filtered) |

**Value**

Returns a numeric vector of indexes that pertain to non-NA columns

---

|                  |  |
|------------------|--|
| h2o.findSynonyms | <i>Find synonyms using a word2vec model.</i> |
|------------------|--|

---

**Description**

Find synonyms using a word2vec model.

**Usage**

```
h2o.findSynonyms(word2vec, word, count = 20)
```

**Arguments**

|          |  |
|----------|--|
| word2vec | A word2vec model.                          |
| word     | A single word to find synonyms for.        |
| count    | The top 'count' synonyms will be returned. |

---

`h2o.find_row_by_threshold`

*Find the threshold, give the max metric. No duplicate thresholds allowed*

---

### **Description**

Find the threshold, give the max metric. No duplicate thresholds allowed

### **Usage**

`h2o.find_row_by_threshold(object, threshold)`

### **Arguments**

|           |                        |
|-----------|------------------------|
| object    | H2OBinomialMetrics     |
| threshold | number between 0 and 1 |

---

`h2o.find_threshold_by_max_metric`

*Find the threshold, give the max metric*

---

### **Description**

Find the threshold, give the max metric

### **Usage**

`h2o.find_threshold_by_max_metric(object, metric)`

### **Arguments**

|        |                    |
|--------|--------------------|
| object | H2OBinomialMetrics |
| metric | "F1," for example  |

---

|           |   |
|-----------|---|
| h2o.floor | <i>Take a single numeric argument and return a numeric vector with the largest integers</i> |
|-----------|---|

---

**Description**

floor takes a single numeric argument x and returns a numeric vector containing the largest integers not greater than the corresponding elements of x.

**Usage**

```
h2o.floor(x)
```

**Arguments**

x                    An H2OFrame object.

**See Also**

[floor](#) for the base R implementation.

---

|          |                      |
|----------|----------------------|
| h2o.flow | <i>Open H2O Flow</i> |
|----------|----------------------|

---

**Description**

Open H2O Flow in your browser

**Usage**

```
h2o.flow()
```

---

|               |                                     |
|---------------|-------------------------------------|
| h2o.gainsLift | <i>Access H2O Gains/Lift Tables</i> |
|---------------|-------------------------------------|

---

**Description**

Retrieve either a single or many Gains/Lift tables from H2O objects.

**Usage**

```
h2o.gainsLift(object, ...)

## S4 method for signature 'H2OModel'
h2o.gainsLift(object, newdata, valid = FALSE,
  xval = FALSE, ...)

## S4 method for signature 'H2OModelMetrics'
h2o.gainsLift(object)
```



**Arguments**

|         |   |
|---------|---|
| object  | Either an <a href="#">H2OModel</a> object or an <a href="#">H2OModelMetrics</a> object. |
| ...     | further arguments to be passed to/from this method.                                     |
| newdata | An H2OFrame object that can be scored on. Requires a valid response column.             |
| valid   | Retrieve the validation metric.   |
| xval    | Retrieve the cross-validation metric.   |

**Details**

The [H2OModelMetrics](#) version of this function will only take [H2OBinomialMetrics](#) objects.

**Value**

Calling this function on [H2OModel](#) objects returns a Gains/Lift table corresponding to the [predict](#) function.

**See Also**

[predict](#) for generating prediction frames, [h2o.performance](#) for creating [H2OModelMetrics](#).

**Examples**

```
library(h2o)
h2o.init()
prosPath <- system.file("extdata", "prostate.csv", package="h2o")
hex <- h2o.uploadFile(prosPath)
hex[,2] <- as.factor(hex[,2])
model <- h2o.gbm(x = 3:9, y = 2, distribution = "bernoulli",
                training_frame = hex, validation_frame = hex, nfolds=3)
h2o.gainsLift(model)           ## extract training metrics
h2o.gainsLift(model, valid=TRUE) ## extract validation metrics (here: the same)
h2o.gainsLift(model, xval =TRUE) ## extract cross-validation metrics
h2o.gainsLift(model, newdata=hex) ## score on new data (here: the same)
# Generating a ModelMetrics object
perf <- h2o.performance(model, hex)
h2o.gainsLift(perf)           ## extract from existing metrics object
```

---

h2o.gbm

*Build gradient boosted classification or regression trees*


---

**Description**

Builds gradient boosted classification trees and gradient boosted regression trees on a parsed data set. The default distribution function will guess the model type based on the response column type. In order to run properly, the response column must be an numeric for "gaussian" or an enum for "bernoulli" or "multinomial".

**Usage**

```
h2o.gbm(x, y, training_frame, model_id = NULL, validation_frame = NULL,
  nfold = 0, keep_cross_validation_models = TRUE,
  keep_cross_validation_predictions = FALSE,
  keep_cross_validation_fold_assignment = FALSE,
  score_each_iteration = FALSE, score_tree_interval = 0,
  fold_assignment = c("AUTO", "Random", "Modulo", "Stratified"),
  fold_column = NULL, ignore_const_cols = TRUE, offset_column = NULL,
  weights_column = NULL, balance_classes = FALSE,
  class_sampling_factors = NULL, max_after_balance_size = 5,
  max_hit_ratio_k = 0, ntrees = 50, max_depth = 5, min_rows = 10,
  nbins = 20, nbins_top_level = 1024, nbins_cats = 1024,
  r2_stopping = Inf, stopping_rounds = 0, stopping_metric = c("AUTO",
  "deviance", "logloss", "MSE", "RMSE", "MAE", "RMSLE", "AUC",
  "lift_top_group", "misclassification", "mean_per_class_error"),
  stopping_tolerance = 0.001, max_runtime_secs = 0, seed = -1,
  build_tree_one_node = FALSE, learn_rate = 0.1,
  learn_rate_annealing = 1, distribution = c("AUTO", "bernoulli",
  "quasibinomial", "multinomial", "gaussian", "poisson", "gamma",
  "tweedie", "laplace", "quantile", "huber"), quantile_alpha = 0.5,
  tweedie_power = 1.5, huber_alpha = 0.9, checkpoint = NULL,
  sample_rate = 1, sample_rate_per_class = NULL, col_sample_rate = 1,
  col_sample_rate_change_per_level = 1, col_sample_rate_per_tree = 1,
  min_split_improvement = 1e-05, histogram_type = c("AUTO",
  "UniformAdaptive", "Random", "QuantilesGlobal", "RoundRobin"),
  max_abs_leafnode_pred = Inf, pred_noise_bandwidth = 0,
  categorical_encoding = c("AUTO", "Enum", "OneHotInternal",
  "OneHotExplicit", "Binary", "Eigen", "LabelEncoder", "SortByResponse",
  "EnumLimited"), calibrate_model = FALSE, calibration_frame = NULL,
  custom_metric_func = NULL, monotone_constraints = NULL,
  verbose = FALSE)
```

**Arguments**

|                                   |   |
|-----------------------------------|---|
| x                                 | (Optional) A vector containing the names or indices of the predictor variables to use in building the model. If x is missing, then all columns except y are used.   |
| y                                 | The name or column index of the response variable in the data. The response must be either a numeric or a categorical/factor variable. If the response is numeric, then a regression model will be trained, otherwise it will train a classification model. |
| training_frame                    | Id of the training data frame.  |
| model_id                          | Destination id for this model; auto-generated if not specified.   |
| validation_frame                  | Id of the validation data frame.  |
| nfolds                            | Number of folds for K-fold cross-validation (0 to disable or >= 2). Defaults to 0.  |
| keep_cross_validation_models      | Logical. Whether to keep the cross-validation models. Defaults to TRUE.   |
| keep_cross_validation_predictions | Logical. Whether to keep the predictions of the cross-validation models. Defaults to FALSE.   |

|                                       |   |
|---------------------------------------|---|
| keep_cross_validation_fold_assignment | Logical. Whether to keep the cross-validation fold assignment. Defaults to FALSE.   |
| score_each_iteration                  | Logical. Whether to score during each iteration of model training. Defaults to FALSE.   |
| score_tree_interval                   | Score the model after every so many trees. Disabled if set to 0. Defaults to 0.   |
| fold_assignment                       | Cross-validation fold assignment scheme, if fold_column is not specified. The 'Stratified' option will stratify the folds based on the response variable, for classification problems. Must be one of: "AUTO", "Random", "Modulo", "Stratified". Defaults to AUTO.  |
| fold_column                           | Column with cross-validation fold index assignment per observation.   |
| ignore_const_cols                     | Logical. Ignore constant columns. Defaults to TRUE.   |
| offset_column                         | Offset column. This will be added to the combination of columns before applying the link function.  |
| weights_column                        | Column with observation weights. Giving some observation a weight of zero is equivalent to excluding it from the dataset; giving an observation a relative weight of 2 is equivalent to repeating that row twice. Negative weights are not allowed. Note: Weights are per-row observation weights and do not increase the size of the data frame. This is typically the number of times a row is repeated, but non-integer values are supported as well. During training, rows with higher weights matter more, due to the larger loss function pre-factor. |
| balance_classes                       | Logical. Balance training data class counts via over/under-sampling (for imbalanced data). Defaults to FALSE.   |
| class_sampling_factors                | Desired over/under-sampling ratios per class (in lexicographic order). If not specified, sampling factors will be automatically computed to obtain class balance during training. Requires balance_classes.   |
| max_after_balance_size                | Maximum relative size of the training data after balancing class counts (can be less than 1.0). Requires balance_classes. Defaults to 5.0.  |
| max_hit_ratio_k                       | Max. number (top K) of predictions to use for hit ratio computation (for multi-class only, 0 to disable) Defaults to 0.   |
| ntrees                                | Number of trees. Defaults to 50.  |
| max_depth                             | Maximum tree depth. Defaults to 5.  |
| min_rows                              | Fewest allowed (weighted) observations in a leaf. Defaults to 10.   |
| nbins                                 | For numerical columns (real/int), build a histogram of (at least) this many bins, then split at the best point Defaults to 20.  |
| nbins_top_level                       | For numerical columns (real/int), build a histogram of (at most) this many bins at the root level, then decrease by factor of two per level Defaults to 1024.   |
| nbins_cats                            | For categorical columns (factors), build a histogram of this many bins, then split at the best point. Higher values can lead to more overfitting. Defaults to 1024.   |

|                                  |   |
|----------------------------------|---|
| r2_stopping                      | r2_stopping is no longer supported and will be ignored if set - please use stopping_rounds, stopping_metric and stopping_tolerance instead. Previous version of H2O would stop making trees when the R <sup>2</sup> metric equals or exceeds this Defaults to 1.797693135e+308. |
| stopping_rounds                  | Early stopping based on convergence of stopping_metric. Stop if simple moving average of length k of the stopping_metric does not improve for k:=stopping_rounds scoring events (0 to disable) Defaults to 0.   |
| stopping_metric                  | Metric to use for early stopping (AUTO: logloss for classification, deviance for regression) Must be one of: "AUTO", "deviance", "logloss", "MSE", "RMSE", "MAE", "RMSLE", "AUC", "lift_top_group", "misclassification", "mean_per_class_error". Defaults to AUTO.              |
| stopping_tolerance               | Relative tolerance for metric-based stopping criterion (stop if relative improvement is not at least this much) Defaults to 0.001.  |
| max_runtime_secs                 | Maximum allowed runtime in seconds for model training. Use 0 to disable. Defaults to 0.   |
| seed                             | Seed for random numbers (affects certain parts of the algo that are stochastic and those might or might not be enabled by default) Defaults to -1 (time-based random number).   |
| build_tree_one_node              | Logical. Run on one node only; no network overhead but fewer cpus used. Suitable for small datasets. Defaults to FALSE.   |
| learn_rate                       | Learning rate (from 0.0 to 1.0) Defaults to 0.1.  |
| learn_rate_annealing             | Scale the learning rate by this factor after each tree (e.g., 0.99 or 0.999) Defaults to 1.   |
| distribution                     | Distribution function Must be one of: "AUTO", "bernoulli", "quasibinomial", "multinomial", "gaussian", "poisson", "gamma", "tweedie", "laplace", "quantile", "huber". Defaults to AUTO.   |
| quantile_alpha                   | Desired quantile for Quantile regression, must be between 0 and 1. Defaults to 0.5.   |
| tweedie_power                    | Tweedie power for Tweedie regression, must be between 1 and 2. Defaults to 1.5.   |
| huber_alpha                      | Desired quantile for Huber/M-regression (threshold between quadratic and linear loss, must be between 0 and 1). Defaults to 0.9.  |
| checkpoint                       | Model checkpoint to resume training with.   |
| sample_rate                      | Row sample rate per tree (from 0.0 to 1.0) Defaults to 1.   |
| sample_rate_per_class            | A list of row sample rates per class (relative fraction for each class, from 0.0 to 1.0), for each tree   |
| col_sample_rate                  | Column sample rate (from 0.0 to 1.0) Defaults to 1.   |
| col_sample_rate_change_per_level | Relative change of the column sampling rate for every level (must be > 0.0 and <= 2.0) Defaults to 1.   |

|                          |   |
|--------------------------|---|
| col_sample_rate_per_tree | Column sample rate per tree (from 0.0 to 1.0) Defaults to 1.  |
| min_split_improvement    | Minimum relative improvement in squared error reduction for a split to happen Defaults to 1e-05.  |
| histogram_type           | What type of histogram to use for finding optimal split points Must be one of: "AUTO", "UniformAdaptive", "Random", "QuantilesGlobal", "RoundRobin". Defaults to AUTO.                              |
| max_abs_leafnode_pred    | Maximum absolute value of a leaf node prediction Defaults to 1.797693135e+308.  |
| pred_noise_bandwidth     | Bandwidth (sigma) of Gaussian multiplicative noise $\sim N(1, \text{sigma})$ for tree node predictions Defaults to 0.   |
| categorical_encoding     | Encoding scheme for categorical features Must be one of: "AUTO", "Enum", "OneHotInternal", "OneHotExplicit", "Binary", "Eigen", "LabelEncoder", "Sort-ByResponse", "EnumLimited". Defaults to AUTO. |
| calibrate_model          | Logical. Use Platt Scaling to calculate calibrated class probabilities. Calibration can provide more accurate estimates of class probabilities. Defaults to FALSE.                                  |
| calibration_frame        | Calibration frame for Platt Scaling   |
| custom_metric_func       | Reference to custom evaluation function, format: 'language:keyName=funcName'  |
| monotone_constraints     | A mapping representing monotonic constraints. Use +1 to enforce an increasing constraint and -1 to specify a decreasing constraint.   |
| verbose                  | Logical. Print scoring history to the console (Metrics per tree for GBM, DRF, & XGBoost. Metrics per epoch for Deep Learning). Defaults to FALSE.   |

**See Also**

[predict.H2OModel](#) for prediction

**Examples**

```
library(h2o)
h2o.init()

# Run regression GBM on australia.hex data
ausPath <- system.file("extdata", "australia.csv", package="h2o")
australia.hex <- h2o.uploadFile(path = ausPath)
independent <- c("premax", "salmax", "minairtemp", "maxairtemp", "maxsst",
"maxsoilmoist", "Max_czcs")
dependent <- "runoffnew"
h2o.gbm(y = dependent, x = independent, training_frame = australia.hex,
ntrees = 3, max_depth = 3, min_rows = 2)
```

---

h2o.getAutoML      *Get an R object that is a subclass of [H2OAutoML](#)*

---

**Description**

Get an R object that is a subclass of [H2OAutoML](#)

**Usage**

```
h2o.getAutoML(project_name)
```

**Arguments**

project\_name      A string indicating the project\_name of the automl instance to retrieve.

**Value**

Returns an object that is a subclass of [H2OAutoML](#).

**Examples**

```
library(h2o)
h2o.init()
votes_path <- system.file("extdata", "housevotes.csv", package = "h2o")
votes_hf <- h2o.uploadFile(path = votes_path, header = TRUE)
aml <- h2o.automl(y = "Class", project_name="aml_housevotes",
                 training_frame = votes_hf, max_runtime_secs = 30)
automl.retrieved <- h2o.getAutoML("aml_housevotes")
```

---

h2o.getConnection      *Retrieve an H2O Connection*

---

**Description**

Attempt to recover an h2o connection.

**Usage**

```
h2o.getConnection()
```

**Value**

Returns an [H2OConnection](#) object.

---

|              |   |
|--------------|---|
| h2o.getFrame | <i>Get an R Reference to an H2O Dataset, that will NOT be GC'd by default</i> |
|--------------|---|

---

**Description**

Get the reference to a frame with the given id in the H2O instance.

**Usage**

```
h2o.getFrame(id)
```

**Arguments**

|    |  |
|----|--|
| id | A string indicating the unique frame of the dataset to retrieve. |
|----|--|

---

|                    |                         |
|--------------------|-------------------------|
| h2o.getFutureModel | <i>Get future model</i> |
|--------------------|-------------------------|

---

**Description**

Get future model

**Usage**

```
h2o.getFutureModel(object, verbose = FALSE)
```

**Arguments**

|         |   |
|---------|---|
| object  | H2OModel  |
| verbose | Print model progress to console. Default is FALSE |

---

|                                  |  |
|----------------------------------|--|
| h2o.getGLMFullRegularizationPath | <i>Extract full regularization path from a GLM model</i> |
|----------------------------------|--|

---

**Description**

Extract the full regularization path from a GLM model (assuming it was run with the lambda search option).

**Usage**

```
h2o.getGLMFullRegularizationPath(model)
```

**Arguments**

|       |   |
|-------|---|
| model | an <a href="#">H2OModel</a> corresponding from a <code>h2o.glm</code> call. |
|-------|---|

---

|             |  |
|-------------|--|
| h2o.getGrid | <i>Get a grid object from H2O distributed K/V store.</i> |
|-------------|--|

---

### Description

Note that if neither cross-validation nor a validation frame is used in the grid search, then the training metrics will display in the "get grid" output. If a validation frame is passed to the grid, and `nfolds = 0`, then the validation metrics will display. However, if `nfolds > 1`, then cross-validation metrics will display even if a validation frame is provided.

### Usage

```
h2o.getGrid(grid_id, sort_by, decreasing)
```

### Arguments

|                         |  |
|-------------------------|--|
| <code>grid_id</code>    | ID of existing grid object to fetch  |
| <code>sort_by</code>    | Sort the models in the grid space by a metric. Choices are "logloss", "residual_deviance", "mse", "auc", "accuracy", "precision", "recall", "f1", etc. |
| <code>decreasing</code> | Specify whether sort order should be decreasing  |

### Examples

```
library(h2o)
library(jsonlite)
h2o.init()
iris.hex <- as.h2o(iris)
h2o.grid("gbm", grid_id = "gbm_grid_id", x = c(1:4), y = 5,
        training_frame = iris.hex, hyper_params = list(ntrees = c(1,2,3)))
grid <- h2o.getGrid("gbm_grid_id")
# Get grid summary
summary(grid)
# Fetch grid models
model_ids <- grid@model_ids
models <- lapply(model_ids, function(id) { h2o.getModel(id)})
```

---

|           |  |
|-----------|--|
| h2o.getId | <i>Get back-end distributed key/value store id from an H2OFrame.</i> |
|-----------|--|

---

### Description

Get back-end distributed key/value store id from an H2OFrame.

### Usage

```
h2o.getId(x)
```



**Arguments**

x                    An H2OFrame

**Value**

The id of the H2OFrame

---

|              |   |
|--------------|---|
| h2o.getModel | <i>Get an R reference to an H2O model</i> |
|--------------|---|

---

**Description**

Returns a reference to an existing model in the H2O instance.

**Usage**

```
h2o.getModel(model_id)
```

**Arguments**

model\_id            A string indicating the unique model\_id of the model to retrieve.

**Value**

Returns an object that is a subclass of [H2OModel](#).

**Examples**

```
library(h2o)
h2o.init()

iris.hex <- as.h2o(iris, "iris.hex")
model_id <- h2o.gbm(x = 1:4, y = 5, training_frame = iris.hex)@model_id
model.retrieved <- h2o.getModel(model_id)
```

---

|                  |  |
|------------------|--|
| h2o.getModelTree | <i>Fetches a single tree of a H2O model. This function is intended to be used on Gradient Boosting Machine models or Distributed Random Forest models.</i> |
|------------------|--|

---

**Description**

Usage example: `airlines.data <- h2o.importFile(path = '/path/to/airlines_train.csv')` `gbm.model = h2o.gbm(x=c("Origin", "Dest", "Distance"),y="IsDepDelayed",training_frame=airlines.data ,model_id="gbm_trees_model")` `tree <-h2o.getModelTree(gbm.model, 1, 1);`

**Usage**

```
h2o.getModelTree(model, tree_number, tree_class = NA)
```

**Arguments**

|             |  |
|-------------|--|
| model       | Model with trees   |
| tree_number | Number of the tree in the model to fetch, starting with 1  |
| tree_class  | Name of the class of the tree (if applicable). This value is ignored for regression and binomial response column, as there is only one tree built. As there is exactly one class per categorical level, name of tree's class equals to the corresponding categorical level of response column. |

**Value**

Returns an H2OTree object with detailed information about a tree.

---

|                 |  |
|-----------------|--|
| h2o.getTimezone | <i>Get the Time Zone on the H2O Cloud Returns a string</i> |
|-----------------|--|

---

**Description**

Get the Time Zone on the H2O Cloud Returns a string

**Usage**

```
h2o.getTimezone()
```

---

|              |                                 |
|--------------|---------------------------------|
| h2o.getTypes | <i>Get the types-per-column</i> |
|--------------|---------------------------------|

---

**Description**

Get the types-per-column

**Usage**

```
h2o.getTypes(x)
```

**Arguments**

|   |             |
|---|-------------|
| x | An H2OFrame |
|---|-------------|

**Value**

A list of types per column

---

|                |                        |
|----------------|------------------------|
| h2o.getVersion | <i>Get h2o version</i> |
|----------------|------------------------|

---

**Description**

Get h2o version

**Usage**

```
h2o.getVersion()
```

---

|              |                                      |
|--------------|--------------------------------------|
| h2o.giniCoef | <i>Retrieve the GINI Coefficient</i> |
|--------------|--------------------------------------|

---

**Description**

Retrieves the GINI coefficient from an [H2OBinomialMetrics](#). If "train", "valid", and "xval" parameters are FALSE (default), then the training GINI value is returned. If more than one parameter is set to TRUE, then a named vector of GINIs are returned, where the names are "train", "valid" or "xval".

**Usage**

```
h2o.giniCoef(object, train = FALSE, valid = FALSE, xval = FALSE)
```

**Arguments**

|        |  |
|--------|--|
| object | an <a href="#">H2OBinomialMetrics</a> object.  |
| train  | Retrieve the training GINI Coefficient         |
| valid  | Retrieve the validation GINI Coefficient       |
| xval   | Retrieve the cross-validation GINI Coefficient |

**See Also**

[h2o.auc](#) for AUC, [h2o.giniCoef](#) for the GINI coefficient, and [h2o.metric](#) for the various. See [h2o.performance](#) for creating H2OModelMetrics objects. threshold metrics.

**Examples**

```
library(h2o)
h2o.init()

prosPath <- system.file("extdata", "prostate.csv", package="h2o")
hex <- h2o.uploadFile(prosPath)

hex[,2] <- as.factor(hex[,2])
model <- h2o.gbm(x = 3:9, y = 2, training_frame = hex, distribution = "bernoulli")
perf <- h2o.performance(model, hex)
h2o.giniCoef(perf)
```

h2o.glm

*Fit a generalized linear model***Description**

Fits a generalized linear model, specified by a response variable, a set of predictors, and a description of the error distribution.

**Usage**

```
h2o.glm(x, y, training_frame, model_id = NULL, validation_frame = NULL,
  nfolds = 0, seed = -1, keep_cross_validation_models = TRUE,
  keep_cross_validation_predictions = FALSE,
  keep_cross_validation_fold_assignment = FALSE,
  fold_assignment = c("AUTO", "Random", "Modulo", "Stratified"),
  fold_column = NULL, ignore_const_cols = TRUE,
  score_each_iteration = FALSE, offset_column = NULL,
  weights_column = NULL, family = c("gaussian", "binomial",
  "quasibinomial", "ordinal", "multinomial", "poisson", "gamma",
  "tweedie"), tweedie_variance_power = 0, tweedie_link_power = 1,
  solver = c("AUTO", "IRLSM", "L_BFGS", "COORDINATE_DESCENT_NAIVE",
  "COORDINATE_DESCENT", "GRADIENT_DESCENT_LH", "GRADIENT_DESCENT_SQERR"),
  alpha = NULL, lambda = NULL, lambda_search = FALSE,
  early_stopping = TRUE, nlambda = -1, standardize = TRUE,
  missing_values_handling = c("MeanImputation", "Skip"),
  compute_p_values = FALSE, remove_collinear_columns = FALSE,
  intercept = TRUE, non_negative = FALSE, max_iterations = -1,
  objective_epsilon = -1, beta_epsilon = 1e-04,
  gradient_epsilon = -1, link = c("family_default", "identity",
  "logit", "log", "inverse", "tweedie", "ologit", "oprobit", "ologlog"),
  prior = -1, lambda_min_ratio = -1, beta_constraints = NULL,
  max_active_predictors = -1, interactions = NULL,
  interaction_pairs = NULL, obj_reg = -1, balance_classes = FALSE,
  class_sampling_factors = NULL, max_after_balance_size = 5,
  max_hit_ratio_k = 0, max_runtime_secs = 0,
  custom_metric_func = NULL)
```

**Arguments**

- |                  |   |
|------------------|---|
| x                | (Optional) A vector containing the names or indices of the predictor variables to use in building the model. If x is missing, then all columns except y are used.   |
| y                | The name or column index of the response variable in the data. The response must be either a numeric or a categorical/factor variable. If the response is numeric, then a regression model will be trained, otherwise it will train a classification model. |
| training_frame   | Id of the training data frame.  |
| model_id         | Destination id for this model; auto-generated if not specified.   |
| validation_frame | Id of the validation data frame.  |

|                                       |   |
|---------------------------------------|---|
| nfolds                                | Number of folds for K-fold cross-validation (0 to disable or $\geq 2$ ). Defaults to 0.   |
| seed                                  | Seed for random numbers (affects certain parts of the algo that are stochastic and those might or might not be enabled by default) Defaults to -1 (time-based random number).   |
| keep_cross_validation_models          | Logical. Whether to keep the cross-validation models. Defaults to TRUE.   |
| keep_cross_validation_predictions     | Logical. Whether to keep the predictions of the cross-validation models. Defaults to FALSE.   |
| keep_cross_validation_fold_assignment | Logical. Whether to keep the cross-validation fold assignment. Defaults to FALSE.   |
| fold_assignment                       | Cross-validation fold assignment scheme, if fold_column is not specified. The 'Stratified' option will stratify the folds based on the response variable, for classification problems. Must be one of: "AUTO", "Random", "Modulo", "Stratified". Defaults to AUTO.  |
| fold_column                           | Column with cross-validation fold index assignment per observation.   |
| ignore_const_cols                     | Logical. Ignore constant columns. Defaults to TRUE.   |
| score_each_iteration                  | Logical. Whether to score during each iteration of model training. Defaults to FALSE.   |
| offset_column                         | Offset column. This will be added to the combination of columns before applying the link function.  |
| weights_column                        | Column with observation weights. Giving some observation a weight of zero is equivalent to excluding it from the dataset; giving an observation a relative weight of 2 is equivalent to repeating that row twice. Negative weights are not allowed. Note: Weights are per-row observation weights and do not increase the size of the data frame. This is typically the number of times a row is repeated, but non-integer values are supported as well. During training, rows with higher weights matter more, due to the larger loss function pre-factor. |
| family                                | Family. Use binomial for classification with logistic regression, others are for regression problems. Must be one of: "gaussian", "binomial", "quasibinomial", "ordinal", "multinomial", "poisson", "gamma", "tweedie". Defaults to gaussian.   |
| tweedie_variance_power                | Tweedie variance power Defaults to 0.   |
| tweedie_link_power                    | Tweedie link power Defaults to 1.   |
| solver                                | AUTO will set the solver based on given data and the other parameters. IRLSM is fast on problems with small number of predictors and for lambda-search with L1 penalty, L_BFGS scales better for datasets with many columns. Must be one of: "AUTO", "IRLSM", "L_BFGS", "COORDINATE_DESCENT_NAIVE", "COORDINATE_DESCENT", "GRADIENT_DESCENT_LH", "GRADIENT_DESCENT_SQERR". Defaults to AUTO.  |
| alpha                                 | Distribution of regularization between the L1 (Lasso) and L2 (Ridge) penalties. A value of 1 for alpha represents Lasso regression, a value of 0 produces Ridge regression, and anything in between specifies the amount of mixing between the two. Default value of alpha is 0 when SOLVER = 'L-BFGS'; 0.5 otherwise.  |

|                          |  |
|--------------------------|--|
| lambda                   | Regularization strength  |
| lambda_search            | Logical. Use lambda search starting at lambda max, given lambda is then interpreted as lambda min Defaults to FALSE.   |
| early_stopping           | Logical. Stop early when there is no more relative improvement on train or validation (if provided) Defaults to TRUE.  |
| nlambdas                 | Number of lambdas to be used in a search. Default indicates: If alpha is zero, with lambda search set to True, the value of nlamdas is set to 30 (fewer lambdas are needed for ridge regression) otherwise it is set to 100. Defaults to -1.   |
| standardize              | Logical. Standardize numeric columns to have zero mean and unit variance Defaults to TRUE.   |
| missing_values_handling  | Handling of missing values. Either MeanImputation or Skip. Must be one of: "MeanImputation", "Skip". Defaults to MeanImputation.   |
| compute_p_values         | Logical. Request p-values computation, p-values work only with IRLSM solver and no regularization Defaults to FALSE.   |
| remove_collinear_columns | Logical. In case of linearly dependent columns, remove some of the dependent columns Defaults to FALSE.  |
| intercept                | Logical. Include constant term in the model Defaults to TRUE.  |
| non_negative             | Logical. Restrict coefficients (not intercept) to be non-negative Defaults to FALSE.   |
| max_iterations           | Maximum number of iterations Defaults to -1.   |
| objective_epsilon        | Converge if objective value changes less than this. Default indicates: If lambda_search is set to True the value of objective_epsilon is set to .0001. If the lambda_search is set to False and lambda is equal to zero, the value of objective_epsilon is set to .000001, for any other value of lambda the default value of objective_epsilon is set to .0001. Defaults to -1.                     |
| beta_epsilon             | Converge if beta changes less (using L-infinity norm) than beta esilon, ONLY applies to IRLSM solver Defaults to 0.0001.   |
| gradient_epsilon         | Converge if objective changes less (using L-infinity norm) than this, ONLY applies to L-BFGS solver. Default indicates: If lambda_search is set to False and lambda is equal to zero, the default value of gradient_epsilon is equal to .000001, otherwise the default value is .0001. If lambda_search is set to True, the conditional values above are 1E-8 and 1E-6 respectively. Defaults to -1. |
| link                     | Must be one of: "family_default", "identity", "logit", "log", "inverse", "tweedie", "ologit", "oprobit", "ologlog". Defaults to family_default.  |
| prior                    | Prior probability for y==1. To be used only for logistic regression iff the data has been sampled and the mean of response does not reflect reality. Defaults to -1.   |
| lambda_min_ratio         | Minimum lambda used in lambda search, specified as a ratio of lambda_max (the smallest lambda that drives all coefficients to zero). Default indicates: if the number of observations is greater than the number of variables, then lambda_min_ratio is set to 0.0001; if the number of observations is less than the number of variables, then lambda_min_ratio is set to 0.01. Defaults to -1.     |

|                        |   |
|------------------------|---|
| beta_constraints       | Beta constraints  |
| max_active_predictors  | Maximum number of active predictors during computation. Use as a stopping criterion to prevent expensive model building with many predictors. Default indicates: If the IRLSM solver is used, the value of max_active_predictors is set to 5000 otherwise it is set to 100000000. Defaults to -1. |
| interactions           | A list of predictor column indices to interact. All pairwise combinations will be computed for the list.  |
| interaction_pairs      | A list of pairwise (first order) column interactions.   |
| obj_reg                | Likelihood divider in objective value computation, default is 1/nobs Defaults to -1.  |
| balance_classes        | Logical. Balance training data class counts via over/under-sampling (for imbalanced data). Defaults to FALSE.   |
| class_sampling_factors | Desired over/under-sampling ratios per class (in lexicographic order). If not specified, sampling factors will be automatically computed to obtain class balance during training. Requires balance_classes.   |
| max_after_balance_size | Maximum relative size of the training data after balancing class counts (can be less than 1.0). Requires balance_classes. Defaults to 5.0.  |
| max_hit_ratio_k        | Maximum number (top K) of predictions to use for hit ratio computation (for multi-class only, 0 to disable) Defaults to 0.  |
| max_runtime_secs       | Maximum allowed runtime in seconds for model training. Use 0 to disable. Defaults to 0.   |
| custom_metric_func     | Reference to custom evaluation function, format: 'language:keyName=funcName'  |

## Value

A subclass of `H2OModel` is returned. The specific subclass depends on the machine learning task at hand (if it's binomial classification, then an `H2OBinomialModel` is returned, if it's regression then a `H2ORegressionModel` is returned). The default print-out of the models is shown, but further GLM-specific information can be queried out of the object. To access these various items, please refer to the `seealso` section below. Upon completion of the GLM, the resulting object has coefficients, normalized coefficients, residual/null deviance, aic, and a host of model metrics including MSE, AUC (for logistic regression), degrees of freedom, and confusion matrices. Please refer to the more in-depth GLM documentation available here: <https://h2o-release.s3.amazonaws.com/h2o-dev/rel-shannon/2/docs-website/h2o-docs/index.html#Data+Science+Algorithms-GLM>

## See Also

`predict.H2OModel` for prediction, `h2o.mse`, `h2o.auc`, `h2o.confusionMatrix`, `h2o.performance`, `h2o.giniCoef`, `h2o.logloss`, `h2o.varimp`, `h2o.scoreHistory`

## Examples

```

h2o.init()

# Run GLM of CAPSULE ~ AGE + RACE + PSA + DCAPS
prostatePath = system.file("extdata", "prostate.csv", package = "h2o")
prostate.hex = h2o.importFile(path = prostatePath, destination_frame = "prostate.hex")
h2o.glm(y = "CAPSULE", x = c("AGE", "RACE", "PSA", "DCAPS"), training_frame = prostate.hex,
family = "binomial", nolds = 0, alpha = 0.5, lambda_search = FALSE)

# Run GLM of VOL ~ CAPSULE + AGE + RACE + PSA + GLEASON
myX = setdiff(colnames(prostate.hex), c("ID", "DPROS", "DCAPS", "VOL"))
h2o.glm(y = "VOL", x = myX, training_frame = prostate.hex, family = "gaussian",
nolds = 0, alpha = 0.1, lambda_search = FALSE)

# GLM variable importance
# Also see:
# https://github.com/h2oai/h2o/blob/master/R/tests/testdir_demos/runit_demo_VI_all_algos.R
data.hex = h2o.importFile(
path = "https://s3.amazonaws.com/h2o-public-test-data/smalldata/demos/bank-additional-full.csv",
destination_frame = "data.hex")
myX = 1:20
myY="y"
my.glm = h2o.glm(x=myX, y=myY, training_frame=data.hex, family="binomial", standardize=TRUE,
lambda_search=TRUE)

```

---

h2o.glm

*Generalized low rank decomposition of an H2O data frame*


---

## Description

Builds a generalized low rank decomposition of an H2O data frame

## Usage

```

h2o.glm(training_frame, cols = NULL, model_id = NULL,
validation_frame = NULL, ignore_const_cols = TRUE,
score_each_iteration = FALSE, loading_name = NULL,
transform = c("NONE", "STANDARDIZE", "NORMALIZE", "DEMEAN", "DESCALE"),
k = 1, loss = c("Quadratic", "Absolute", "Huber", "Poisson", "Hinge",
"Logistic", "Periodic"), loss_by_col = c("Quadratic", "Absolute",
"Huber", "Poisson", "Hinge", "Logistic", "Periodic", "Categorical",
"Ordinal"), loss_by_col_idx = NULL, multi_loss = c("Categorical",
"Ordinal"), period = 1, regularization_x = c("None", "Quadratic",
"L2", "L1", "NonNegative", "OneSparse", "UnitOneSparse", "Simplex"),
regularization_y = c("None", "Quadratic", "L2", "L1", "NonNegative",
"OneSparse", "UnitOneSparse", "Simplex"), gamma_x = 0, gamma_y = 0,
max_iterations = 1000, max_updates = 2000, init_step_size = 1,
min_step_size = 1e-04, seed = -1, init = c("Random", "SVD",
"PlusPlus", "User"), svd_method = c("GramSVD", "Power", "Randomized"),
user_y = NULL, user_x = NULL, expand_user_y = TRUE,
impute_original = FALSE, recover_svd = FALSE, max_runtime_secs = 0)

```



**Arguments**

|                      |   |
|----------------------|---|
| training_frame       | Id of the training data frame.  |
| cols                 | (Optional) A vector containing the data columns on which k-means operates.  |
| model_id             | Destination id for this model; auto-generated if not specified.   |
| validation_frame     | Id of the validation data frame.  |
| ignore_const_cols    | Logical. Ignore constant columns. Defaults to TRUE.   |
| score_each_iteration | Logical. Whether to score during each iteration of model training. Defaults to FALSE.   |
| loading_name         | Frame key to save resulting X   |
| transform            | Transformation of training data Must be one of: "NONE", "STANDARDIZE", "NORMALIZE", "DEMEAN", "DESCALE". Defaults to NONE.  |
| k                    | Rank of matrix approximation Defaults to 1.   |
| loss                 | Numeric loss function Must be one of: "Quadratic", "Absolute", "Huber", "Poisson", "Hinge", "Logistic", "Periodic". Defaults to Quadratic.  |
| loss_by_col          | Loss function by column (override) Must be one of: "Quadratic", "Absolute", "Huber", "Poisson", "Hinge", "Logistic", "Periodic", "Categorical", "Ordinal".                            |
| loss_by_col_idx      | Loss function by column index (override)  |
| multi_loss           | Categorical loss function Must be one of: "Categorical", "Ordinal". Defaults to Categorical.  |
| period               | Length of period (only used with periodic loss function) Defaults to 1.   |
| regularization_x     | Regularization function for X matrix Must be one of: "None", "Quadratic", "L2", "L1", "NonNegative", "OneSparse", "UnitOneSparse", "Simplex". Defaults to None.                       |
| regularization_y     | Regularization function for Y matrix Must be one of: "None", "Quadratic", "L2", "L1", "NonNegative", "OneSparse", "UnitOneSparse", "Simplex". Defaults to None.                       |
| gamma_x              | Regularization weight on X matrix Defaults to 0.  |
| gamma_y              | Regularization weight on Y matrix Defaults to 0.  |
| max_iterations       | Maximum number of iterations Defaults to 1000.  |
| max_updates          | Maximum number of updates, defaults to 2*max_iterations Defaults to 2000.   |
| init_step_size       | Initial step size Defaults to 1.  |
| min_step_size        | Minimum step size Defaults to 0.0001.   |
| seed                 | Seed for random numbers (affects certain parts of the algo that are stochastic and those might or might not be enabled by default) Defaults to -1 (time-based random number).         |
| init                 | Initialization mode Must be one of: "Random", "SVD", "PlusPlus", "User". Defaults to PlusPlus.  |
| svd_method           | Method for computing SVD during initialization (Caution: Randomized is currently experimental and unstable) Must be one of: "GramSVD", "Power", "Randomized". Defaults to Randomized. |

|                  |   |
|------------------|---|
| user_y           | User-specified initial Y  |
| user_x           | User-specified initial X  |
| expand_user_y    | Logical. Expand categorical columns in user-specified initial Y Defaults to TRUE.       |
| impute_original  | Logical. Reconstruct original training data by reversing transform Defaults to FALSE.   |
| recover_svd      | Logical. Recover singular values and eigenvectors of XY Defaults to FALSE.              |
| max_runtime_secs | Maximum allowed runtime in seconds for model training. Use 0 to disable. Defaults to 0. |

**Value**

Returns an object of class [H2ODimReductionModel](#).

**References**

M. Udell, C. Horn, R. Zadeh, S. Boyd (2014). Generalized Low Rank Models[<http://arxiv.org/abs/1410.0342>]. Unpublished manuscript, Stanford Electrical Engineering Department N. Halko, P.G. Martinsson, J.A. Tropp. Finding structure with randomness: Probabilistic algorithms for constructing approximate matrix decompositions[<http://arxiv.org/abs/0909.4061>]. SIAM Rev., Survey and Review section, Vol. 53, num. 2, pp. 217-288, June 2011.

**See Also**

[h2o.kmeans](#), [h2o.svd](#), [h2o.prcomp](#)

**Examples**

```
library(h2o)
h2o.init()
ausPath <- system.file("extdata", "australia.csv", package="h2o")
australia.hex <- h2o.uploadFile(path = ausPath)
h2o.glm(training_frame = australia.hex, k = 5, loss = "Quadratic", regularization_x = "L1",
gamma_x = 0.5, gamma_y = 0, max_iterations = 1000)
```

---

h2o.grep

*Search for matches to an argument pattern*

---

**Description**

Searches for matches to argument 'pattern' within each element of a string column.

**Usage**

```
h2o.grep(pattern, x, ignore.case = FALSE, invert = FALSE,
output.logical = FALSE)
```

**Arguments**

|                |  |
|----------------|--|
| pattern        | A character string containing a regular expression.                                |
| x              | An H2O frame that wraps a single string column.                                    |
| ignore.case    | If TRUE case is ignored during matching.   |
| invert         | Identify elements that do not match the pattern.                                   |
| output.logical | If TRUE returns logical vector of indicators instead of list of matching positions |

**Details**

This function has similar semantics as R's native `grep` function and it supports a subset of its parameters. Default behavior is to return indices of the elements matching the pattern. Parameter `'output.logical'` can be used to return a logical vector indicating if the element matches the pattern (1) or not (0).

**Value**

H2OFrame holding the matching positions or a logical vector if `'output.logical'` is enabled.

**Examples**

```
library(h2o)
h2o.init()
addresses <- as.h2o(c("2307", "Lehigh St", "Mountain View", "CA", "94043"))
zip.codes <- addresses[h2o.grep("[0-9]{5}", addresses, output.logical = TRUE),]
```

---

h2o.grid

*H2O Grid Support*


---

**Description**

Provides a set of functions to launch a grid search and get its results.

**Usage**

```
h2o.grid(algorithm, grid_id, x, y, training_frame, ...,
         hyper_params = list(), is_supervised = NULL,
         do_hyper_params_check = FALSE, search_criteria = NULL)
```

**Arguments**

|           |   |
|-----------|---|
| algorithm | Name of algorithm to use in grid search (gbm, randomForest, kmeans, glm, deeplearning, naivebayes, pca).  |
| grid_id   | (Optional) ID for resulting grid search. If it is not specified then it is autogenerated.   |
| x         | (Optional) A vector containing the names or indices of the predictor variables to use in building the model. If x is missing, then all columns except y are used. |

|                       |  |
|-----------------------|--|
| y                     | The name or column index of the response variable in the data. The response must be either a numeric or a categorical/factor variable. If the response is numeric, then a regression model will be trained, otherwise it will train a classification model.  |
| training_frame        | Id of the training data frame.   |
| ...                   | arguments describing parameters to use with algorithm (i.e., x, y, training_frame). Look at the specific algorithm - h2o.gbm, h2o.glm, h2o.kmeans, h2o.deepLearning - for available parameters.  |
| hyper_params          | List of lists of hyper parameters (i.e., list(ntrees=c(1,2), max_depth=c(5,7))).   |
| is_supervised         | (Optional) If specified then override the default heuristic which decides if the given algorithm name and parameters specify a supervised or unsupervised algorithm.   |
| do_hyper_params_check | Perform client check for specified hyper parameters. It can be time expensive for large hyper space.   |
| search_criteria       | (Optional) List of control parameters for smarter hyperparameter search. The default strategy 'Cartesian' covers the entire space of hyperparameter combinations. Specify the 'RandomDiscrete' strategy to get random search of all the combinations of your hyperparameters. RandomDiscrete should be usually combined with at least one early stopping criterion, max_models and/or max_runtime_secs, e.g. list(strategy = "RandomDiscrete", max_models = 42, max_runtime_secs = 100) or list(strategy = "RandomDiscrete", stopping_metric = "AUTO", stopping_tolerance = 0.01) or list(strategy = "RandomDiscrete", stopping_metric = "misclassification", stopping_tolerance = 0.01) |

### Details

Launch grid search with given algorithm and parameters.

### Examples

```
library(h2o)
library(jsonlite)
h2o.init()
iris.hex <- as.h2o(iris)
grid <- h2o.grid("gbm", x = c(1:4), y = 5, training_frame = iris.hex,
               hyper_params = list(ntrees = c(1,2,3)))
# Get grid summary
summary(grid)
# Fetch grid models
model_ids <- grid@model_ids
models <- lapply(model_ids, function(id) { h2o.getModel(id)})
```

---

h2o.group\_by

*Group and Apply by Column*

---

### Description

Performs a group by and apply similar to ddply.

**Usage**

```
h2o.group_by(data, by, ..., gb.control = list(na.methods = NULL,
      col.names = NULL))
```

**Arguments**

|                         |   |
|-------------------------|---|
| <code>data</code>       | an H2OFrame object.   |
| <code>by</code>         | a list of column names  |
| <code>...</code>        | any supported aggregate function. See <a href="#">Details</a> : for more help.  |
| <code>gb.control</code> | a list of how to handle NA values in the dataset as well as how to name output columns. The method is specified using the <code>rm.method</code> argument. See <a href="#">Details</a> : for more help. |

**Details**

In the case of `na.methods` within `gb.control`, there are three possible settings. "all" will include NAs in computation of functions. "rm" will completely remove all NA fields. "ignore" will remove NAs from the numerator but keep the rows for computational purposes. If a list smaller than the number of columns groups is supplied, the list will be padded by "ignore".

Note that to specify a list of column names in the `gb.control` list, you must add the `col.names` argument. Similar to `na.methods`, `col.names` will pad the list with the default column names if the length is less than the number of columns groups supplied.

Supported functions include `nrow`. This function is required and accepts a string for the name of the generated column. Other supported aggregate functions accept `col` and `na` arguments for specifying columns and the handling of NAs ("all", "ignore", and GroupBy object; `max` calculates the maximum of each column specified in `col` for each group of a GroupBy object; `mean` calculates the mean of each column specified in `col` for each group of a GroupBy object; `min` calculates the minimum of each column specified in `col` for each group of a GroupBy object; `mode` calculates the mode of each column specified in `col` for each group of a GroupBy object; `sd` calculates the standard deviation of each column specified in `col` for each group of a GroupBy object; `ss` calculates the sum of squares of each column specified in `col` for each group of a GroupBy object; `sum` calculates the sum of each column specified in `col` for each group of a GroupBy object; and `var` calculates the variance of each column specified in `col` for each group of a GroupBy object. If an aggregate is provided without a value (for example, as `max` in `sum(col="X1", na="all").mean(col="X5", na="all").max()`), then it is assumed that the aggregation should apply to all columns except the GroupBy columns. However, operations will not be performed on String columns. They will be skipped. Note again that `nrow` is required and cannot be empty.

**Value**

Returns a new H2OFrame object with columns equivalent to the number of groups created

---

 h2o.gsub

*String Global Substitute*


---

**Description**

Creates a copy of the target column in which each string has all occurrence of the regex pattern replaced with the replacement substring.

**Usage**

```
h2o.gsub(pattern, replacement, x, ignore.case = FALSE)
```

**Arguments**

|             |                                 |
|-------------|---------------------------------|
| pattern     | The pattern to replace.         |
| replacement | The replacement pattern.        |
| x           | The column on which to operate. |
| ignore.case | Case sensitive or not           |

**Examples**

```
library(h2o)
h2o.init()
string_to_gsub <- as.h2o("r tutorial")
sub_string <- h2o.gsub("r ", "H2O ", string_to_gsub)
```

---

h2o.head

*Return the Head or Tail of an H2O Dataset.*


---

**Description**

Returns the first or last rows of an H2OFrame object.

**Usage**

```
h2o.head(x, n = 6L, ...)

## S3 method for class 'H2OFrame'
head(x, n = 6L, ...)

h2o.tail(x, n = 6L, ...)

## S3 method for class 'H2OFrame'
tail(x, n = 6L, ...)
```

**Arguments**

|     |   |
|-----|---|
| x   | An H2OFrame object.   |
| n   | (Optional) A single integer. If positive, number of rows in x to return. If negative, all but the n first/last number of rows in x. |
| ... | Ignored.  |

**Value**

An H2OFrame containing the first or last n rows of an H2OFrame object.

**Examples**

```
library(h2o)
h2o.init(ip <- "localhost", port = 54321, startH2O = TRUE)
ausPath <- system.file("extdata", "australia.csv", package="h2o")
australia.hex <- h2o.uploadFile(path = ausPath)
head(australia.hex, 10)
tail(australia.hex, 10)
```

---

|          |                            |
|----------|----------------------------|
| h2o.hist | <i>Compute A Histogram</i> |
|----------|----------------------------|

---

**Description**

Compute a histogram over a numeric column. If breaks=="FD", the MAD is used over the IQR in computing bin width. Note that we do not beautify the breakpoints as R does.

**Usage**

```
h2o.hist(x, breaks = "Sturges", plot = TRUE)
```

**Arguments**

|        |   |
|--------|---|
| x      | A single numeric column from an H2OFrame.   |
| breaks | Can be one of the following: A string: "Sturges", "Rice", "sqrt", "Doane", "FD", "Scott" A single number for the number of breaks splitting the range of the vec into number of breaks bins of equal width A vector of numbers giving the split points, e.g., c(-50,213.2123,9324834) |
| plot   | A logical value indicating whether or not a plot should be generated (default is TRUE).   |

---

|                     |                                |
|---------------------|--------------------------------|
| h2o.hit_ratio_table | <i>Retrieve the Hit Ratios</i> |
|---------------------|--------------------------------|

---

**Description**

If "train", "valid", and "xval" parameters are FALSE (default), then the training Hit Ratios value is returned. If more than one parameter is set to TRUE, then a named list of Hit Ratio tables are returned, where the names are "train", "valid" or "xval".

**Usage**

```
h2o.hit_ratio_table(object, train = FALSE, valid = FALSE,
  xval = FALSE)
```

**Arguments**

|        |   |
|--------|---|
| object | An <a href="#">H2OModel</a> object.     |
| train  | Retrieve the training Hit Ratio         |
| valid  | Retrieve the validation Hit Ratio       |
| xval   | Retrieve the cross-validation Hit Ratio |

---

h2o.hour

*Convert Milliseconds to Hour of Day in H2O Datasets*


---

**Description**

Converts the entries of an H2OFrame object from milliseconds to hours of the day (on a 0 to 23 scale).

**Usage**

```
h2o.hour(x)
```

```
hour(x)
```

```
## S3 method for class 'H2OFrame'
hour(x)
```

**Arguments**

x                    An H2OFrame object.

**Value**

An H2OFrame object containing the entries of x converted to hours of the day.

**See Also**

[h2o.day](#)

---

h2o.ifelse

*H2O Apply Conditional Statement*


---

**Description**

Applies conditional statements to numeric vectors in H2O parsed data objects when the data are numeric.

**Usage**

```
h2o.ifelse(test, yes, no)
```

```
ifelse(test, yes, no)
```

**Arguments**

test                A logical description of the condition to be met (>, <, =, etc...)  
yes                  The value to return if the condition is TRUE.  
no                   The value to return if the condition is FALSE.



**Details**

Both numeric and categorical values can be tested. However when returning a yes and no condition both conditions must be either both categorical or numeric.

**Value**

Returns a vector of new values matching the conditions stated in the ifelse call.

**Examples**

```
h2o.init()
ausPath <- system.file("extdata", "australia.csv", package="h2o")
australia.hex <- h2o.importFile(path = ausPath)
australia.hex[,9] <- ifelse(australia.hex[,3] < 279.9, 1, 0)
summary(australia.hex)
```

---

|                |                              |
|----------------|------------------------------|
| h2o.importFile | <i>Import Files into H2O</i> |
|----------------|------------------------------|

---

**Description**

Imports files into an H2O cloud. The default behavior is to pass-through to the parse phase automatically.

**Usage**

```
h2o.importFile(path, destination_frame = "", parse = TRUE,
  header = NA, sep = "", col.names = NULL, col.types = NULL,
  na.strings = NULL, decrypt_tool = NULL, skipped_columns = NULL)
```

```
h2o.importFolder(path, pattern = "", destination_frame = "",
  parse = TRUE, header = NA, sep = "", col.names = NULL,
  col.types = NULL, na.strings = NULL, decrypt_tool = NULL,
  skipped_columns = NULL)
```

```
h2o.importHDFS(path, pattern = "", destination_frame = "",
  parse = TRUE, header = NA, sep = "", col.names = NULL,
  na.strings = NULL)
```

```
h2o.uploadFile(path, destination_frame = "", parse = TRUE,
  header = NA, sep = "", col.names = NULL, col.types = NULL,
  na.strings = NULL, progressBar = FALSE, parse_type = NULL,
  decrypt_tool = NULL, skipped_columns = NULL)
```

**Arguments**

|      |  |
|------|--|
| path | The complete URL or normalized file path of the file to be imported. Each row of data appears as one line of the file. |
|------|--|

|                   |   |
|-------------------|---|
| destination_frame | (Optional) The unique hex key assigned to the imported file. If none is given, a key will automatically be generated based on the URL path.                                 |
| parse             | (Optional) A logical value indicating whether the file should be parsed after import, for details see <a href="#">h2o.parseRaw</a> .  |
| header            | (Optional) A logical value indicating whether the first line of the file contains column headers. If left empty, the parser will try to automatically detect this.          |
| sep               | (Optional) The field separator character. Values on each line of the file are separated by this character. If sep = "", the parser will automatically detect the separator. |
| col.names         | (Optional) An H2OFrame object containing a single delimited line with the column names for the file.  |
| col.types         | (Optional) A vector to specify whether columns should be forced to a certain type upon import parsing.  |
| na.strings        | (Optional) H2O will interpret these strings as missing.   |
| decrypt_tool      | (Optional) Specify a Decryption Tool (key-reference acquired by calling <a href="#">h2o.decryptionSetup</a> ).  |
| skipped_columns   | a list of column indices to be skipped during parsing.  |
| pattern           | (Optional) Character string containing a regular expression to match file(s) in the folder.   |
| progressBar       | (Optional) When FALSE, tell H2O parse call to block synchronously instead of polling. This can be faster for small datasets but loses the progress bar.                     |
| parse_type        | (Optional) Specify which parser type H2O will use. Valid types are "ARFF", "XLS", "CSV", "SVMLight"   |

### Details

`h2o.importFile` is a parallelized reader and pulls information from the server from a location specified by the client. The path is a server-side path. This is a fast, scalable, highly optimized way to read data. H2O pulls the data from a data store and initiates the data transfer as a read operation.

Unlike the `import` function, which is a parallelized reader, `h2o.uploadFile` is a push from the client to the server. The specified path must be a client-side path. This is not scalable and is only intended for smaller data sizes. The client pushes the data from a local filesystem (for example, on your machine where R is running) to H2O. For big-data operations, you don't want the data stored on or flowing through the client.

`h2o.importFolder` imports an entire directory of files. If the given path is relative, then it will be relative to the start location of the H2O instance. The default behavior is to pass-through to the parse phase automatically.

`h2o.importHDFS` is deprecated. Instead, use `h2o.importFile`.

### See Also

[h2o.import\\_sql\\_select](#), [h2o.import\\_sql\\_table](#), [h2o.parseRaw](#)

### Examples

```
h2o.init(ip = "localhost", port = 54321, startH2O = TRUE)
prosPath = system.file("extdata", "prostate.csv", package = "h2o")
```

```

prostate.hex = h2o.importFile(path = prosPath, destination_frame = "prostate.hex")
class(prostate.hex)
summary(prostate.hex)

#Import files with a certain regex pattern by utilizing h2o.importFolder()
#In this example we import all .csv files in the directory prostate_folder
prosPath = system.file("extdata", "prostate_folder", package = "h2o")
prostate_pattern.hex = h2o.importFolder(path = prosPath, pattern = ".*.csv",
                                       destination_frame = "prostate.hex")
class(prostate_pattern.hex)
summary(prostate_pattern.hex)

```

---

`h2o.import_sql_select` *Import SQL table that is result of SELECT SQL query into H2O*

---

### Description

Creates a temporary SQL table from the specified `sql_query`. Runs multiple SELECT SQL queries on the temporary table concurrently for parallel ingestion, then drops the table. Be sure to start the `h2o.jar` in the terminal with your downloaded JDBC driver in the classpath: `'java -cp <path_to_h2o_jar>:<path_to_jdbc_driver.jar> water.H2OApp'` Also see `h2o.import_sql_table`. Currently supported SQL databases are MySQL, PostgreSQL, and MariaDB. Support for Oracle 12g and Microsoft SQL Server

### Usage

```

h2o.import_sql_select(connection_url, select_query, username, password,
                     optimize = NULL, fetch_mode = NULL)

```

### Arguments

|                             |  |
|-----------------------------|--|
| <code>connection_url</code> | URL of the SQL database connection as specified by the Java Database Connectivity (JDBC) Driver. For example, <code>"jdbc:mysql://localhost:3306/menagerie?&amp;useSSL=false"</code>   |
| <code>select_query</code>   | SQL query starting with <code>'SELECT'</code> that returns rows from one or more database tables.  |
| <code>username</code>       | Username for SQL server  |
| <code>password</code>       | Password for SQL server  |
| <code>optimize</code>       | (Optional) Optimize import of SQL table for faster imports. Experimental. Default is true.   |
| <code>fetch_mode</code>     | (Optional) Set to <code>DISTRIBUTED</code> to enable distributed import. Set to <code>SINGLE</code> to force a sequential read from the database. Can be used for databases that do not support <code>OFFSET</code> -like clauses in SQL statements. |

### Details

```

For example, my_sql_conn_url <- "jdbc:mysql://172.16.2.178:3306/ingestSQL?&useSSL=false"
select_query <- "SELECT bikeid from citibike20k"
username <- "root"
password <- "abc123"
my_citibike_data <- h2o.import_sql_select(my_sql_conn_url, select_query, username, password)

```

---

h2o.import\_sql\_table *Import SQL Table into H2O*

---

### Description

Imports SQL table into an H2O cloud. Assumes that the SQL table is not being updated and is stable. Runs multiple SELECT SQL queries concurrently for parallel ingestion. Be sure to start the h2o.jar in the terminal with your downloaded JDBC driver in the classpath: 'java -cp <path\_to\_h2o\_jar>:<path\_to\_jdbc\_driver\_jar> water.H2OApp'. Also see h2o.import\_sql\_select. Currently supported SQL databases are MySQL, PostgreSQL, and MariaDB. Support for Oracle 12g and Microsoft SQL Server

### Usage

```
h2o.import_sql_table(connection_url, table, username, password,
  columns = NULL, optimize = NULL, fetch_mode = NULL)
```

### Arguments

|                |  |
|----------------|--|
| connection_url | URL of the SQL database connection as specified by the Java Database Connectivity (JDBC) Driver. For example, "jdbc:mysql://localhost:3306/menagerie?&useSSL=false"  |
| table          | Name of SQL table  |
| username       | Username for SQL server  |
| password       | Password for SQL server  |
| columns        | (Optional) Character vector of column names to import from SQL table. Default is to import all columns.  |
| optimize       | (Optional) Optimize import of SQL table for faster imports. Default is true. Ignored - use fetch_mode instead.   |
| fetch_mode     | (Optional) Set to DISTRIBUTED to enable distributed import. Set to SINGLE to force a sequential read from the database. Can be used for databases that do not support OFFSET-like clauses in SQL statements. |

### Details

```
For example, my_sql_conn_url <- "jdbc:mysql://172.16.2.178:3306/ingestSQL?&useSSL=false"
table <- "citibike20k" username <- "root" password <- "abc123" my_citibike_data <- h2o.import_sql_table(my_sql_conn
table, username, password)
```

---

h2o.impute

*Basic Imputation of H2O Vectors*

---

### Description

Perform inplace imputation by filling missing values with aggregates computed on the "na.rm'd" vector. Additionally, it's possible to perform imputation based on groupings of columns from within data; these columns can be passed by index or name to the by parameter. If a factor column is supplied, then the method must be "mode".

**Usage**

```
h2o.impute(data, column = 0, method = c("mean", "median", "mode"),
  combine_method = c("interpolate", "average", "lo", "hi"), by = NULL,
  groupByFrame = NULL, values = NULL)
```

**Arguments**

|                |  |
|----------------|--|
| data           | The dataset containing the column to impute.   |
| column         | A specific column to impute, default of 0 means impute the whole frame.  |
| method         | "mean" replaces NAs with the column mean; "median" replaces NAs with the column median; "mode" replaces with the most common factor (for factor columns only); |
| combine_method | If method is "median", then choose how to combine quantiles on even sample sizes. This parameter is ignored in all other cases.                                |
| by             | group by columns   |
| groupByFrame   | Impute the column col with this pre-computed grouped frame.  |
| values         | A vector of impute values (one per column). NaN indicates to skip the column   |

**Details**

The default method is selected based on the type of the column to impute. If the column is numeric then "mean" is selected; if it is categorical, then "mode" is selected. Other column types (e.g. String, Time, UUID) are not supported.

**Value**

an H2OFrame with imputed values

**Examples**

```
h2o.init()
fr <- as.h2o(iris, destination_frame="iris")
fr[sample(nrow(fr),40),5] <- NA # randomly replace 50 values with NA
# impute with a group by
fr <- h2o.impute(fr, "Species", "mode", by=c("Sepal.Length", "Sepal.Width"))
```

---

h2o.init

*Initialize and Connect to H2O*


---

**Description**

Attempts to start and/or connect to and H2O instance.

**Usage**

```
h2o.init(ip = "localhost", port = 54321, name = NA_character_,
  startH2O = TRUE, forceDL = FALSE, enable_assertions = TRUE,
  license = NULL, nthreads = -1, max_mem_size = NULL,
  min_mem_size = NULL, ice_root = tempdir(), log_dir = NA_character_,
  log_level = NA_character_, strict_version_check = TRUE,
  proxy = NA_character_, https = FALSE, insecure = FALSE,
  username = NA_character_, password = NA_character_,
  cookies = NA_character_, context_path = NA_character_,
  ignore_config = FALSE, extra_classpath = NULL,
  jvm_custom_args = NULL, bind_to_localhost = TRUE)
```

**Arguments**

|                   |   |
|-------------------|---|
| ip                | Object of class character representing the IP address of the server where H2O is running.   |
| port              | Object of class numeric representing the port number of the H2O server.   |
| name              | (Optional) A character string representing the H2O cloud name.  |
| startH2O          | (Optional) A logical value indicating whether to try to start H2O from R if no connection with H2O is detected. This is only possible if ip = "localhost" or ip = "127.0.0.1". If an existing connection is detected, R does not start H2O.   |
| forceDL           | (Optional) A logical value indicating whether to force download of the H2O executable. Defaults to FALSE, so the executable will only be downloaded if it does not already exist in the h2o R library resources directory h2o/java/h2o.jar. This value is only used when R starts H2O.      |
| enable_assertions | (Optional) A logical value indicating whether H2O should be launched with assertions enabled. Used mainly for error checking and debugging purposes. This value is only used when R starts H2O.   |
| license           | (Optional) A character string value specifying the full path of the license file. This value is only used when R starts H2O.  |
| nthreads          | (Optional) Number of threads in the thread pool. This relates very closely to the number of CPUs used. -1 means use all CPUs on the host (Default). A positive integer specifies the number of CPUs directly. This value is only used when R starts H2O.                                    |
| max_mem_size      | (Optional) A character string specifying the maximum size, in bytes, of the memory allocation pool to H2O. This value must a multiple of 1024 greater than 2MB. Append the letter m or M to indicate megabytes, or g or G to indicate gigabytes. This value is only used when R starts H2O. |
| min_mem_size      | (Optional) A character string specifying the minimum size, in bytes, of the memory allocation pool to H2O. This value must a multiple of 1024 greater than 2MB. Append the letter m or M to indicate megabytes, or g or G to indicate gigabytes. This value is only used when R starts H2O. |
| ice_root          | (Optional) A directory to handle object spillage. The default varies by OS.   |
| log_dir           | (Optional) A directory where H2O server logs are stored. The default varies by OS.  |
| log_level         | (Optional) The level of logging of H2O server. The default is INFO.   |

|                      |  |
|----------------------|--|
| strict_version_check | (Optional) Setting this to FALSE is unsupported and should only be done when advised by technical support.   |
| proxy                | (Optional) A character string specifying the proxy path.   |
| https                | (Optional) Set this to TRUE to use https instead of http.  |
| insecure             | (Optional) Set this to TRUE to disable SSL certificate checking.   |
| username             | (Optional) Username to login with.   |
| password             | (Optional) Password to login with.   |
| cookies              | (Optional) Vector(or list) of cookies to add to request.   |
| context_path         | (Optional) The last part of connection URL: http://<ip>:<port>/<context_path>  |
| ignore_config        | (Optional) A logical value indicating whether a search for a .h2oconfig file should be conducted or not. Default value is FALSE.   |
| extra_classpath      | (Optional) A vector of paths to libraries to be added to the Java classpath when H2O is started from R.  |
| jvm_custom_args      | (Optional) A character list of custom arguments for the JVM where new H2O instance is going to run, if started. Ignored when connecting to an existing instance.   |
| bind_to_localhost    | (Optional) A logical flag indicating whether access to the H2O instance should be restricted to the local machine (default) or if it can be reached from other computers on the network. Only applicable when H2O is started from R. |

### Details

By default, this method first checks if an H2O instance is connectible. If it cannot connect and `start = TRUE` with `ip = "localhost"`, it will attempt to start an instance of H2O at `localhost:54321`. If an open ip and port of your choice are passed in, then this method will attempt to start an H2O instance at that specified ip port.

When initializing H2O locally, this method searches for `h2o.jar` in the R library resources (`system.file("java", "h2o.` and if the file does not exist, it will automatically attempt to download the correct version from Amazon S3. The user must have Internet access for this process to be successful.

Once connected, the method checks to see if the local H2O R package version matches the version of H2O running on the server. If there is a mismatch and the user indicates she wishes to upgrade, it will remove the local H2O R package and download/install the H2O R package from the server.

### Value

this method will load it and return a `H2OConnection` object containing the IP address and port number of the H2O server.

### Note

Users may wish to manually upgrade their package (rather than waiting until being prompted), which requires that they fully uninstall and reinstall the H2O package, and the H2O client package. You must unload packages running in the environment before upgrading. It's recommended that users restart R or R studio after upgrading

**See Also**

[H2O R package documentation](#) for more details. [h2o.shutdown](#) for shutting down from R.

**Examples**

```
## Not run:
# Try to connect to a local H2O instance that is already running.
# If not found, start a local H2O instance from R with the default settings.
h2o.init()

# Try to connect to a local H2O instance.
# If not found, raise an error.
h2o.init(startH2O = FALSE)

# Try to connect to a local H2O instance that is already running.
# If not found, start a local H2O instance from R with 5 gigabytes of memory.
h2o.init(max_mem_size = "5g")

# Try to connect to a local H2O instance that is already running.
# If not found, start a local H2O instance from R that uses 5 gigabytes of memory.
h2o.init(max_mem_size = "5g")

## End(Not run)
```

---

h2o.insertMissingValues

*Insert Missing Values into an H2OFrame*

---

**Description**

Randomly replaces a user-specified fraction of entries in an H2O dataset with missing values.

**Usage**

```
h2o.insertMissingValues(data, fraction = 0.1, seed = -1)
```

**Arguments**

|          |  |
|----------|--|
| data     | An H2OFrame object representing the dataset.   |
| fraction | A number between 0 and 1 indicating the fraction of entries to replace with missing.   |
| seed     | A random number used to select which entries to replace with missing values. Default of seed = -1 will automatically generate a seed in H2O. |

**Value**

Returns an H2OFrame object.

**WARNING**

This will modify the original dataset. Unless this is intended, this function should only be called on a subset of the original.



**Examples**

```
library(h2o)
h2o.init()
irisPath <- system.file("extdata", "iris.csv", package = "h2o")
iris.hex <- h2o.importFile(path = irisPath)
summary(iris.hex)
irismiss.hex <- h2o.insertMissingValues(iris.hex, fraction = 0.25)
head(irismiss.hex)
summary(irismiss.hex)
```

h2o.interaction

*Categorical Interaction Feature Creation in H2O***Description**

Creates a data frame in H2O with n-th order interaction features between categorical columns, as specified by the user.

**Usage**

```
h2o.interaction(data, destination_frame, factors, pairwise, max_factors,
               min_occurrence)
```

**Arguments**

|                   |  |
|-------------------|--|
| data              | An H2OFrame object containing the categorical columns.   |
| destination_frame | A string indicating the destination key. If empty, this will be auto-generated by H2O.   |
| factors           | Factor columns (either indices or column names).   |
| pairwise          | Whether to create pairwise interactions between factors (otherwise create one higher-order interaction). Only applicable if there are 3 or more factors. |
| max_factors       | Max. number of factor levels in pair-wise interaction terms (if enforced, one extra catch-all factor will be made)                                       |
| min_occurrence    | Min. occurrence threshold for factor levels in pair-wise interaction terms   |

**Value**

Returns an H2OFrame object.

**Examples**

```
library(h2o)
h2o.init()

# Create some random data
myframe <- h2o.createFrame(rows = 20, cols = 5,
                           seed = -12301283, randomize = TRUE, value = 0,
```

```

categorical_fraction = 0.8, factors = 10, real_range = 1,
integer_fraction = 0.2, integer_range = 10,
binary_fraction = 0, binary_ones_fraction = 0.5,
missing_fraction = 0.2,
response_factors = 1)
# Turn integer column into a categorical
myframe[,5] <- as.factor(myframe[,5])
head(myframe, 20)

# Create pairwise interactions
pairwise <- h2o.interaction(myframe, destination_frame = 'pairwise',
                           factors = list(c(1,2),c("C2","C3","C4")),
                           pairwise=TRUE, max_factors = 10, min_occurrence = 1)

head(pairwise, 20)
h2o.levels(pairwise,2)

# Create 5-th order interaction
higherorder <- h2o.interaction(myframe, destination_frame = 'higherorder', factors = c(1,2,3,4,5),
                              pairwise=FALSE, max_factors = 10000, min_occurrence = 1)

head(higherorder, 20)

# Limit the number of factors of the "categoricalized" integer column
# to at most 3 factors, and only if they occur at least twice
head(myframe[,5], 20)
trim_integer_levels <- h2o.interaction(myframe, destination_frame = 'trim_integers', factors = "C5",
                                       pairwise = FALSE, max_factors = 3, min_occurrence = 2)

head(trim_integer_levels, 20)

# Put all together
myframe <- h2o.cbind(myframe, pairwise, higherorder, trim_integer_levels)
myframe
head(myframe,20)
summary(myframe)

```

---

h2o.isax

iSAX

---

### Description

Compute the iSAX index for a DataFrame which is assumed to be numeric time series data

### Usage

```
h2o.isax(x, num_words, max_cardinality, optimize_card = FALSE)
```

### Arguments

|                 |  |
|-----------------|--|
| x               | an H2OFrame  |
| num_words       | Number of iSAX words for the timeseries. ie granularity along the time series                                |
| max_cardinality | Maximum cardinality of the iSAX word. Each word can have less than the max                                   |
| optimize_card   | An optimization flag that will find the max cardinality regardless of what is passed in for max_cardinality. |

**Value**

An H2OFrame with the name of time series, string representation of iSAX word, followed by binary representation

**References**

[http://www.cs.ucr.edu/~eamonn/iSAX\\_2.0.pdf](http://www.cs.ucr.edu/~eamonn/iSAX_2.0.pdf)

<http://www.cs.ucr.edu/~eamonn/SAX.pdf>

---

|                 |                           |
|-----------------|---------------------------|
| h2o.ischaracter | <i>Check if character</i> |
|-----------------|---------------------------|

---

**Description**

Check if character

**Usage**

```
h2o.ischaracter(x)
```

**Arguments**

x                    An H2OFrame object.

**See Also**

[is.character](#) for the base R implementation.

---

|              |                        |
|--------------|------------------------|
| h2o.isfactor | <i>Check if factor</i> |
|--------------|------------------------|

---

**Description**

Check if factor

**Usage**

```
h2o.isfactor(x)
```

**Arguments**

x                    An H2OFrame object.

**See Also**

[is.factor](#) for the base R implementation.

---

|               |                         |
|---------------|-------------------------|
| h2o.isnumeric | <i>Check if numeric</i> |
|---------------|-------------------------|

---

**Description**

Check if numeric

**Usage**

```
h2o.isnumeric(x)
```

**Arguments**

x                    An H2OFrame object.

**See Also**

[is.numeric](#) for the base R implementation.

---

|                     |   |
|---------------------|---|
| h2o.isolationForest | <i>Trains an Isolation Forest model</i> |
|---------------------|---|

---

**Description**

Trains an Isolation Forest model

**Usage**

```
h2o.isolationForest(training_frame, x, model_id = NULL,
  score_each_iteration = FALSE, score_tree_interval = 0,
  ignore_const_cols = TRUE, ntrees = 50, max_depth = 8,
  min_rows = 1, max_runtime_secs = 0, seed = -1,
  build_tree_one_node = FALSE, mtries = -1, sample_size = 256,
  sample_rate = -1, col_sample_rate_change_per_level = 1,
  col_sample_rate_per_tree = 1, categorical_encoding = c("AUTO",
  "Enum", "OneHotInternal", "OneHotExplicit", "Binary", "Eigen",
  "LabelEncoder", "SortByResponse", "EnumLimited"))
```

**Arguments**

training\_frame    Id of the training data frame.

x                    A vector containing the character names of the predictors in the model.

model\_id            Destination id for this model; auto-generated if not specified.

score\_each\_iteration    Logical. Whether to score during each iteration of model training. Defaults to FALSE.

score\_tree\_interval    Score the model after every so many trees. Disabled if set to 0. Defaults to 0.

|                                  |  |
|----------------------------------|--|
| ignore_const_cols                | Logical. Ignore constant columns. Defaults to TRUE.  |
| ntrees                           | Number of trees. Defaults to 50.   |
| max_depth                        | Maximum tree depth. Defaults to 8.   |
| min_rows                         | Fewest allowed (weighted) observations in a leaf. Defaults to 1.   |
| max_runtime_secs                 | Maximum allowed runtime in seconds for model training. Use 0 to disable. Defaults to 0.  |
| seed                             | Seed for random numbers (affects certain parts of the algo that are stochastic and those might or might not be enabled by default) Defaults to -1 (time-based random number).  |
| build_tree_one_node              | Logical. Run on one node only; no network overhead but fewer cpus used. Suitable for small datasets. Defaults to FALSE.  |
| mtries                           | Number of variables randomly sampled as candidates at each split. If set to -1, defaults (number of predictors)/3. Defaults to -1.   |
| sample_size                      | Number of randomly sampled observations used to train each Isolation Forest tree. Only one of parameters sample_size and sample_rate should be defined. If sample_rate is defined, sample_size will be ignored. Defaults to 256. |
| sample_rate                      | Rate of randomly sampled observations used to train each Isolation Forest tree. Needs to be in range from 0.0 to 1.0. If set to -1, sample_rate is disabled and sample_size will be used instead. Defaults to -1.                |
| col_sample_rate_change_per_level | Relative change of the column sampling rate for every level (must be > 0.0 and <= 2.0) Defaults to 1.  |
| col_sample_rate_per_tree         | Column sample rate per tree (from 0.0 to 1.0) Defaults to 1.   |
| categorical_encoding             | Encoding scheme for categorical features Must be one of: "AUTO", "Enum", "OneHotInternal", "OneHotExplicit", "Binary", "Eigen", "LabelEncoder", "Sort-ByResponse", "EnumLimited". Defaults to AUTO.                              |

---

h2o.is\_client

*Check Client Mode Connection*


---

## Description

Check Client Mode Connection

## Usage

```
h2o.is_client()
```

h2o.kfold\_column      *Produce a k-fold column vector.*

---

**Description**

Create a k-fold vector useful for H2O algorithms that take a fold\_assignments argument.

**Usage**

```
h2o.kfold_column(data, nfolds, seed = -1)
```

**Arguments**

|        |   |
|--------|---|
| data   | A dataframe against which to create the fold column.  |
| nfolds | The number of desired folds.                          |
| seed   | A random seed, -1 indicates that H2O will choose one. |

**Value**

Returns an H2OFrame object with fold assignments.

---

h2o.killMinus3      *Dump the stack into the JVM's stdout.*

---

**Description**

A poor man's profiler, but effective.

**Usage**

```
h2o.killMinus3()
```

---

h2o.kmeans      *Performs k-means clustering on an H2O dataset*

---

**Description**

Performs k-means clustering on an H2O dataset

**Usage**

```
h2o.kmeans(training_frame, x, model_id = NULL, validation_frame = NULL,
  nfolds = 0, keep_cross_validation_models = TRUE,
  keep_cross_validation_predictions = FALSE,
  keep_cross_validation_fold_assignment = FALSE,
  fold_assignment = c("AUTO", "Random", "Modulo", "Stratified"),
  fold_column = NULL, ignore_const_cols = TRUE,
  score_each_iteration = FALSE, k = 1, estimate_k = FALSE,
  user_points = NULL, max_iterations = 10, standardize = TRUE,
  seed = -1, init = c("Random", "PlusPlus", "Furthest", "User"),
  max_runtime_secs = 0, categorical_encoding = c("AUTO", "Enum",
  "OneHotInternal", "OneHotExplicit", "Binary", "Eigen", "LabelEncoder",
  "SortByResponse", "EnumLimited"))
```

**Arguments**

**training\_frame** Id of the training data frame.

**x** A vector containing the character names of the predictors in the model.

**model\_id** Destination id for this model; auto-generated if not specified.

**validation\_frame** Id of the validation data frame.

**nfolds** Number of folds for K-fold cross-validation (0 to disable or >= 2). Defaults to 0.

**keep\_cross\_validation\_models** Logical. Whether to keep the cross-validation models. Defaults to TRUE.

**keep\_cross\_validation\_predictions** Logical. Whether to keep the predictions of the cross-validation models. Defaults to FALSE.

**keep\_cross\_validation\_fold\_assignment** Logical. Whether to keep the cross-validation fold assignment. Defaults to FALSE.

**fold\_assignment** Cross-validation fold assignment scheme, if **fold\_column** is not specified. The 'Stratified' option will stratify the folds based on the response variable, for classification problems. Must be one of: "AUTO", "Random", "Modulo", "Stratified". Defaults to AUTO.

**fold\_column** Column with cross-validation fold index assignment per observation.

**ignore\_const\_cols** Logical. Ignore constant columns. Defaults to TRUE.

**score\_each\_iteration** Logical. Whether to score during each iteration of model training. Defaults to FALSE.

**k** The max. number of clusters. If **estimate\_k** is disabled, the model will find k centroids, otherwise it will find up to k centroids. Defaults to 1.

**estimate\_k** Logical. Whether to estimate the number of clusters (<=k) iteratively and deterministically. Defaults to FALSE.

**user\_points** This option allows you to specify a dataframe, where each row represents an initial cluster center. The user-specified points must have the same number of columns as the training observations. The number of rows must equal the number of clusters

|                      |   |
|----------------------|---|
| max_iterations       | Maximum training iterations (if estimate_k is enabled, then this is for each inner Lloyds iteration) Defaults to 10.  |
| standardize          | Logical. Standardize columns before computing distances Defaults to TRUE.   |
| seed                 | Seed for random numbers (affects certain parts of the algo that are stochastic and those might or might not be enabled by default) Defaults to -1 (time-based random number).                       |
| init                 | Initialization mode Must be one of: "Random", "PlusPlus", "Furthest", "User". Defaults to Furthest.   |
| max_runtime_secs     | Maximum allowed runtime in seconds for model training. Use 0 to disable. Defaults to 0.   |
| categorical_encoding | Encoding scheme for categorical features Must be one of: "AUTO", "Enum", "OneHotInternal", "OneHotExplicit", "Binary", "Eigen", "LabelEncoder", "Sort-ByResponse", "EnumLimited". Defaults to AUTO. |

**Value**

Returns an object of class [H2OClusteringModel](#).

**See Also**

[h2o.cluster\\_sizes](#), [h2o.totss](#), [h2o.num\\_iterations](#), [h2o.betweenss](#), [h2o.tot\\_withinss](#), [h2o.withinss](#), [h2o.centersSTD](#), [h2o.centers](#)

**Examples**

```
library(h2o)
h2o.init()
prosPath <- system.file("extdata", "prostate.csv", package="h2o")
prostate.hex <- h2o.uploadFile(path = prosPath)
h2o.kmeans(training_frame = prostate.hex, k = 10, x = c("AGE", "RACE", "VOL", "GLEASON"))
```

---

|              |                             |
|--------------|-----------------------------|
| h2o.kurtosis | <i>Kurtosis of a column</i> |
|--------------|-----------------------------|

---

**Description**

Obtain the kurtosis of a column of a parsed H2O data object.

**Usage**

```
h2o.kurtosis(x, ..., na.rm = TRUE)

kurtosis.H2OFrame(x, ..., na.rm = TRUE)
```



**Arguments**

|       |  |
|-------|--|
| x     | An H2OFrame object.  |
| ...   | Further arguments to be passed from or to other methods.   |
| na.rm | A logical value indicating whether NA or missing values should be stripped before the computation. |

**Value**

Returns a list containing the kurtosis for each column (NaN for non-numeric columns).

**Examples**

```
h2o.init()
prosPath <- system.file("extdata", "prostate.csv", package="h2o")
prostate.hex <- h2o.uploadFile(path = prosPath)
h2o.kurtosis(prostate.hex$AGE)
```

---

h2o.levels

*Return the levels from the column requested column.*

---

**Description**

Return the levels from the column requested column.

**Usage**

```
h2o.levels(x, i)
```

**Arguments**

|   |   |
|---|---|
| x | An H2OFrame object.   |
| i | Optional, the index of the column whose domain is to be returned. |

**See Also**

[levels](#) for the base R method.

**Examples**

```
iris.hex <- as.h2o(iris)
h2o.levels(iris.hex, 5) # returns "setosa" "versicolor" "virginica"
```

---

h2o.listTimezones      *List all of the Time Zones Acceptable by the H2O Cloud.*

---

**Description**

List all of the Time Zones Acceptable by the H2O Cloud.

**Usage**

h2o.listTimezones()

---

h2o.list\_all\_extensions

*List all H2O registered extensions*

---

**Description**

List all H2O registered extensions

**Usage**

h2o.list\_all\_extensions()

---

h2o.list\_api\_extensions

*List registered API extensions*

---

**Description**

List registered API extensions

**Usage**

h2o.list\_api\_extensions()

---

h2o.list\_core\_extensions

*List registered core extensions*

---

**Description**

List registered core extensions

**Usage**

h2o.list\_core\_extensions()

---

|               |   |
|---------------|---|
| h2o.loadModel | <i>Load H2O Model from HDFS or Local Disk</i> |
|---------------|---|

---

**Description**

Load a saved H2O model from disk. (Note that ensemble binary models can now be loaded using this method.)

**Usage**

```
h2o.loadModel(path)
```

**Arguments**

path                    The path of the H2O Model to be imported. and port of the server running H2O.

**Value**

Returns a [H2OModel](#) object of the class corresponding to the type of model built.

**See Also**

[h2o.saveModel](#), [H2OModel](#)

**Examples**

```
## Not run:
# library(h2o)
# h2o.init()
# prosPath = system.file("extdata", "prostate.csv", package = "h2o")
# prostate.hex = h2o.importFile(path = prosPath, destination_frame = "prostate.hex")
# prostate.glm = h2o.glm(y = "CAPSULE", x = c("AGE", "RACE", "PSA", "DCAPS"),
#   training_frame = prostate.hex, family = "binomial", alpha = 0.5)
# glmmodel.path = h2o.saveModel(prostate.glm, dir = "/Users/UserName/Desktop")
# glmmodel.load = h2o.loadModel(glmmodel.path)

## End(Not run)
```

---

|         |                                   |
|---------|-----------------------------------|
| h2o.log | <i>Compute the logarithm of x</i> |
|---------|-----------------------------------|

---

**Description**

Compute the logarithm of x

**Usage**

```
h2o.log(x)
```

**Arguments**

x                      An H2OFrame object.

**See Also**

[log](#) for the base R implementation.

---

|           |                               |
|-----------|-------------------------------|
| h2o.log10 | <i>Compute the log10 of x</i> |
|-----------|-------------------------------|

---

**Description**

Compute the log10 of x

**Usage**

```
h2o.log10(x)
```

**Arguments**

x                    An H2OFrame object.

**See Also**

[log10](#) for the base R implementation.

---

|           |                               |
|-----------|-------------------------------|
| h2o.log1p | <i>Compute the log1p of x</i> |
|-----------|-------------------------------|

---

**Description**

Compute the log1p of x

**Usage**

```
h2o.log1p(x)
```

**Arguments**

x                    An H2OFrame object.

**See Also**

[log1p](#) for the base R implementation.

---

|          |                              |
|----------|------------------------------|
| h2o.log2 | <i>Compute the log2 of x</i> |
|----------|------------------------------|

---

**Description**

Compute the log2 of x

**Usage**

```
h2o.log2(x)
```

**Arguments**

x                    An H2OFrame object.

**See Also**

[log2](#) for the base R implementation.

---

|                |  |
|----------------|--|
| h2o.logAndEcho | <i>Log a message on the server-side logs</i> |
|----------------|--|

---

**Description**

This is helpful when running several pieces of work one after the other on a single H2O cluster and you want to make a notation in the H2O server side log where one piece of work ends and the next piece of work begins.

**Usage**

```
h2o.logAndEcho(message)
```

**Arguments**

message            A character string with the message to write to the log.

**Details**

h2o.logAndEcho sends a message to H2O for logging. Generally used for debugging purposes.

---

|             |                                    |
|-------------|------------------------------------|
| h2o.logloss | <i>Retrieve the Log Loss Value</i> |
|-------------|------------------------------------|

---

**Description**

Retrieves the log loss output for a [H2OBinomialMetrics](#) or [H2OMultinomialMetrics](#) object. If "train", "valid", and "xval" parameters are FALSE (default), then the training Log Loss value is returned. If more than one parameter is set to TRUE, then a named vector of Log Losses are returned, where the names are "train", "valid" or "xval".

**Usage**

```
h2o.logloss(object, train = FALSE, valid = FALSE, xval = FALSE)
```

**Arguments**

|        |   |
|--------|---|
| object | a <a href="#">H2OModelMetrics</a> object of the correct type. |
| train  | Retrieve the training Log Loss                                |
| valid  | Retrieve the validation Log Loss                              |
| xval   | Retrieve the cross-validation Log Loss                        |

---

|        |                                    |
|--------|------------------------------------|
| h2o.ls | <i>List Keys on an H2O Cluster</i> |
|--------|------------------------------------|

---

**Description**

Accesses a list of object keys in the running instance of H2O.

**Usage**

```
h2o.ls()
```

**Value**

Returns a list of hex keys in the current H2O instance.

**Examples**

```
library(h2o)
h2o.init()
prosPath <- system.file("extdata", "prostate.csv", package="h2o")
prostate.hex <- h2o.uploadFile(path = prosPath)
h2o.ls()
```

---

|            |                            |
|------------|----------------------------|
| h2o.lstrip | <i>Strip set from left</i> |
|------------|----------------------------|

---

### Description

Return a copy of the target column with leading characters removed. The set argument is a string specifying the set of characters to be removed. If omitted, the set argument defaults to removing whitespace.

### Usage

```
h2o.lstrip(x, set = " ")
```

### Arguments

|     |   |
|-----|---|
| x   | The column whose strings should be lstrip-ed. |
| set | string of characters to be removed            |

### Examples

```
library(h2o)
h2o.init()
string_to_lstrip <- as.h2o("1234567890")
lstrip_string <- h2o.lstrip(string_to_lstrip,"123") #Remove "123"
```

---

|         |   |
|---------|---|
| h2o.mae | <i>Retrieve the Mean Absolute Error Value</i> |
|---------|---|

---

### Description

Retrieves the mean absolute error (MAE) value from an H2O model. If "train", "valid", and "xval" parameters are FALSE (default), then the training MAE value is returned. If more than one parameter is set to TRUE, then a named vector of MAEs are returned, where the names are "train", "valid" or "xval".

### Usage

```
h2o.mae(object, train = FALSE, valid = FALSE, xval = FALSE)
```

### Arguments

|        |  |
|--------|--|
| object | An <a href="#">H2OModel</a> object.  |
| train  | Retrieve the training MAE  |
| valid  | Retrieve the validation set MAE if a validation set was passed in during model build time. |
| xval   | Retrieve the cross-validation MAE  |

**Examples**

```

library(h2o)

h <- h2o.init()
fr <- as.h2o(iris)

m <- h2o.deeplearning(x=2:5,y=1,training_frame=fr)

h2o.mae(m)

```

---

|                  |   |
|------------------|---|
| h2o.makeGLMModel | <i>Set betas of an existing H2O GLM Model</i> |
|------------------|---|

---

**Description**

This function allows setting betas of an existing glm model.

**Usage**

```
h2o.makeGLMModel(model, beta)
```

**Arguments**

|       |  |
|-------|--|
| model | an <a href="#">H2OModel</a> corresponding from a h2o.glm call. |
| beta  | a new set of betas (a named vector)                            |

---

|                  |   |
|------------------|---|
| h2o.make_metrics | <i>Create Model Metrics from predicted and actual values in H2O</i> |
|------------------|---|

---

**Description**

Given predicted values (target for regression, class-1 probabilities or binomial or per-class probabilities for multinomial), compute a model metrics object

**Usage**

```
h2o.make_metrics(predicted, actuals, domain = NULL,
  distribution = NULL)
```

**Arguments**

|              |  |
|--------------|--|
| predicted    | An H2OFrame containing predictions               |
| actuals      | An H2OFrame containing actual values             |
| domain       | Vector with response factors for classification. |
| distribution | Distribution for regression.                     |



**Value**

Returns an object of the [H2OModelMetrics](#) subclass.

**Examples**

```
library(h2o)
h2o.init()
prosPath <- system.file("extdata", "prostate.csv", package="h2o")
prostate.hex <- h2o.uploadFile(path = prosPath)
prostate.hex$CAPSULE <- as.factor(prostate.hex$CAPSULE)
prostate.gbm <- h2o.gbm(3:9, "CAPSULE", prostate.hex)
pred <- h2o.predict(prostate.gbm, prostate.hex)[,3] ## class-1 probability
h2o.make_metrics(pred,prostate.hex$CAPSULE)
```

---

h2o.match

*Value Matching in H2O*


---

**Description**

match and %in% return values similar to the base R generic functions.

**Usage**

```
h2o.match(x, table, nomatch = 0, incomparables = NULL)
match.H2OFrame(x, table, nomatch = 0, incomparables = NULL)
x %in% table
```

**Arguments**

|               |  |
|---------------|--|
| x             | a categorical vector from an H2OFrame object with values to be matched.  |
| table         | an R object to match x against.  |
| nomatch       | the value to be returned in the case when no match is found.   |
| incomparables | a vector of values that cannot be matched. Any value in x matching a value in this vector is assigned the nomatch value. |

**Value**

Returns a vector of the positions of (first) matches of its first argument in its second

**See Also**

[match](#) for base R implementation.

**Examples**

```
h2o.init()
hex <- as.h2o(iris)
h2o.match(hex[,5], c("setosa", "versicolor"))
```

---

|         |  |
|---------|--|
| h2o.max | <i>Returns the maxima of the input values.</i> |
|---------|--|

---

**Description**

Returns the maxima of the input values.

**Usage**

```
h2o.max(x, na.rm = FALSE)
```

**Arguments**

|       |   |
|-------|---|
| x     | An H2OFrame object.   |
| na.rm | logical. indicating whether missing values should be removed. |

**See Also**

[max](#) for the base R implementation.

---

|          |  |
|----------|--|
| h2o.mean | <i>Compute the frame's mean by-column (or by-row).</i> |
|----------|--|

---

**Description**

Compute the frame's mean by-column (or by-row).

**Usage**

```
h2o.mean(x, na.rm = FALSE, axis = 0, return_frame = FALSE, ...)
```

```
## S3 method for class 'H2OFrame'
mean(x, na.rm = FALSE, axis = 0,
     return_frame = FALSE, ...)
```

**Arguments**

|              |   |
|--------------|---|
| x            | An H2OFrame object.   |
| na.rm        | logical. Indicate whether missing values should be removed.   |
| axis         | integer. Indicate whether to calculate the mean down a column (0) or across a row (1). NOTE: This is only applied when return_frame is set to TRUE. Otherwise, this parameter is ignored. |
| return_frame | logical. Indicate whether to return an H2O frame or a list. Default is FALSE (returns a list).  |
| ...          | Further arguments to be passed from or to other methods.  |

**Value**

Returns a list containing the mean for each column (NaN for non-numeric columns) if `return_frame` is set to `FALSE`. If `return_frame` is set to `TRUE`, then it will return an H2O frame with means per column or row (depends on `axis` argument).

**See Also**

[mean](#) , [rowMeans](#), or [colMeans](#) for the base R implementation

**Examples**

```
h2o.init()
prosPath <- system.file("extdata", "prostate.csv", package="h2o")
prostate.hex <- h2o.uploadFile(path = prosPath)
# Default behavior. Will return list of means per column.
h2o.mean(prostate.hex$AGE)
# return_frame set to TRUE. This will return an H2O Frame
# with mean per row or column (depends on axis argument)
h2o.mean(prostate.hex, na.rm=TRUE, axis=1, return_frame=TRUE)
```

---

h2o.mean\_per\_class\_error

*Retrieve the mean per class error*

---

**Description**

Retrieves the mean per class error from an [H2O Binomial Metrics](#). If "train", "valid", and "xval" parameters are `FALSE` (default), then the training mean per class error value is returned. If more than one parameter is set to `TRUE`, then a named vector of mean per class errors are returned, where the names are "train", "valid" or "xval".

**Usage**

```
h2o.mean_per_class_error(object, train = FALSE, valid = FALSE,
  xval = FALSE)
```

**Arguments**

|        |  |
|--------|--|
| object | An <a href="#">H2O Binomial Metrics</a> object.    |
| train  | Retrieve the training mean per class error         |
| valid  | Retrieve the validation mean per class error       |
| xval   | Retrieve the cross-validation mean per class error |

**See Also**

[h2o.mse](#) for MSE, and [h2o.metric](#) for the various threshold metrics. See [h2o.performance](#) for creating H2O Model Metrics objects.

## Examples

```
library(h2o)
h2o.init()

prosPath <- system.file("extdata", "prostate.csv", package="h2o")
hex <- h2o.uploadFile(prosPath)

hex[,2] <- as.factor(hex[,2])
model <- h2o.gbm(x = 3:9, y = 2, training_frame = hex, distribution = "bernoulli")
perf <- h2o.performance(model, hex)
h2o.mean_per_class_error(perf)
h2o.mean_per_class_error(model, train=TRUE)
```

---

h2o.mean\_residual\_deviance

*Retrieve the Mean Residual Deviance value*

---

## Description

Retrieves the Mean Residual Deviance value from an H2O model. If "train", "valid", and "xval" parameters are FALSE (default), then the training Mean Residual Deviance value is returned. If more than one parameter is set to TRUE, then a named vector of Mean Residual Deviances are returned, where the names are "train", "valid" or "xval".

## Usage

```
h2o.mean_residual_deviance(object, train = FALSE, valid = FALSE,
  xval = FALSE)
```

## Arguments

|        |  |
|--------|--|
| object | An <a href="#">H2OModel</a> object.                  |
| train  | Retrieve the training Mean Residual Deviance         |
| valid  | Retrieve the validation Mean Residual Deviance       |
| xval   | Retrieve the cross-validation Mean Residual Deviance |

## Examples

```
library(h2o)

h <- h2o.init()
fr <- as.h2o(iris)

m <- h2o.deeplearning(x=2:5,y=1,training_frame=fr)

h2o.mean_residual_deviance(m)
```

---

|            |                   |
|------------|-------------------|
| h2o.median | <i>H2O Median</i> |
|------------|-------------------|

---

**Description**

Compute the median of an H2OFrame.

**Usage**

```
h2o.median(x, na.rm = TRUE)

## S3 method for class 'H2OFrame'
median(x, na.rm = TRUE)
```

**Arguments**

|       |   |
|-------|---|
| x     | An H2OFrame object.                             |
| na.rm | a logical, indicating whether na's are omitted. |

**Value**

Returns a list containing the median for each column (NaN for non-numeric columns)

**Examples**

```
h2o.init()
prosPath <- system.file("extdata", "prostate.csv", package="h2o")
prostate.hex <- h2o.uploadFile(path = prosPath, destination_frame = "prostate.hex")
h2o.median(prostate.hex)
```

---

|           |                                  |
|-----------|----------------------------------|
| h2o.merge | <i>Merge Two H2O Data Frames</i> |
|-----------|----------------------------------|

---

**Description**

Merges two H2OFrame objects with the same arguments and meanings as merge() in base R. However, we do not support all=TRUE, all.x=TRUE and all.y=TRUE. The default method is auto and it will default to the radix method. The radix method will return the correct merge result regardless of duplicated rows in the right frame. In addition, the radix method can perform merge even if you have string columns in your frames. If there are duplicated rows in your right frame, they will not be included if you use the hash method. The hash method cannot perform merge if you have string columns in your left frame. Hence, we consider the radix method superior to the hash method and is the default method to use.

**Usage**

```
h2o.merge(x, y, by = intersect(names(x), names(y)), by.x = by,
  by.y = by, all = FALSE, all.x = all, all.y = all,
  method = "auto")
```

**Arguments**

|        |  |
|--------|--|
| x, y   | H2OFrame objects   |
| by     | columns used for merging by default the common names   |
| by.x   | x columns used for merging by name or number   |
| by.y   | y columns used for merging by name or number   |
| all    | TRUE includes all rows in x and all rows in y even if there is no match to the other                                   |
| all.x  | If all.x is true, all rows in the x will be included, even if there is no matching row in y, and vice-versa for all.y. |
| all.y  | see all.x  |
| method | auto(default), radix, hash   |

**Examples**

```

h2o.init()
left <- data.frame(fruit = c('apple', 'orange', 'banana', 'lemon', 'strawberry', 'blueberry'),
  color <- c('red', 'orange', 'yellow', 'yellow', 'red', 'blue'))
right <- data.frame(fruit = c('apple', 'orange', 'banana', 'lemon', 'strawberry', 'watermelon'),
  citrus <- c(FALSE, TRUE, FALSE, TRUE, FALSE, FALSE))
l.hex <- as.h2o(left)
r.hex <- as.h2o(right)
left.hex <- h2o.merge(l.hex, r.hex, all.x = TRUE)

```

---

h2o.metric

*H2O Model Metric Accessor Functions*


---

**Description**

A series of functions that retrieve model metric details.

**Usage**

```

h2o.metric(object, thresholds, metric)

h2o.F0point5(object, thresholds)

h2o.F1(object, thresholds)

h2o.F2(object, thresholds)

h2o.accuracy(object, thresholds)

h2o.error(object, thresholds)

h2o.maxPerClassError(object, thresholds)

h2o.mean_per_class_accuracy(object, thresholds)

```

```
h2o.mcc(object, thresholds)
h2o.precision(object, thresholds)
h2o.tpr(object, thresholds)
h2o.fpr(object, thresholds)
h2o.fnr(object, thresholds)
h2o.tnr(object, thresholds)
h2o.recall(object, thresholds)
h2o.sensitivity(object, thresholds)
h2o.fallout(object, thresholds)
h2o.missrate(object, thresholds)
h2o.specificity(object, thresholds)
```

### Arguments

|            |  |
|------------|--|
| object     | An <a href="#">H2OModelMetrics</a> object of the correct type. |
| thresholds | (Optional) A value or a list of values between 0.0 and 1.0.    |
| metric     | (Optional) A specified parameter to retrieve.                  |

### Details

Many of these functions have an optional thresholds parameter. Currently only increments of 0.1 are allowed. If not specified, the functions will return all possible values. Otherwise, the function will return the value for the indicated threshold.

Currently, these functions are only supported by [H2OBinomialMetrics](#) objects.

### Value

Returns either a single value, or a list of values.

### See Also

[h2o.auc](#) for AUC, [h2o.giniCoef](#) for the GINI coefficient, and [h2o.mse](#) for MSE. See [h2o.performance](#) for creating [H2OModelMetrics](#) objects.

### Examples

```
library(h2o)
h2o.init()

prosPath <- system.file("extdata", "prostate.csv", package="h2o")
hex <- h2o.uploadFile(prosPath)
```

```
hex[,2] <- as.factor(hex[,2])
model <- h2o.gbm(x = 3:9, y = 2, training_frame = hex, distribution = "bernoulli")
perf <- h2o.performance(model, hex)
h2o.F1(perf)
```

---

|         |  |
|---------|--|
| h2o.min | <i>Returns the minima of the input values.</i> |
|---------|--|

---

### Description

Returns the minima of the input values.

### Usage

```
h2o.min(x, na.rm = FALSE)
```

### Arguments

|       |   |
|-------|---|
| x     | An H2OFrame object.   |
| na.rm | logical. indicating whether missing values should be removed. |

### See Also

[min](#) for the base R implementation.

---

|            |  |
|------------|--|
| h2o.mktime | <i>Compute msec since the Unix Epoch</i> |
|------------|--|

---

### Description

Compute msec since the Unix Epoch

### Usage

```
h2o.mktime(year = 1970, month = 0, day = 0, hour = 0, minute = 0,
           second = 0, msec = 0)
```

### Arguments

|        |                                 |
|--------|---------------------------------|
| year   | Defaults to 1970                |
| month  | zero based (months are 0 to 11) |
| day    | zero based (days are 0 to 30)   |
| hour   | hour                            |
| minute | minute                          |
| second | second                          |
| msec   | msec                            |



---

h2o.mojo\_predict\_csv *H2O Prediction from R without having H2O running*

---

### Description

Provides the method `h2o.mojo_predict_csv` with which you can predict a MOJO model from R.

### Usage

```
h2o.mojo_predict_csv(input_csv_path, mojo_zip_path,
  output_csv_path = NULL, genmodel_jar_path = NULL, classpath = NULL,
  java_options = NULL, verbose = F)
```

### Arguments

|                                |   |
|--------------------------------|---|
| <code>input_csv_path</code>    | Path to input CSV file.   |
| <code>mojo_zip_path</code>     | Path to MOJO zip downloaded from H2O.   |
| <code>output_csv_path</code>   | Optional, path to the output CSV file with computed predictions. If NULL (default), then predictions will be saved as <code>prediction.csv</code> in the same folder as the MOJO zip. |
| <code>genmodel_jar_path</code> | Optional, path to <code>genmodel.jar</code> file. If NULL (default) then the <code>h2o-genmodel.jar</code> in the same folder as the MOJO zip will be used.                           |
| <code>classpath</code>         | Optional, specifies custom user defined classpath which will be used when scoring. If NULL (default) then the default classpath for this MOJO model will be used.                     |
| <code>java_options</code>      | Optional, custom user defined options for Java. By default <code>'-Xmx4g -XX:ReservedCodeCacheSize=2'</code> is used.   |
| <code>verbose</code>           | Optional, if TRUE, then additional debug information will be printed. FALSE by default.   |

### Value

Returns a `data.frame` containing computed predictions

---

h2o.mojo\_predict\_df *H2O Prediction from R without having H2O running*

---

### Description

Provides the method `h2o.mojo_predict_df` with which you can predict a MOJO model from R.

### Usage

```
h2o.mojo_predict_df(frame, mojo_zip_path, genmodel_jar_path = NULL,
  classpath = NULL, java_options = NULL, verbose = F)
```

**Arguments**

|                   |   |
|-------------------|---|
| frame             | data.frame to score.  |
| mojo_zip_path     | Path to MOJO zip downloaded from H2O.   |
| genmodel_jar_path | Optional, path to genmodel jar file. If NULL (default) then the h2o-genmodel.jar in the same folder as the MOJO zip will be used.                                 |
| classpath         | Optional, specifies custom user defined classpath which will be used when scoring. If NULL (default) then the default classpath for this MOJO model will be used. |
| java_options      | Optional, custom user defined options for Java. By default '-Xmx4g -XX:ReservedCodeCacheSize=2' is used.  |
| verbose           | Optional, if TRUE, then additional debug information will be printed. FALSE by default.   |

**Value**

Returns a data.frame containing computed predictions

---

h2o.month

*Convert Milliseconds to Months in H2O Datasets*

---

**Description**

Converts the entries of an H2OFrame object from milliseconds to months (on a 1 to 12 scale).

**Usage**

```
h2o.month(x)

month(x)

## S3 method for class 'H2OFrame'
month(x)
```

**Arguments**

x                    An H2OFrame object.

**Value**

An H2OFrame object containing the entries of x converted to months of the year.

**See Also**

[h2o.year](#)

---

|         |   |
|---------|---|
| h2o.mse | <i>Retrieves Mean Squared Error Value</i> |
|---------|---|

---

### Description

Retrieves the mean squared error value from an [H2OModelMetrics](#) object. If "train", "valid", and "xval" parameters are FALSE (default), then the training MSE value is returned. If more than one parameter is set to TRUE, then a named vector of MSEs are returned, where the names are "train", "valid" or "xval".

### Usage

```
h2o.mse(object, train = FALSE, valid = FALSE, xval = FALSE)
```

### Arguments

|        |  |
|--------|--|
| object | An <a href="#">H2OModelMetrics</a> object of the correct type. |
| train  | Retrieve the training MSE                                      |
| valid  | Retrieve the validation MSE                                    |
| xval   | Retrieve the cross-validation MSE                              |

### Details

This function only supports [H2OBinomialMetrics](#), [H2OMultinomialMetrics](#), and [H2ORegressionMetrics](#) objects.

### See Also

[h2o.auc](#) for AUC, [h2o.mse](#) for MSE, and [h2o.metric](#) for the various threshold metrics. See [h2o.performance](#) for creating [H2OModelMetrics](#) objects.

### Examples

```
library(h2o)
h2o.init()

prosPath <- system.file("extdata", "prostate.csv", package="h2o")
hex <- h2o.uploadFile(prosPath)

hex[,2] <- as.factor(hex[,2])
model <- h2o.gbm(x = 3:9, y = 2, training_frame = hex, distribution = "bernoulli")
perf <- h2o.performance(model, hex)
h2o.mse(perf)
```

---

|           |                                |
|-----------|--------------------------------|
| h2o.nacnt | <i>Count of NAs per column</i> |
|-----------|--------------------------------|

---

**Description**

Gives the count of NAs per column.

**Usage**

```
h2o.nacnt(x)
```

**Arguments**

x                    An H2OFrame object.

**Value**

Returns a list containing the count of NAs per column

**Examples**

```
h2o.init()
iris.hex <- as.h2o(iris)
h2o.nacnt(iris.hex) # should return all 0s
h2o.insertMissingValues(iris.hex)
h2o.nacnt(iris.hex)
```

---

|                |   |
|----------------|---|
| h2o.naiveBayes | <i>Compute naive Bayes probabilities on an H2O dataset.</i> |
|----------------|---|

---

**Description**

The naive Bayes classifier assumes independence between predictor variables conditional on the response, and a Gaussian distribution of numeric predictors with mean and standard deviation computed from the training dataset. When building a naive Bayes classifier, every row in the training dataset that contains at least one NA will be skipped completely. If the test dataset has missing values, then those predictors are omitted in the probability calculation during prediction.

**Usage**

```
h2o.naiveBayes(x, y, training_frame, model_id = NULL, nfolds = 0,
  seed = -1, fold_assignment = c("AUTO", "Random", "Modulo",
  "Stratified"), fold_column = NULL,
  keep_cross_validation_models = TRUE,
  keep_cross_validation_predictions = FALSE,
  keep_cross_validation_fold_assignment = FALSE,
  validation_frame = NULL, ignore_const_cols = TRUE,
  score_each_iteration = FALSE, balance_classes = FALSE,
```

```
class_sampling_factors = NULL, max_after_balance_size = 5,
max_hit_ratio_k = 0, laplace = 0, threshold = 0.001,
min_sdev = 0.001, eps = 0, eps_sdev = 0, min_prob = 0.001,
eps_prob = 0, compute_metrics = TRUE, max_runtime_secs = 0)
```

### Arguments

|                                       |  |
|---------------------------------------|--|
| x                                     | (Optional) A vector containing the names or indices of the predictor variables to use in building the model. If x is missing, then all columns except y are used.  |
| y                                     | The name or column index of the response variable in the data. The response must be either a numeric or a categorical/factor variable. If the response is numeric, then a regression model will be trained, otherwise it will train a classification model.        |
| training_frame                        | Id of the training data frame.   |
| model_id                              | Destination id for this model; auto-generated if not specified.  |
| nfolds                                | Number of folds for K-fold cross-validation (0 to disable or >= 2). Defaults to 0.   |
| seed                                  | Seed for random numbers (affects certain parts of the algo that are stochastic and those might or might not be enabled by default) Defaults to -1 (time-based random number).  |
| fold_assignment                       | Cross-validation fold assignment scheme, if fold_column is not specified. The 'Stratified' option will stratify the folds based on the response variable, for classification problems. Must be one of: "AUTO", "Random", "Modulo", "Stratified". Defaults to AUTO. |
| fold_column                           | Column with cross-validation fold index assignment per observation.  |
| keep_cross_validation_models          | Logical. Whether to keep the cross-validation models. Defaults to TRUE.  |
| keep_cross_validation_predictions     | Logical. Whether to keep the predictions of the cross-validation models. Defaults to FALSE.  |
| keep_cross_validation_fold_assignment | Logical. Whether to keep the cross-validation fold assignment. Defaults to FALSE.  |
| validation_frame                      | Id of the validation data frame.   |
| ignore_const_cols                     | Logical. Ignore constant columns. Defaults to TRUE.  |
| score_each_iteration                  | Logical. Whether to score during each iteration of model training. Defaults to FALSE.  |
| balance_classes                       | Logical. Balance training data class counts via over/under-sampling (for imbalanced data). Defaults to FALSE.  |
| class_sampling_factors                | Desired over/under-sampling ratios per class (in lexicographic order). If not specified, sampling factors will be automatically computed to obtain class balance during training. Requires balance_classes.  |

|                        |  |
|------------------------|--|
| max_after_balance_size | Maximum relative size of the training data after balancing class counts (can be less than 1.0). Requires balance_classes. Defaults to 5.0.               |
| max_hit_ratio_k        | Max. number (top K) of predictions to use for hit ratio computation (for multi-class only, 0 to disable) Defaults to 0.                                  |
| laplace                | Laplace smoothing parameter Defaults to 0.   |
| threshold              | This argument is deprecated, use 'min_sdev' instead. The minimum standard deviation to use for observations without enough data. Must be at least 1e-10. |
| min_sdev               | The minimum standard deviation to use for observations without enough data. Must be at least 1e-10.  |
| eps                    | This argument is deprecated, use 'eps_sdev' instead. A threshold cutoff to deal with numeric instability, must be positive.                              |
| eps_sdev               | A threshold cutoff to deal with numeric instability, must be positive.   |
| min_prob               | Min. probability to use for observations with not enough data.   |
| eps_prob               | Cutoff below which probability is replaced with min_prob.  |
| compute_metrics        | Logical. Compute metrics on training data Defaults to TRUE.  |
| max_runtime_secs       | Maximum allowed runtime in seconds for model training. Use 0 to disable. Defaults to 0.  |

### Details

The naive Bayes classifier assumes independence between predictor variables conditional on the response, and a Gaussian distribution of numeric predictors with mean and standard deviation computed from the training dataset. When building a naive Bayes classifier, every row in the training dataset that contains at least one NA will be skipped completely. If the test dataset has missing values, then those predictors are omitted in the probability calculation during prediction.

### Value

Returns an object of class [H2OBinomialModel](#) if the response has two categorical levels, and [H2OMultinomialModel](#) otherwise.

### Examples

```
h2o.init()
votesPath <- system.file("extdata", "housevotes.csv", package="h2o")
votes.hex <- h2o.uploadFile(path = votesPath, header = TRUE)
h2o.naiveBayes(x = 2:17, y = 1, training_frame = votes.hex, laplace = 3)
```

---

|           |                                    |
|-----------|------------------------------------|
| h2o.names | <i>Column names of an H2OFrame</i> |
|-----------|------------------------------------|

---

**Description**

Column names of an H2OFrame

**Usage**

```
h2o.names(x)
```

**Arguments**

x                    An H2OFrame object.

**See Also**

[names](#) for the base R implementation.

---

|             |                             |
|-------------|-----------------------------|
| h2o.na_omit | <i>Remove Rows With NAs</i> |
|-------------|-----------------------------|

---

**Description**

Remove Rows With NAs

**Usage**

```
h2o.na_omit(object, ...)
```

**Arguments**

object              H2OFrame object  
...                  Ignored

**Value**

Returns an H2OFrame object containing non-NA rows.

---

|           |                      |
|-----------|----------------------|
| h2o.nchar | <i>String length</i> |
|-----------|----------------------|

---

**Description**

String length

**Usage**

```
h2o.nchar(x)
```

**Arguments**

x                    The column whose string lengths will be returned.

**Examples**

```
library(h2o)
h2o.init()
string_to_nchar <- as.h2o("r tutorial")
nchar_string <- h2o.nchar(string_to_nchar)
```

---

|          |   |
|----------|---|
| h2o.ncol | <i>Return the number of columns present in x.</i> |
|----------|---|

---

**Description**

Return the number of columns present in x.

**Usage**

```
h2o.ncol(x)
```

**Arguments**

x                    An H2OFrame object.

**See Also**

[ncol](#) for the base R implementation.



---

|                 |                                   |
|-----------------|-----------------------------------|
| h2o.networkTest | <i>View Network Traffic Speed</i> |
|-----------------|-----------------------------------|

---

**Description**

View speed with various file sizes.

**Usage**

```
h2o.networkTest()
```

**Value**

Returns a table listing the network speed for 1B, 10KB, and 10MB.

---

|             |  |
|-------------|--|
| h2o.nlevels | <i>Get the number of factor levels for this frame.</i> |
|-------------|--|

---

**Description**

Get the number of factor levels for this frame.

**Usage**

```
h2o.nlevels(x)
```

**Arguments**

x                    An H2OFrame object.

**See Also**

[nlevels](#) for the base R method.

---

|                 |                             |
|-----------------|-----------------------------|
| h2o.no_progress | <i>Disable Progress Bar</i> |
|-----------------|-----------------------------|

---

**Description**

Disable Progress Bar

**Usage**

```
h2o.no_progress()
```

---

|          |  |
|----------|--|
| h2o.nrow | <i>Return the number of rows present in x.</i> |
|----------|--|

---

**Description**

Return the number of rows present in x.

**Usage**

```
h2o.nrow(x)
```

**Arguments**

|   |                     |
|---|---------------------|
| x | An H2OFrame object. |
|---|---------------------|

**See Also**

[nrow](#) for the base R implementation.

---

|                   |                                   |
|-------------------|-----------------------------------|
| h2o.null_deviance | <i>Retrieve the null deviance</i> |
|-------------------|-----------------------------------|

---

**Description**

If "train", "valid", and "xval" parameters are FALSE (default), then the training null deviance value is returned. If more than one parameter is set to TRUE, then a named vector of null deviances are returned, where the names are "train", "valid" or "xval".

**Usage**

```
h2o.null_deviance(object, train = FALSE, valid = FALSE, xval = FALSE)
```

**Arguments**

|        |  |
|--------|--|
| object | An <a href="#">H2OModel</a> or <a href="#">H2OModelMetrics</a> |
| train  | Retrieve the training null deviance                            |
| valid  | Retrieve the validation null deviance                          |
| xval   | Retrieve the cross-validation null deviance                    |

---

|              |   |
|--------------|---|
| h2o.null_dof | <i>Retrieve the null degrees of freedom</i> |
|--------------|---|

---

### Description

If "train", "valid", and "xval" parameters are FALSE (default), then the training null degrees of freedom value is returned. If more than one parameter is set to TRUE, then a named vector of null degrees of freedom are returned, where the names are "train", "valid" or "xval".

### Usage

```
h2o.null_dof(object, train = FALSE, valid = FALSE, xval = FALSE)
```

### Arguments

|        |  |
|--------|--|
| object | An <a href="#">H2OModel</a> or <a href="#">H2OModelMetrics</a> |
| train  | Retrieve the training null degrees of freedom                  |
| valid  | Retrieve the validation null degrees of freedom                |
| xval   | Retrieve the cross-validation null degrees of freedom          |

---

|                    |   |
|--------------------|---|
| h2o.num_iterations | <i>Retrieve the number of iterations.</i> |
|--------------------|---|

---

### Description

Retrieve the number of iterations.

### Usage

```
h2o.num_iterations(object)
```

### Arguments

|        |   |
|--------|---|
| object | An <a href="#">H2OClusteringModel</a> object.               |
| ...    | further arguments to be passed on (currently unimplemented) |

---

h2o.num\_valid\_substrings

*Count of substrings  $\geq 2$  chars that are contained in file*

---

### Description

Find the count of all possible substrings  $\geq 2$  chars that are contained in the specified line-separated text file.

### Usage

```
h2o.num_valid_substrings(x, path)
```

### Arguments

|      |   |
|------|---|
| x    | The column on which to calculate the number of valid substrings.      |
| path | Path to text file containing line-separated strings to be referenced. |

---

h2o.openLog

*View H2O R Logs*

---

### Description

Open existing logs of H2O R POST commands and error responses on local disk. Used primarily for debugging purposes.

### Usage

```
h2o.openLog(type)
```

### Arguments

|      |                          |
|------|--------------------------|
| type | Currently unimplemented. |
|------|--------------------------|

### See Also

[h2o.startLogging](#), [h2o.stopLogging](#), [h2o.clearLog](#)

### Examples

```
## Not run:
h2o.init()

h2o.startLogging()
ausPath = system.file("extdata", "australia.csv", package="h2o")
australia.hex = h2o.importFile(path = ausPath)
h2o.stopLogging()

# Not run to avoid windows being opened during R CMD check
# h2o.openLog("Command")
# h2o.openLog("Error")

## End(Not run)
```

---

|              |                         |
|--------------|-------------------------|
| h2o.parseRaw | <i>H2O Data Parsing</i> |
|--------------|-------------------------|

---

**Description**

The second phase in the data ingestion step.

**Usage**

```
h2o.parseRaw(data, pattern = "", destination_frame = "", header = NA,
  sep = "", col.names = NULL, col.types = NULL, na.strings = NULL,
  blocking = FALSE, parse_type = NULL, chunk_size = NULL,
  decrypt_tool = NULL, skipped_columns = NULL)
```

**Arguments**

|                   |  |
|-------------------|--|
| data              | An H2OFrame object to be parsed.   |
| pattern           | (Optional) Character string containing a regular expression to match file(s) in the folder.  |
| destination_frame | (Optional) The hex key assigned to the parsed file.  |
| header            | (Optional) A logical value indicating whether the first row is the column header. If missing, H2O will automatically try to detect the presence of a header.                                   |
| sep               | (Optional) The field separator character. Values on each line of the file are separated by this character. If sep = "", the parser will automatically detect the separator.                    |
| col.names         | (Optional) An H2OFrame object containing a single delimited line with the column names for the file. If skipped_columns are specified, only list column names of columns that are not skipped. |
| col.types         | (Optional) A vector specifying the types to attempt to force over columns. If skipped_columns are specified, only list column types of columns that are not skipped.                           |
| na.strings        | (Optional) H2O will interpret these strings as missing.  |
| blocking          | (Optional) Tell H2O parse call to block synchronously instead of polling. This can be faster for small datasets but loses the progress bar.  |
| parse_type        | (Optional) Specify which parser type H2O will use. Valid types are "ARFF", "XLS", "CSV", "SVMLight"  |
| chunk_size        | size of chunk of (input) data in bytes   |
| decrypt_tool      | (Optional) Specify a Decryption Tool (key-reference acquired by calling <a href="#">h2o.decryptionSetup</a> .  |
| skipped_columns   | a list of column indices to be excluded from parsing   |

**Details**

Parse the Raw Data produced by the import phase.

**See Also**

[h2o.importFile](#), [h2o.parseSetup](#)

---

h2o.parseSetup                    *Get a parse setup back for the staged data.*

---

### Description

Get a parse setup back for the staged data.

### Usage

```
h2o.parseSetup(data, pattern = "", destination_frame = "",
  header = NA, sep = "", col.names = NULL, col.types = NULL,
  na.strings = NULL, parse_type = NULL, chunk_size = NULL,
  decrypt_tool = NULL, skipped_columns = NULL)
```

### Arguments

|                   |  |
|-------------------|--|
| data              | An H2OFrame object to be parsed.   |
| pattern           | (Optional) Character string containing a regular expression to match file(s) in the folder.  |
| destination_frame | (Optional) The hex key assigned to the parsed file.  |
| header            | (Optional) A logical value indicating whether the first row is the column header. If missing, H2O will automatically try to detect the presence of a header.                                   |
| sep               | (Optional) The field separator character. Values on each line of the file are separated by this character. If sep = "", the parser will automatically detect the separator.                    |
| col.names         | (Optional) An H2OFrame object containing a single delimited line with the column names for the file. If skipped_columns are specified, only list column names of columns that are not skipped. |
| col.types         | (Optional) A vector specifying the types to attempt to force over columns. If skipped_columns are specified, only list column types of columns that are not skipped.                           |
| na.strings        | (Optional) H2O will interpret these strings as missing.  |
| parse_type        | (Optional) Specify which parser type H2O will use. Valid types are "ARFF", "XLS", "CSV", "SVMLight"  |
| chunk_size        | size of chunk of (input) data in bytes   |
| decrypt_tool      | (Optional) Specify a Decryption Tool (key-reference acquired by calling <a href="#">h2o.decryptionSetup</a> ).   |
| skipped_columns   | a list of column indices to be excluded from parsing   |

### See Also

[h2o.parseRaw](#)

---

|                 |                                 |
|-----------------|---------------------------------|
| h2o.partialPlot | <i>Partial Dependence Plots</i> |
|-----------------|---------------------------------|

---

### Description

Partial dependence plot gives a graphical depiction of the marginal effect of a variable on the response. The effect of a variable is measured in change in the mean response. Note: Unlike random-Forest's partialPlot when plotting partial dependence the mean response (probabilities) is returned rather than the mean of the log class probability.

### Usage

```
h2o.partialPlot(object, data, cols, destination_key, nbins = 20,
  plot = TRUE, plot_stddev = TRUE, weight_column = -1,
  include_na = FALSE, user_splits = NULL, save_to = NULL)
```

### Arguments

|                 |   |
|-----------------|---|
| object          | An <a href="#">H2OModel</a> object.   |
| data            | An <a href="#">H2OFrame</a> object used for scoring and constructing the plot.  |
| cols            | Feature(s) for which partial dependence will be calculated.   |
| destination_key | An key reference to the created partial dependence tables in H2O.   |
| nbins           | Number of bins used. For categorical columns make sure the number of bins exceeds the level count. If you enable <code>add_missing_NA</code> , the returned length will be <code>nbin+1</code> .  |
| plot            | A logical specifying whether to plot partial dependence table.  |
| plot_stddev     | A logical specifying whether to add std err to partial dependence plot.   |
| weight_column   | A string denoting which column of data should be used as the weight column.   |
| include_na      | A logical specifying whether missing value should be included in the Feature values.  |
| user_splits     | A two-level nested list containing user defined split points for pdp plots for each column. If there are two columns using user defined split points, there should be two lists in the nested list. Inside each list, the first element is the column name followed by values defined by the user.  |
| save_to         | Fully qualified prefix of the image files the resulting plots should be saved to, e.g. <code>'/home/user/pdp'</code> . Plots for each feature are saved separately in PNG format, each file receives a suffix equal to the corresponding feature name, e.g. <code>'/home/user/pdp_AGE.png'</code> . If the files already exists, they will be overridden. Files are only saves if <code>plot = TRUE</code> (default). |

### Value

Plot and list of calculated mean response tables for each feature requested.

## Examples

```
library(h2o)
h2o.init()
prostate.path <- system.file("extdata", "prostate.csv", package="h2o")
prostate.hex <- h2o.uploadFile(path = prostate.path, destination_frame = "prostate.hex")
prostate.hex[, "CAPSULE"] <- as.factor(prostate.hex[, "CAPSULE"])
prostate.hex[, "RACE"] <- as.factor(prostate.hex[, "RACE"])
prostate.gbm <- h2o.gbm(x = c("AGE", "RACE"),
  y = "CAPSULE",
  training_frame = prostate.hex,
  ntrees = 10,
  max_depth = 5,
  learn_rate = 0.1)
h2o.partialPlot(object = prostate.gbm, data = prostate.hex, cols = c("AGE", "RACE"))
```

---

h2o.performance

*Model Performance Metrics in H2O*


---

## Description

Given a trained h2o model, compute its performance on the given dataset. However, if the dataset does not contain the response/target column, no performance will be returned. Instead, a warning message will be printed.

## Usage

```
h2o.performance(model, newdata = NULL, train = FALSE, valid = FALSE,
  xval = FALSE, data = NULL)
```

## Arguments

|         |   |
|---------|---|
| model   | An <a href="#">H2OModel</a> object  |
| newdata | An <a href="#">H2OFrame</a> . The model will make predictions on this dataset, and subsequently score them. The dataset should match the dataset that was used to train the model, in terms of column names, types, and dimensions. If newdata is passed in, then train, valid, and xval are ignored.   |
| train   | A logical value indicating whether to return the training metrics (constructed during training).<br>Note: when the trained h2o model uses <code>balance_classes</code> , the training metrics constructed during training will be from the balanced training dataset. For more information visit: <a href="https://0xdata.atlassian.net/browse/TN-9">https://0xdata.atlassian.net/browse/TN-9</a> |
| valid   | A logical value indicating whether to return the validation metrics (constructed during training).  |
| xval    | A logical value indicating whether to return the cross-validation metrics (constructed during training).  |
| data    | (DEPRECATED) An <a href="#">H2OFrame</a> . This argument is now called 'newdata'.   |



**Value**

Returns an object of the [H2OModelMetrics](#) subclass.

**Examples**

```
library(h2o)
h2o.init()
prosPath <- system.file("extdata", "prostate.csv", package="h2o")
prostate.hex <- h2o.uploadFile(path = prosPath)
prostate.hex$CAPSULE <- as.factor(prostate.hex$CAPSULE)
prostate.gbm <- h2o.gbm(3:9, "CAPSULE", prostate.hex)
h2o.performance(model = prostate.gbm, newdata=prostate.hex)

## If model uses balance_classes
## the results from train = TRUE will not match the results from newdata = prostate.hex
prostate.gbm.balanced <- h2o.gbm(3:9, "CAPSULE", prostate.hex, balance_classes = TRUE)
h2o.performance(model = prostate.gbm.balanced, newdata = prostate.hex)
h2o.performance(model = prostate.gbm.balanced, train = TRUE)
```

---

h2o.pivot

*Pivot a frame*


---

**Description**

Pivot the frame designated by the three columns: index, column, and value. Index and column should be of type enum, int, or time. For cases of multiple indexes for a column label, the aggregation method is to pick the first occurrence in the data frame

**Usage**

```
h2o.pivot(x, index, column, value)
```

**Arguments**

|        |  |
|--------|--|
| x      | an H2OFrame  |
| index  | the column where pivoted rows should be aligned on |
| column | the column to pivot                                |
| value  | values of the pivoted table                        |

**Value**

An H2OFrame with columns from the columns arg, aligned on the index arg, with values from values arg

h2o.prcomp

*Principal component analysis of an H2O data frame***Description**

Principal components analysis of an H2O data frame using the power method to calculate the singular value decomposition of the Gram matrix.

**Usage**

```
h2o.prcomp(training_frame, x, model_id = NULL, validation_frame = NULL,
  ignore_const_cols = TRUE, score_each_iteration = FALSE,
  transform = c("NONE", "STANDARDIZE", "NORMALIZE", "DEMEAN", "DESCALE"),
  pca_method = c("GramSVD", "Power", "Randomized", "GLRM"),
  pca_impl = c("MTJ_EVD_DENSEMATRIX", "MTJ_EVD_SYMMMATRIX",
  "MTJ_SVD_DENSEMATRIX", "JAMA"), k = 1, max_iterations = 1000,
  use_all_factor_levels = FALSE, compute_metrics = TRUE,
  impute_missing = FALSE, seed = -1, max_runtime_secs = 0)
```

**Arguments**

|                      |   |
|----------------------|---|
| training_frame       | Id of the training data frame.  |
| x                    | A vector containing the character names of the predictors in the model.   |
| model_id             | Destination id for this model; auto-generated if not specified.   |
| validation_frame     | Id of the validation data frame.  |
| ignore_const_cols    | Logical. Ignore constant columns. Defaults to TRUE.   |
| score_each_iteration | Logical. Whether to score during each iteration of model training. Defaults to FALSE.   |
| transform            | Transformation of training data Must be one of: "NONE", "STANDARDIZE", "NORMALIZE", "DEMEAN", "DESCALE". Defaults to NONE.  |
| pca_method           | Specify the algorithm to use for computing the principal components: GramSVD - uses a distributed computation of the Gram matrix, followed by a local SVD; Power - computes the SVD using the power iteration method (experimental); Randomized - uses randomized subspace iteration method; GLRM - fits a generalized low-rank model with L2 loss function and no regularization and solves for the SVD using local matrix algebra (experimental) Must be one of: "GramSVD", "Power", "Randomized", "GLRM". Defaults to GramSVD.   |
| pca_impl             | Specify the implementation to use for computing PCA (via SVD or EVD): MTJ_EVD_DENSEMATRIX - eigenvalue decompositions for dense matrix using MTJ; MTJ_EVD_SYMMMATRIX - eigenvalue decompositions for symmetric matrix using MTJ; MTJ_SVD_DENSEMATRIX - singular-value decompositions for dense matrix using MTJ; JAMA - eigenvalue decompositions for dense matrix using JAMA. References: JAMA - <a href="http://math.nist.gov/javanumerics/jama/">http://math.nist.gov/javanumerics/jama/</a> ; MTJ - <a href="https://github.com/fommil/matrix-toolkits-java/">https://github.com/fommil/matrix-toolkits-java/</a> Must be one of: "MTJ_EVD_DENSEMATRIX", "MTJ_EVD_SYMMMATRIX", "MTJ_SVD_DENSEMATRIX", "JAMA". |
| k                    | Rank of matrix approximation Defaults to 1.   |

**max\_iterations** Maximum training iterations Defaults to 1000.  
**use\_all\_factor\_levels** Logical. Whether first factor level is included in each categorical expansion Defaults to FALSE.  
**compute\_metrics** Logical. Whether to compute metrics on the training data Defaults to TRUE.  
**impute\_missing** Logical. Whether to impute missing entries with the column mean Defaults to FALSE.  
**seed** Seed for random numbers (affects certain parts of the algo that are stochastic and those might or might not be enabled by default) Defaults to -1 (time-based random number).  
**max\_runtime\_secs** Maximum allowed runtime in seconds for model training. Use 0 to disable. Defaults to 0.

**Value**

Returns an object of class [H2ODimReductionModel](#).

**References**

N. Halko, P.G. Martinsson, J.A. Tropp. Finding structure with randomness: Probabilistic algorithms for constructing approximate matrix decompositions[<http://arxiv.org/abs/0909.4061>]. SIAM Rev., Survey and Review section, Vol. 53, num. 2, pp. 217-288, June 2011.

**See Also**

[h2o.svd](#), [h2o.glm](#)

**Examples**

```

library(h2o)
h2o.init()
ausPath <- system.file("extdata", "australia.csv", package="h2o")
australia.hex <- h2o.uploadFile(path = ausPath)
h2o.prcomp(training_frame = australia.hex, k = 8, transform = "STANDARDIZE")
  
```

---

h2o.predict\_json

*H2O Prediction from R without having H2O running*


---

**Description**

Provides the method `h2o.predict` with which you can predict a MOJO or POJO Jar model from R.

**Usage**

```
h2o.predict_json(model, json, genmodelpath, labels, classpath, javaoptions)
```

**Arguments**

|              |   |
|--------------|---|
| model        | String with file name of MOJO or POJO Jar   |
| json         | JSON String with inputs to model  |
| genmodelpath | (Optional) path name to h2o-genmodel.jar, if not set defaults to same dir as MOJO                   |
| labels       | (Optional) if TRUE then show output labels in result  |
| classpath    | (Optional) Extra items for the class path of where to look for Java classes, e.g., h2o-genmodel.jar |
| javaoptions  | (Optional) Java options string, default if "-Xmx4g"   |

**Value**

Returns an object with the prediction result

**Examples**

```
library(h2o)
h2o.predict_json('~/GBM_model_python_1473313897851_6.zip', '{"C7":1}')
h2o.predict_json('~/GBM_model_python_1473313897851_6.zip', '{"C7":1}', c(".", "lib"))
```

---

h2o.print

*Print An H2OFrame*

---

**Description**

Print An H2OFrame

**Usage**

```
h2o.print(x, n = 6L)
```

**Arguments**

|     |  |
|-----|--|
| x   | An H2OFrame object   |
| n   | An (Optional) A single integer. If positive, number of rows in x to return. If negative, all but the n first/last number of rows in x. Anything bigger than 20 rows will require asking the server (first 20 rows are cached on the client). |
| ... | Further arguments to be passed from or to other methods.   |

---

|          |   |
|----------|---|
| h2o.prod | <i>Return the product of all the values present in its arguments.</i> |
|----------|---|

---

**Description**

Return the product of all the values present in its arguments.

**Usage**

```
h2o.prod(x)
```

**Arguments**

|   |                     |
|---|---------------------|
| x | An H2OFrame object. |
|---|---------------------|

**See Also**

[prod](#) for the base R implementation.

---

|                     |   |
|---------------------|---|
| h2o.proj_archetypes | <i>Convert Archetypes to Features from H2O GLRM Model</i> |
|---------------------|---|

---

**Description**

Project each archetype in an H2O GLRM model into the corresponding feature space from the H2O training frame.

**Usage**

```
h2o.proj_archetypes(object, data, reverse_transform = FALSE)
```

**Arguments**

|                   |  |
|-------------------|--|
| object            | An <a href="#">H2ODimReductionModel</a> object that represents the model containing archetypes to be projected.  |
| data              | An H2OFrame object representing the training data for the H2O GLRM model.  |
| reverse_transform | (Optional) A logical value indicating whether to reverse the transformation from model-building by re-scaling columns and adding back the offset to each column of the projected archetypes. |

**Value**

Returns an H2OFrame object containing the projection of the archetypes down into the original feature space, where each row is one archetype.

**See Also**

[h2o.g1rm](#) for making an H2ODimReductionModel.

**Examples**

```
library(h2o)
h2o.init()
irisPath <- system.file("extdata", "iris_wheader.csv", package="h2o")
iris.hex <- h2o.uploadFile(path = irisPath)
iris.glm <- h2o.glm(training_frame = iris.hex, k = 4, loss = "Quadratic",
                   multi_loss = "Categorical", max_iterations = 1000)
iris.parch <- h2o.proj_archetypes(iris.glm, iris.hex)
head(iris.parch)
```

---

h2o.pr\_auc

*Retrieve the pr\_auc*


---

**Description**

Retrieves the pr\_auc value from an [H2O Binomial Metrics](#). If "train", "valid", and "xval" parameters are FALSE (default), then the training pr\_auc value is returned. If more than one parameter is set to TRUE, then a named vector of pr\_aucs are returned, where the names are "train", "valid" or "xval".

**Usage**

```
h2o.pr_auc(object, train = FALSE, valid = FALSE, xval = FALSE)
```

**Arguments**

|        |   |
|--------|---|
| object | An <a href="#">H2O Binomial Metrics</a> object. |
| train  | Retrieve the training pr_auc                    |
| valid  | Retrieve the validation pr_auc                  |
| xval   | Retrieve the cross-validation pr_auc            |

**See Also**

[h2o.giniCoef](#) for the Gini coefficient, [h2o.mse](#) for MSE, and [h2o.metric](#) for the various threshold metrics. See [h2o.performance](#) for creating H2O Model Metrics objects.

**Examples**

```
library(h2o)
h2o.init()

prosPath <- system.file("extdata", "prostate.csv", package="h2o")
hex <- h2o.uploadFile(prosPath)

hex[,2] <- as.factor(hex[,2])
model <- h2o.gbm(x = 3:9, y = 2, training_frame = hex, distribution = "bernoulli")
perf <- h2o.performance(model, hex)
h2o.pr_auc(perf)
```

---

|              |                                 |
|--------------|---------------------------------|
| h2o.quantile | <i>Quantiles of H2O Frames.</i> |
|--------------|---------------------------------|

---

**Description**

Obtain and display quantiles for H2O parsed data.

**Usage**

```
h2o.quantile(x, probs = c(0.001, 0.01, 0.1, 0.25, 0.333, 0.5, 0.667,
  0.75, 0.9, 0.99, 0.999), combine_method = c("interpolate", "average",
  "avg", "low", "high"), weights_column = NULL, ...)

## S3 method for class 'H2OFrame'
quantile(x, probs = c(0.001, 0.01, 0.1, 0.25, 0.333,
  0.5, 0.667, 0.75, 0.9, 0.99, 0.999), combine_method = c("interpolate",
  "average", "avg", "low", "high"), weights_column = NULL, ...)
```

**Arguments**

|                |  |
|----------------|--|
| x              | An H2OFrame object with a single numeric column.   |
| probs          | Numeric vector of probabilities with values in [0,1].  |
| combine_method | How to combine quantiles for even sample sizes. Default is to do linear interpolation. E.g., If method is "lo", then it will take the lo value of the quantile. Abbreviations for average, low, and high are acceptable (avg, lo, hi). |
| weights_column | (Optional) String name of the observation weights column in x or an H2OFrame object with a single numeric column of observation weights.   |
| ...            | Further arguments passed to or from other methods.   |

**Details**

quantile.H2OFrame, a method for the [quantile](#) generic. Obtain and return quantiles for an H2OFrame object.

**Value**

A vector describing the percentiles at the given cutoffs for the H2OFrame object.

**Examples**

```
# Request quantiles for an H2O parsed data set:
library(h2o)
h2o.init()
prosPath <- system.file("extdata", "prostate.csv", package="h2o")
prostate.hex <- h2o.uploadFile(path = prosPath)
# Request quantiles for a subset of columns in an H2O parsed data set
quantile(prostate.hex[,3])
for(i in 1:ncol(prostate.hex))
  quantile(prostate.hex[,i])
```

---

|        |                              |
|--------|------------------------------|
| h2o.r2 | <i>Retrieve the R2 value</i> |
|--------|------------------------------|

---

### Description

Retrieves the R2 value from an H2O model. Will return  $R^2$  for GLM Models and will return NaN otherwise. If "train", "valid", and "xval" parameters are FALSE (default), then the training R2 value is returned. If more than one parameter is set to TRUE, then a named vector of R2s are returned, where the names are "train", "valid" or "xval".

### Usage

```
h2o.r2(object, train = FALSE, valid = FALSE, xval = FALSE)
```

### Arguments

|        |   |
|--------|---|
| object | An <a href="#">H2OModel</a> object.   |
| train  | Retrieve the training R2  |
| valid  | Retrieve the validation set R2 if a validation set was passed in during model build time. |
| xval   | Retrieve the cross-validation R2  |

### Examples

```
library(h2o)

h <- h2o.init()
fr <- as.h2o(iris)

m <- h2o.glm(x=2:5,y=1,training_frame=fr)

h2o.r2(m)
```

---

|                  |                                    |
|------------------|------------------------------------|
| h2o.randomForest | <i>Build a Random Forest model</i> |
|------------------|------------------------------------|

---

### Description

Builds a Random Forest model on an H2OFrame.

### Usage

```
h2o.randomForest(x, y, training_frame, model_id = NULL,
  validation_frame = NULL, nfolds = 0,
  keep_cross_validation_models = TRUE,
  keep_cross_validation_predictions = FALSE,
  keep_cross_validation_fold_assignment = FALSE,
  score_each_iteration = FALSE, score_tree_interval = 0,
```



```

fold_assignment = c("AUTO", "Random", "Modulo", "Stratified"),
fold_column = NULL, ignore_const_cols = TRUE, offset_column = NULL,
weights_column = NULL, balance_classes = FALSE,
class_sampling_factors = NULL, max_after_balance_size = 5,
max_hit_ratio_k = 0, ntrees = 50, max_depth = 20, min_rows = 1,
nbins = 20, nbins_top_level = 1024, nbins_cats = 1024,
r2_stopping = Inf, stopping_rounds = 0, stopping_metric = c("AUTO",
"deviance", "logloss", "MSE", "RMSE", "MAE", "RMSLE", "AUC",
"lift_top_group", "misclassification", "mean_per_class_error"),
stopping_tolerance = 0.001, max_runtime_secs = 0, seed = -1,
build_tree_one_node = FALSE, mtries = -1,
sample_rate = 0.6320000291, sample_rate_per_class = NULL,
binomial_double_trees = FALSE, checkpoint = NULL,
col_sample_rate_change_per_level = 1, col_sample_rate_per_tree = 1,
min_split_improvement = 1e-05, histogram_type = c("AUTO",
"UniformAdaptive", "Random", "QuantilesGlobal", "RoundRobin"),
categorical_encoding = c("AUTO", "Enum", "OneHotInternal",
"OneHotExplicit", "Binary", "Eigen", "LabelEncoder", "SortByResponse",
"EnumLimited"), calibrate_model = FALSE, calibration_frame = NULL,
distribution = c("AUTO", "bernoulli", "multinomial", "gaussian",
"poisson", "gamma", "tweedie", "laplace", "quantile", "huber"),
custom_metric_func = NULL, verbose = FALSE)

```

## Arguments

- |                                       |   |
|---------------------------------------|---|
| x                                     | (Optional) A vector containing the names or indices of the predictor variables to use in building the model. If x is missing, then all columns except y are used.   |
| y                                     | The name or column index of the response variable in the data. The response must be either a numeric or a categorical/factor variable. If the response is numeric, then a regression model will be trained, otherwise it will train a classification model. |
| training_frame                        | Id of the training data frame.  |
| model_id                              | Destination id for this model; auto-generated if not specified.   |
| validation_frame                      | Id of the validation data frame.  |
| nfolds                                | Number of folds for K-fold cross-validation (0 to disable or >= 2). Defaults to 0.  |
| keep_cross_validation_models          | Logical. Whether to keep the cross-validation models. Defaults to TRUE.   |
| keep_cross_validation_predictions     | Logical. Whether to keep the predictions of the cross-validation models. Defaults to FALSE.   |
| keep_cross_validation_fold_assignment | Logical. Whether to keep the cross-validation fold assignment. Defaults to FALSE.   |
| score_each_iteration                  | Logical. Whether to score during each iteration of model training. Defaults to FALSE.   |
| score_tree_interval                   | Score the model after every so many trees. Disabled if set to 0. Defaults to 0.   |

|                        |   |
|------------------------|---|
| fold_assignment        | Cross-validation fold assignment scheme, if fold_column is not specified. The 'Stratified' option will stratify the folds based on the response variable, for classification problems. Must be one of: "AUTO", "Random", "Modulo", "Stratified". Defaults to AUTO.  |
| fold_column            | Column with cross-validation fold index assignment per observation.   |
| ignore_const_cols      | Logical. Ignore constant columns. Defaults to TRUE.   |
| offset_column          | Offset column. This argument is deprecated and has no use for Random Forest.  |
| weights_column         | Column with observation weights. Giving some observation a weight of zero is equivalent to excluding it from the dataset; giving an observation a relative weight of 2 is equivalent to repeating that row twice. Negative weights are not allowed. Note: Weights are per-row observation weights and do not increase the size of the data frame. This is typically the number of times a row is repeated, but non-integer values are supported as well. During training, rows with higher weights matter more, due to the larger loss function pre-factor. |
| balance_classes        | Logical. Balance training data class counts via over/under-sampling (for imbalanced data). Defaults to FALSE.   |
| class_sampling_factors | Desired over/under-sampling ratios per class (in lexicographic order). If not specified, sampling factors will be automatically computed to obtain class balance during training. Requires balance_classes.   |
| max_after_balance_size | Maximum relative size of the training data after balancing class counts (can be less than 1.0). Requires balance_classes. Defaults to 5.0.  |
| max_hit_ratio_k        | Max. number (top K) of predictions to use for hit ratio computation (for multi-class only, 0 to disable) Defaults to 0.   |
| ntrees                 | Number of trees. Defaults to 50.  |
| max_depth              | Maximum tree depth. Defaults to 20.   |
| min_rows               | Fewest allowed (weighted) observations in a leaf. Defaults to 1.  |
| nbins                  | For numerical columns (real/int), build a histogram of (at least) this many bins, then split at the best point Defaults to 20.  |
| nbins_top_level        | For numerical columns (real/int), build a histogram of (at most) this many bins at the root level, then decrease by factor of two per level Defaults to 1024.   |
| nbins_cats             | For categorical columns (factors), build a histogram of this many bins, then split at the best point. Higher values can lead to more overfitting. Defaults to 1024.   |
| r2_stopping            | r2_stopping is no longer supported and will be ignored if set - please use stopping_rounds, stopping_metric and stopping_tolerance instead. Previous version of H2O would stop making trees when the R <sup>2</sup> metric equals or exceeds this Defaults to 1.797693135e+308.   |
| stopping_rounds        | Early stopping based on convergence of stopping_metric. Stop if simple moving average of length k of the stopping_metric does not improve for k:=stopping_rounds scoring events (0 to disable) Defaults to 0.   |

|                                  |  |
|----------------------------------|--|
| stopping_metric                  | Metric to use for early stopping (AUTO: logloss for classification, deviance for regression) Must be one of: "AUTO", "deviance", "logloss", "MSE", "RMSE", "MAE", "RMSLE", "AUC", "lift_top_group", "misclassification", "mean_per_class_error". Defaults to AUTO. |
| stopping_tolerance               | Relative tolerance for metric-based stopping criterion (stop if relative improvement is not at least this much) Defaults to 0.001.   |
| max_runtime_secs                 | Maximum allowed runtime in seconds for model training. Use 0 to disable. Defaults to 0.  |
| seed                             | Seed for random numbers (affects certain parts of the algo that are stochastic and those might or might not be enabled by default) Defaults to -1 (time-based random number).  |
| build_tree_one_node              | Logical. Run on one node only; no network overhead but fewer cpus used. Suitable for small datasets. Defaults to FALSE.  |
| mtries                           | Number of variables randomly sampled as candidates at each split. If set to -1, defaults to sqrt(p) for classification and p/3 for regression (where p is the # of predictors Defaults to -1.  |
| sample_rate                      | Row sample rate per tree (from 0.0 to 1.0) Defaults to 0.6320000291.   |
| sample_rate_per_class            | A list of row sample rates per class (relative fraction for each class, from 0.0 to 1.0), for each tree  |
| binomial_double_trees            | Logical. For binary classification: Build 2x as many trees (one per class) - can lead to higher accuracy. Defaults to FALSE.   |
| checkpoint                       | Model checkpoint to resume training with.  |
| col_sample_rate_change_per_level | Relative change of the column sampling rate for every level (must be > 0.0 and <= 2.0) Defaults to 1.  |
| col_sample_rate_per_tree         | Column sample rate per tree (from 0.0 to 1.0) Defaults to 1.   |
| min_split_improvement            | Minimum relative improvement in squared error reduction for a split to happen Defaults to 1e-05.   |
| histogram_type                   | What type of histogram to use for finding optimal split points Must be one of: "AUTO", "UniformAdaptive", "Random", "QuantilesGlobal", "RoundRobin". Defaults to AUTO.   |
| categorical_encoding             | Encoding scheme for categorical features Must be one of: "AUTO", "Enum", "OneHotInternal", "OneHotExplicit", "Binary", "Eigen", "LabelEncoder", "Sort-ByResponse", "EnumLimited". Defaults to AUTO.  |
| calibrate_model                  | Logical. Use Platt Scaling to calculate calibrated class probabilities. Calibration can provide more accurate estimates of class probabilities. Defaults to FALSE.   |
| calibration_frame                | Calibration frame for Platt Scaling  |

|                    |   |
|--------------------|---|
| distribution       | Distribution. This argument is deprecated and has no use for Random Forest.   |
| custom_metric_func | Reference to custom evaluation function, format: 'language:keyName=funcName'  |
| verbose            | Logical. Print scoring history to the console (Metrics per tree for GBM, DRF, & XGBoost. Metrics per epoch for Deep Learning). Defaults to FALSE. |

**Value**

Creates a [H2OModel](#) object of the right type.

**See Also**

[predict.H2OModel](#) for prediction

---

|           |  |
|-----------|--|
| h2o.range | <i>Returns a vector containing the minimum and maximum of all the given arguments.</i> |
|-----------|--|

---

**Description**

Returns a vector containing the minimum and maximum of all the given arguments.

**Usage**

```
h2o.range(x, na.rm = FALSE, finite = FALSE)
```

**Arguments**

|        |   |
|--------|---|
| x      | An H2OFrame object.   |
| na.rm  | logical. indicating whether missing values should be removed.     |
| finite | logical. indicating if all non-finite elements should be omitted. |

**See Also**

[range](#) for the base R implementation.

**h2o.rank\_within\_group\_by**

*This function will add a new column rank where the ranking is produced as follows: 1. sorts the H2OFrame by columns sorted in by columns specified in group\_by\_cols and sort\_cols in the directions specified by the ascending for the sort\_cols. The sort directions for the group\_by\_cols are ascending only. 2. A new rank column is added to the frame which will contain a rank assignment performed next. The user can choose to assign a name to this new column. The default name is New\_Rank\_column. 3. For each groupby groups, a rank is assigned to the row starting from 1, 2, ... to the end of that group. 4. If sort\_cols\_sorted is TRUE, a final sort on the frame will be performed frame according to the sort\_cols and the sort directions in ascending. If sort\_cols\_sorted is FALSE (by default), the frame from step 3 will be returned as is with no extra sort. This may provide a small speedup if desired.*

---

## Description

This function will add a new column rank where the ranking is produced as follows: 1. sorts the H2OFrame by columns sorted in by columns specified in `group_by_cols` and `sort_cols` in the directions specified by the ascending for the `sort_cols`. The sort directions for the `group_by_cols` are ascending only. 2. A new rank column is added to the frame which will contain a rank assignment performed next. The user can choose to assign a name to this new column. The default name is `New_Rank_column`. 3. For each groupby groups, a rank is assigned to the row starting from 1, 2, ... to the end of that group. 4. If `sort_cols_sorted` is `TRUE`, a final sort on the frame will be performed frame according to the `sort_cols` and the sort directions in ascending. If `sort_cols_sorted` is `FALSE` (by default), the frame from step 3 will be returned as is with no extra sort. This may provide a small speedup if desired.

## Usage

```
h2o.rank_within_group_by(x, group_by_cols, sort_cols, ascending = NULL,
  new_col_name = "New_Rank_column", sort_cols_sorted = FALSE)
```

## Arguments

`x` The H2OFrame input to be sorted.

`group_by_cols` a list of column names or indices to form the groupby groups

`sort_cols` a list of column names or indices for sorting

`ascending` a list of Boolean to determine if ascending sort (set to `TRUE`) is needed for each column in `sort_cols` (optional). Default is ascending sort for all. To perform descending sort, set value to `FALSE`

`new_col_name` new column name for the newly added rank column if specified (optional). Default name is `New_Rank_column`.

`sort_cols_sorted` Boolean to determine if the final returned frame is to be sorted according to the `sort_cols` and sort directions in ascending. Default is `FALSE`.

The following example is generated by Nidhi Mehta.

If the input frame is train:

```
ID Group_by_column num data Column_to_arrange_by num_1 fdata 12 1 2941.552
1 3 -3177.9077 1 12 1 2941.552 1 5 -13311.8247 1 12 2 -22722.174 1 3 -
3177.9077 1 12 2 -22722.174 1 5 -13311.8247 1 13 3 -12776.884 1 5 -18421.6171
0 13 3 -12776.884 1 4 28080.1607 0 13 1 -6049.830 1 5 -18421.6171 0 13 1 -
6049.830 1 4 28080.1607 0 15 3 -16995.346 1 1 -9781.6373 0 16 1 -10003.593
0 3 -61284.6900 0 16 3 26052.495 1 3 -61284.6900 0 16 3 -22905.288 0 3 -
61284.6900 0 17 2 -13465.496 1 2 12094.4851 1 17 2 -13465.496 1 3 -11772.1338
1 17 2 -13465.496 1 3 -415.1114 0 17 2 -3329.619 1 2 12094.4851 1 17 2 -
3329.619 1 3 -11772.1338 1 17 2 -3329.619 1 3 -415.1114 0
```

If the following commands are issued: `rankedF1 <- h2o.rank_within_group_by(train, c("Group_by_column"), c("Column_to_arrange_by"), c(TRUE))` `h2o.summary(rankedF1)`

The returned frame `rankedF1` will look like this: `ID Group_by_column num fdata Column_to_arrange_by num_1 fdata.1 New_Rank_column 12 1 2941.552 1 3 -3177.9077 1 1 16 1 -10003.593 0 3 -61284.6900 0 2 13 1 -6049.830 0 4 28080.1607 0 3 12 1 2941.552 1 5 -13311.8247 1 4 13 1 -6049.830 0 5 -18421.6171 0 5 17 2 -13465.496 0 2 12094.4851 1 1 17 2 -3329.619 0 2 12094.4851 1 2 12 2 -22722.174 1 3 -3177.9077 1 3 17 2 -13465.496 0 3`

```
-11772.1338 1 4 17 2 -13465.496 0 3 -415.1114 0 5 17 2 -3329.619 0 3 -
11772.1338 1 6 17 2 -3329.619 0 3 -415.1114 0 7 12 2 -22722.174 1 5 -
13311.8247 1 8 15 3 -16995.346 1 1 -9781.6373 0 1 16 3 26052.495 0 3 -
61284.6900 0 2 16 3 -22905.288 1 3 -61284.6900 0 3 13 3 -12776.884 1 4
28080.1607 0 4 13 3 -12776.884 1 5 -18421.6171 0 5
```

If the following commands are issued: `rankedF1 <- h2o.rank_within_group_by(train, c("Group_by_column"), c("Column_to_arrange_by"), c(TRUE), sort_cols_sorted=TRUE)`  
`h2o.summary(rankedF1)`

The returned frame will be sorted according to `sortCols` and hence look like this instead: `ID Group_by_column num fdata Column_to_arrange_by num_1 fdata.1 New_Rank_column 15 3 -16995.346 1 1 -9781.6373 0 1 17 2 -13465.496 0 2 12094.4851 1 1 17 2 -3329.619 0 2 12094.4851 1 2 12 1 2941.552 1 3 -3177.9077 1 1 12 2 -22722.174 1 3 -3177.9077 1 3 16 1 -10003.593 0 3 -61284.6900 0 2 16 3 26052.495 0 3 -61284.6900 0 2 16 3 -22905.288 1 3 -61284.6900 0 3 17 2 -13465.496 0 3 -11772.1338 1 4 17 2 -13465.496 0 3 -415.1114 0 5 17 2 -3329.619 0 3 -11772.1338 1 6 17 2 -3329.619 0 3 -415.1114 0 7 13 3 -12776.884 1 4 28080.1607 0 4 13 1 -6049.830 0 4 28080.1607 0 3 12 1 2941.552 1 5 -13311.8247 1 4 12 2 -22722.174 1 5 -13311.8247 1 8 13 3 -12776.884 1 5 -18421.6171 0 5 13 1 -6049.830 0 5 -18421.6171 0 5`

---

h2o.rbind

*Combine H2O Datasets by Rows*

---

## Description

Takes a sequence of H2O data sets and combines them by rows

## Usage

```
h2o.rbind(...)
```

## Arguments

... A sequence of H2OFrame arguments. All datasets must exist on the same H2O instance (IP and port) and contain the same number and types of columns.

## Value

An H2OFrame object containing the combined ...arguments row-wise.

## See Also

[rbind](#) for the base R method.

## Examples

```
library(h2o)
h2o.init()
prosPath <- system.file("extdata", "prostate.csv", package="h2o")
prostate.hex <- h2o.uploadFile(path = prosPath)
prostate.cbind <- h2o.rbind(prostate.hex, prostate.hex)
```

```
head(prostate.cbind)
```

---

|                 |   |
|-----------------|---|
| h2o.reconstruct | <i>Reconstruct Training Data via H2O GLRM Model</i> |
|-----------------|---|

---

### Description

Reconstruct the training data and impute missing values from the H2O GLRM model by computing the matrix product of X and Y, and transforming back to the original feature space by minimizing each column's loss function.

### Usage

```
h2o.reconstruct(object, data, reverse_transform = FALSE)
```

### Arguments

|                   |   |
|-------------------|---|
| object            | An <a href="#">H2ODimReductionModel</a> object that represents the model to be used for reconstruction.   |
| data              | An H2OFrame object representing the training data for the H2O GLRM model. Used to set the domain of each column in the reconstructed frame.   |
| reverse_transform | (Optional) A logical value indicating whether to reverse the transformation from model-building by re-scaling columns and adding back the offset to each column of the reconstructed frame. |

### Value

Returns an H2OFrame object containing the approximate reconstruction of the training data;

### See Also

[h2o.glm](#) for making an H2ODimReductionModel.

### Examples

```
library(h2o)
h2o.init()
irisPath <- system.file("extdata", "iris_wheader.csv", package="h2o")
iris.hex <- h2o.uploadFile(path = irisPath)
iris.glm <- h2o.glm(training_frame = iris.hex, k = 4, transform = "STANDARDIZE",
                   loss = "Quadratic", multi_loss = "Categorical", max_iterations = 1000)
iris.rec <- h2o.reconstruct(iris.glm, iris.hex, reverse_transform = TRUE)
head(iris.rec)
```

---

|             |   |
|-------------|---|
| h2o.relevel | <i>Reorders levels of an H2O factor, similarly to standard R's relevel.</i> |
|-------------|---|

---

**Description**

The levels of a factor are reordered so that the reference level is at level 0, remaining levels are moved down as needed.

**Usage**

```
h2o.relevel(x, y)
```

**Arguments**

|   |                            |
|---|----------------------------|
| x | factor column in h2o frame |
| y | reference level (string)   |

**Value**

new reordered factor column

**Examples**

```
library(h2o)
h2o.init()

# Convert iris dataset to an H2OFrame
hf <- as.h2o(iris)
# Look at current ordering of the Species column levels
h2o.levels(hf["Species"])
# "setosa"      "versicolor" "virginica"
# Change the reference level to "virginica"
hf["Species"] <- h2o.relevel(x = hf["Species"], y = "virginica")
# Observe new ordering
h2o.levels(hf["Species"])
# "virginica" "setosa"      "versicolor"
```

---

|               |  |
|---------------|--|
| h2o.removeAll | <i>Remove All Objects on the H2O Cluster</i> |
|---------------|--|

---

**Description**

Removes the data from the h2o cluster, but does not remove the local references.

**Usage**

```
h2o.removeAll(timeout_secs = 0)
```



**Arguments**

timeout\_secs    Timeout in seconds. Default is no timeout.

**See Also**

[h2o.rm](#)

**Examples**

```
library(h2o)
h2o.init()
prosPath <- system.file("extdata", "prostate.csv", package = "h2o")
prostate.hex <- h2o.uploadFile(path = prosPath)
h2o.ls()
h2o.removeAll()
h2o.ls()
```

---

|                |  |
|----------------|--|
| h2o.removeVecs | <i>Delete Columns from an H2OFrame</i> |
|----------------|--|

---

**Description**

Delete the specified columns from the H2OFrame. Returns an H2OFrame without the specified columns.

**Usage**

```
h2o.removeVecs(data, cols)
```

**Arguments**

data            The H2OFrame.  
cols            The columns to remove.

---

|             |  |
|-------------|--|
| h2o.rep_len | <i>Replicate Elements of Vectors or Lists into H2O</i> |
|-------------|--|

---

**Description**

h2o.rep\_len performs just as rep does. It replicates the values in x in the H2O backend.

**Usage**

```
h2o.rep_len(x, length.out)
```

**Arguments**

x                an H2O frame  
length.out       non negative integer. The desired length of the output vector.

**Value**

Creates an H2OFrame of the same type as x

---

h2o.residual\_deviance *Retrieve the residual deviance*

---

**Description**

If "train", "valid", and "xval" parameters are FALSE (default), then the training residual deviance value is returned. If more than one parameter is set to TRUE, then a named vector of residual deviances are returned, where the names are "train", "valid" or "xval".

**Usage**

```
h2o.residual_deviance(object, train = FALSE, valid = FALSE,
  xval = FALSE)
```

**Arguments**

|        |  |
|--------|--|
| object | An <a href="#">H2OModel</a> or <a href="#">H2OModelMetrics</a> |
| train  | Retrieve the training residual deviance                        |
| valid  | Retrieve the validation residual deviance                      |
| xval   | Retrieve the cross-validation residual deviance                |

---

h2o.residual\_dof *Retrieve the residual degrees of freedom*

---

**Description**

If "train", "valid", and "xval" parameters are FALSE (default), then the training residual degrees of freedom value is returned. If more than one parameter is set to TRUE, then a named vector of residual degrees of freedom are returned, where the names are "train", "valid" or "xval".

**Usage**

```
h2o.residual_dof(object, train = FALSE, valid = FALSE, xval = FALSE)
```

**Arguments**

|        |  |
|--------|--|
| object | An <a href="#">H2OModel</a> or <a href="#">H2OModelMetrics</a> |
| train  | Retrieve the training residual degrees of freedom              |
| valid  | Retrieve the validation residual degrees of freedom            |
| xval   | Retrieve the cross-validation residual degrees of freedom      |

---

h2o.rm *Delete Objects In H2O*

---

**Description**

Remove the h2o Big Data object(s) having the key name(s) from ids.

**Usage**

```
h2o.rm(ids)
```

**Arguments**

|     |  |
|-----|--|
| ids | The object or hex key associated with the object to be removed or a vector/list of those things. |
|-----|--|

**See Also**

[h2o.assign](#), [h2o.ls](#)

---

h2o.rmse *Retrieves Root Mean Squared Error Value*

---

**Description**

Retrieves the root mean squared error value from an [H2OModelMetrics](#) object. If "train", "valid", and "xval" parameters are FALSE (default), then the training RMSE value is returned. If more than one parameter is set to TRUE, then a named vector of RMSEs are returned, where the names are "train", "valid" or "xval".

**Usage**

```
h2o.rmse(object, train = FALSE, valid = FALSE, xval = FALSE)
```

**Arguments**

|        |  |
|--------|--|
| object | An <a href="#">H2OModelMetrics</a> object of the correct type. |
| train  | Retrieve the training RMSE                                     |
| valid  | Retrieve the validation RMSE                                   |
| xval   | Retrieve the cross-validation RMSE                             |

**Details**

This function only supports [H2OBinomialMetrics](#), [H2OMultinomialMetrics](#), and [H2ORegressionMetrics](#) objects.

**See Also**

[h2o.auc](#) for AUC, [h2o.mse](#) for RMSE, and [h2o.metric](#) for the various threshold metrics. See [h2o.performance](#) for creating [H2OModelMetrics](#) objects.

## Examples

```
library(h2o)
h2o.init()

prosPath <- system.file("extdata", "prostate.csv", package="h2o")
hex <- h2o.uploadFile(prosPath)

hex[,2] <- as.factor(hex[,2])
model <- h2o.gbm(x = 3:9, y = 2, training_frame = hex, distribution = "bernoulli")
perf <- h2o.performance(model, hex)
h2o.rmse(perf)
```

---

h2o.rmsle

*Retrieve the Root Mean Squared Log Error*

---

## Description

Retrieves the root mean squared log error (RMSLE) value from an H2O model. If "train", "valid", and "xval" parameters are FALSE (default), then the training rmsle value is returned. If more than one parameter is set to TRUE, then a named vector of rmsles are returned, where the names are "train", "valid" or "xval".

## Usage

```
h2o.rmsle(object, train = FALSE, valid = FALSE, xval = FALSE)
```

## Arguments

|        |  |
|--------|--|
| object | An <a href="#">H2OModel</a> object.  |
| train  | Retrieve the training rmsle  |
| valid  | Retrieve the validation set rmsle if a validation set was passed in during model build time. |
| xval   | Retrieve the cross-validation rmsle  |

## Examples

```
library(h2o)

h <- h2o.init()
fr <- as.h2o(iris)

m <- h2o.deeplearning(x=2:5,y=1,training_frame=fr)

h2o.rmsle(m)
```

---

|           |  |
|-----------|--|
| h2o.round | <i>Round doubles/floats to the given number of decimal places.</i> |
|-----------|--|

---

**Description**

Round doubles/floats to the given number of decimal places.

**Usage**

```
h2o.round(x, digits = 0)
```

```
round(x, digits = 0)
```

**Arguments**

|        |  |
|--------|--|
| x      | An H2OFrame object.  |
| digits | Number of decimal places to round doubles/floats. Rounding to a negative number of decimal places is |

**See Also**

[round](#) for the base R implementation.

---

|            |                             |
|------------|-----------------------------|
| h2o.rstrip | <i>Strip set from right</i> |
|------------|-----------------------------|

---

**Description**

Return a copy of the target column with trailing characters removed. The set argument is a string specifying the set of characters to be removed. If omitted, the set argument defaults to removing whitespace.

**Usage**

```
h2o.rstrip(x, set = " ")
```

**Arguments**

|     |   |
|-----|---|
| x   | The column whose strings should be rstrip-ed. |
| set | string of characters to be removed            |

**Examples**

```
library(h2o)
h2o.init()
string_to_rstrip <- as.h2o("1234567890")
rstrip_string <- h2o.rstrip(string_to_rstrip,"890") #Remove "890"
```

---

|           |   |
|-----------|---|
| h2o.runif | <i>Produce a Vector of Random Uniform Numbers</i> |
|-----------|---|

---

**Description**

Creates a vector of random uniform numbers equal in length to the length of the specified H2O dataset.

**Usage**

```
h2o.runif(x, seed = -1)
```

**Arguments**

|      |   |
|------|---|
| x    | An H2OFrame object.   |
| seed | A random seed used to generate draws from the uniform distribution. |

**Value**

A vector of random, uniformly distributed numbers. The elements are between 0 and 1.

**Examples**

```
library(h2o)
h2o.init()
prosPath <- system.file("extdata", "prostate.csv", package="h2o")
prostate.hex <- h2o.importFile(path = prosPath, destination_frame = "prostate.hex")
s <- h2o.runif(prostate.hex)
summary(s)

prostate.train <- prostate.hex[s <= 0.8,]
prostate.train <- h2o.assign(prostate.train, "prostate.train")
prostate.test <- prostate.hex[s > 0.8,]
prostate.test <- h2o.assign(prostate.test, "prostate.test")
nrow(prostate.train) + nrow(prostate.test)
```

---

|               |   |
|---------------|---|
| h2o.saveModel | <i>Save an H2O Model Object to Disk</i> |
|---------------|---|

---

**Description**

Save an [H2OModel](#) to disk. (Note that ensemble binary models can be saved.)

**Usage**

```
h2o.saveModel(object, path = "", force = FALSE)
```

### Arguments

|        |   |
|--------|---|
| object | an <a href="#">H2OModel</a> object.                           |
| path   | string indicating the directory the model will be written to. |
| force  | logical, indicates how to deal with files that already exist. |

### Details

In the case of existing files `force = TRUE` will overwrite the file. Otherwise, the operation will fail.

### See Also

[h2o.loadModel](#) for loading a model to H2O from disk

### Examples

```
## Not run:  
# library(h2o)  
# h2o.init()  
# prostate.hex <- h2o.importFile(path = paste("https://raw.githubusercontent.com",  
# "h2oai/h2o-2/master/smalldata/logreg/prostate.csv", sep = "/"),  
# destination_frame = "prostate.hex")  
# prostate.glm <- h2o.glm(y = "CAPSULE", x = c("AGE", "RACE", "PSA", "DCAPS"),  
# training_frame = prostate.hex, family = "binomial", alpha = 0.5)  
# h2o.saveModel(object = prostate.glm, path = "/Users/UserName/Desktop", force=TRUE)  
  
## End(Not run)
```

---

h2o.saveModelDetails *Save an H2O Model Details*

---

### Description

Save Model Details of an H2O Model in JSON Format

### Usage

```
h2o.saveModelDetails(object, path = "", force = FALSE)
```

### Arguments

|        |   |
|--------|---|
| object | an <a href="#">H2OModel</a> object.                                   |
| path   | string indicating the directory the model details will be written to. |
| force  | logical, indicates how to deal with files that already exist.         |

### Details

Model Details will download as a JSON file. In the case of existing files `force = TRUE` will overwrite the file. Otherwise, the operation will fail.

**Examples**

```
## Not run:
# library(h2o)
# h2o.init()
# prostate.hex <- h2o.uploadFile(path = system.file("extdata", "prostate.csv", package="h2o"))
# prostate.glm <- h2o.glm(y = "CAPSULE", x = c("AGE", "RACE", "PSA", "DCAPS"),
#                       training_frame = prostate.hex, family = "binomial", alpha = 0.5)
# h2o.saveModelDetails(object = prostate.glm, path = "/Users/UserName/Desktop", force=TRUE)

## End(Not run)
```

---

h2o.saveMojo

*Save an H2O Model Object as Mojo to Disk*


---

**Description**

Save an MOJO (Model Object, Optimized) to disk.

**Usage**

```
h2o.saveMojo(object, path = "", force = FALSE)
```

**Arguments**

|        |   |
|--------|---|
| object | an <a href="#">H2OModel</a> object.                           |
| path   | string indicating the directory the model will be written to. |
| force  | logical, indicates how to deal with files that already exist. |

**Details**

MOJO will download as a zip file. In the case of existing files `force = TRUE` will overwrite the file. Otherwise, the operation will fail.

**See Also**

[h2o.saveModel](#) for saving a model to disk as a binary object.

**Examples**

```
## Not run:
# library(h2o)
# h2o.init()
# prostate.hex <- h2o.uploadFile(path = system.file("extdata", "prostate.csv", package="h2o"))
# prostate.glm <- h2o.glm(y = "CAPSULE", x = c("AGE", "RACE", "PSA", "DCAPS"),
#                       training_frame = prostate.hex, family = "binomial", alpha = 0.5)
# h2o.saveMojo(object = prostate.glm, path = "/Users/UserName/Desktop", force=TRUE)

## End(Not run)
```



---

`h2o.scale`*Scaling and Centering of an H2OFrame*

---

**Description**

Centers and/or scales the columns of an H2O dataset.

**Usage**

```
h2o.scale(x, center = TRUE, scale = TRUE)
```

```
## S3 method for class 'H2OFrame'  
scale(x, center = TRUE, scale = TRUE)
```

**Arguments**

|                     |   |
|---------------------|---|
| <code>x</code>      | An H2OFrame object.   |
| <code>center</code> | either a logical value or numeric vector of length equal to the number of columns of <code>x</code> . |
| <code>scale</code>  | either a logical value or numeric vector of length equal to the number of columns of <code>x</code> . |

**Examples**

```
library(h2o)  
h2o.init()  
irisPath <- system.file("extdata", "iris_wheader.csv", package="h2o")  
iris.hex <- h2o.uploadFile(path = irisPath, destination_frame = "iris.hex")  
summary(iris.hex)  
  
# Scale and center all the numeric columns in iris data set  
scale(iris.hex[, 1:4])
```

---

`h2o.scoreHistory`*Retrieve Model Score History*

---

**Description**

Retrieve Model Score History

**Usage**

```
h2o.scoreHistory(object)
```

**Arguments**

|                     |                                     |
|---------------------|-------------------------------------|
| <code>object</code> | An <a href="#">H2OModel</a> object. |
|---------------------|-------------------------------------|

---

|        |  |
|--------|--|
| h2o.sd | <i>Standard Deviation of a column of data.</i> |
|--------|--|

---

**Description**

Obtain the standard deviation of a column of data.

**Usage**

```
h2o.sd(x, na.rm = FALSE)
sd(x, na.rm = FALSE)
```

**Arguments**

|       |  |
|-------|--|
| x     | An H2OFrame object.                        |
| na.rm | logical. Should missing values be removed? |

**See Also**

[h2o.var](#) for variance, and [sd](#) for the base R implementation.

**Examples**

```
h2o.init()
prosPath <- system.file("extdata", "prostate.csv", package="h2o")
prostate.hex <- h2o.uploadFile(path = prosPath)
sd(prostate.hex$AGE)
```

---

|          |   |
|----------|---|
| h2o.sdev | <i>Retrieve the standard deviations of principal components</i> |
|----------|---|

---

**Description**

Retrieve the standard deviations of principal components

**Usage**

```
h2o.sdev(object)
```

**Arguments**

|        |   |
|--------|---|
| object | An <a href="#">H2ODimReductionModel</a> object. |
|--------|---|

---

|               |  |
|---------------|--|
| h2o.setLevels | <i>Set Levels of H2O Factor Column</i> |
|---------------|--|

---

**Description**

Works on a single categorical vector. New domains must be aligned with the old domains. This call has SIDE EFFECTS and mutates the column in place (change of the levels will also affect all the frames that are referencing this column). If you want to make a copy of the column instead, use parameter `in.place = FALSE`.

**Usage**

```
h2o.setLevels(x, levels, in.place = TRUE)
```

**Arguments**

|          |  |
|----------|--|
| x        | A single categorical column.   |
| levels   | A character vector specifying the new levels. The number of new levels must match the number of old levels.  |
| in.place | Indicates whether new domain will be directly applied to the column (in place change) or if a copy of the column will be created with the given domain levels. |

**Examples**

```
h2o.init()
iris.hex <- as.h2o(iris)
new.levels <- c("setosa", "versicolor", "caroliniana")
iris.hex$Species <- h2o.setLevels(iris.hex$Species, new.levels, in.place = FALSE)
h2o.levels(iris.hex$Species)
```

---

|                 |   |
|-----------------|---|
| h2o.setTimezone | <i>Set the Time Zone on the H2O Cloud</i> |
|-----------------|---|

---

**Description**

Set the Time Zone on the H2O Cloud

**Usage**

```
h2o.setTimezone(tz)
```

**Arguments**

|    |                       |
|----|-----------------------|
| tz | The desired timezone. |
|----|-----------------------|

---

|                   |                            |
|-------------------|----------------------------|
| h2o.show_progress | <i>Enable Progress Bar</i> |
|-------------------|----------------------------|

---

**Description**

Enable Progress Bar

**Usage**

```
h2o.show_progress()
```

---

|              |                               |
|--------------|-------------------------------|
| h2o.shutdown | <i>Shut Down H2O Instance</i> |
|--------------|-------------------------------|

---

**Description**

Shut down the specified instance. All data will be lost.

**Usage**

```
h2o.shutdown(prompt = TRUE)
```

**Arguments**

|        |  |
|--------|--|
| prompt | A logical value indicating whether to prompt the user before shutting down the H2O server. |
|--------|--|

**Details**

This method checks if H2O is running at the specified IP address and port, and if it is, shuts down that H2O instance.

**WARNING**

All data, models, and other values stored on the server will be lost! Only call this function if you and all other clients connected to the H2O server are finished and have saved your work.

**Note**

Users must call h2o.shutdown explicitly in order to shut down the local H2O instance started by R. If R is closed before H2O, then an attempt will be made to automatically shut down H2O. This only applies to local instances started with h2o.init, not remote H2O servers.

**See Also**

[h2o.init](#)

**Examples**

```
# Don't run automatically to prevent accidentally shutting down a cloud
## Not run:
library(h2o)
h2o.init()
h2o.shutdown()

## End(Not run)
```

---

|            |  |
|------------|--|
| h2o.signif | <i>Round doubles/floats to the given number of significant digits.</i> |
|------------|--|

---

**Description**

Round doubles/floats to the given number of significant digits.

**Usage**

```
h2o.signif(x, digits = 6)
```

```
signif(x, digits = 6)
```

**Arguments**

|        |   |
|--------|---|
| x      | An H2OFrame object.                                   |
| digits | Number of significant digits to round doubles/floats. |

**See Also**

[signif](#) for the base R implementation.

---

|         |                              |
|---------|------------------------------|
| h2o.sin | <i>Compute the sine of x</i> |
|---------|------------------------------|

---

**Description**

Compute the sine of x

**Usage**

```
h2o.sin(x)
```

**Arguments**

|   |                     |
|---|---------------------|
| x | An H2OFrame object. |
|---|---------------------|

**See Also**

[sin](#) for the base R implementation.

---

|              |                             |
|--------------|-----------------------------|
| h2o.skewness | <i>Skewness of a column</i> |
|--------------|-----------------------------|

---

**Description**

Obtain the skewness of a column of a parsed H2O data object.

**Usage**

```
h2o.skewness(x, ..., na.rm = TRUE)

skewness.H2OFrame(x, ..., na.rm = TRUE)
```

**Arguments**

|       |  |
|-------|--|
| x     | An H2OFrame object.  |
| ...   | Further arguments to be passed from or to other methods.   |
| na.rm | A logical value indicating whether NA or missing values should be stripped before the computation. |

**Value**

Returns a list containing the skewness for each column (NaN for non-numeric columns).

**Examples**

```
h2o.init()
prosPath <- system.file("extdata", "prostate.csv", package="h2o")
prostate.hex <- h2o.uploadFile(path = prosPath)
h2o.skewness(prostate.hex$AGE)
```

---

|                |                              |
|----------------|------------------------------|
| h2o.splitFrame | <i>Split an H2O Data Set</i> |
|----------------|------------------------------|

---

**Description**

Split an existing H2O data set according to user-specified ratios. The number of subsets is always 1 more than the number of given ratios. Note that this does not give an exact split. H2O is designed to be efficient on big data using a probabilistic splitting method rather than an exact split. For example, when specifying a split of 0.75/0.25, H2O will produce a test/train split with an expected value of 0.75/0.25 rather than exactly 0.75/0.25. On small datasets, the sizes of the resulting splits will deviate from the expected value more than on big data, where they will be very close to exact.

**Usage**

```
h2o.splitFrame(data, ratios = 0.75, destination_frames, seed = -1)
```

**Arguments**

|                    |  |
|--------------------|--|
| data               | An H2OFrame object representing the data to split.   |
| ratios             | A numeric value or array indicating the ratio of total rows contained in each split. Must total up to less than 1. |
| destination_frames | An array of frame IDs equal to the number of ratios specified plus one.  |
| seed               | Random seed.   |

**Value**

Returns a list of split H2OFrame's

**Examples**

```
library(h2o)
h2o.init()
irisPath <- system.file("extdata", "iris.csv", package = "h2o")
iris.hex <- h2o.importFile(path = irisPath)
iris.split <- h2o.splitFrame(iris.hex, ratios = c(0.2, 0.5))
head(iris.split[[1]])
summary(iris.split[[1]])
```

---

h2o.sqrt

*Compute the square root of x*

---

**Description**

Compute the square root of x

**Usage**

```
h2o.sqrt(x)
```

**Arguments**

|   |                     |
|---|---------------------|
| x | An H2OFrame object. |
|---|---------------------|

**See Also**

[sqrt](#) for the base R implementation.

---

h2o.stackedEnsemble     *Builds a Stacked Ensemble*

---

### Description

Build a stacked ensemble (aka. Super Learner) using the H2O base learning algorithms specified by the user.

### Usage

```
h2o.stackedEnsemble(x, y, training_frame, model_id = NULL,
  validation_frame = NULL, base_models = list(),
  metalearner_algorithm = c("AUTO", "glm", "gbm", "drf", "deeplearning"),
  metalearner_nfolds = 0, metalearner_fold_assignment = c("AUTO",
  "Random", "Modulo", "Stratified"), metalearner_fold_column = NULL,
  keep_levelone_frame = FALSE, seed = -1, metalearner_params = NULL)
```

### Arguments

- |                             |   |
|-----------------------------|---|
| x                           | (Optional). A vector containing the names or indices of the predictor variables to use in building the model. If x is missing, then all columns except y are used. Training frame is used only to compute ensemble training metrics.  |
| y                           | The name or column index of the response variable in the data. The response must be either a numeric or a categorical/factor variable. If the response is numeric, then a regression model will be trained, otherwise it will train a classification model.   |
| training_frame              | Id of the training data frame.  |
| model_id                    | Destination id for this model; auto-generated if not specified.   |
| validation_frame            | Id of the validation data frame.  |
| base_models                 | List of models (or model ids) to ensemble/stack together. Models must have been cross-validated using nfolds > 1, and folds must be identical across models. Defaults to [].  |
| metalearner_algorithm       | Type of algorithm to use as the metalearner. Options include 'AUTO' (GLM with non negative weights; if validation_frame is present, a lambda search is performed), 'glm' (GLM with default parameters), 'gbm' (GBM with default parameters), 'drf' (Random Forest with default parameters), or 'deeplearning' (Deep Learning with default parameters). Must be one of: "AUTO", "glm", "gbm", "drf", "deeplearning". Defaults to AUTO. |
| metalearner_nfolds          | Number of folds for K-fold cross-validation of the metalearner algorithm (0 to disable or >= 2). Defaults to 0.   |
| metalearner_fold_assignment | Cross-validation fold assignment scheme for metalearner cross-validation. Defaults to AUTO (which is currently set to Random). The 'Stratified' option will stratify the folds based on the response variable, for classification problems. Must be one of: "AUTO", "Random", "Modulo", "Stratified".   |



|                         |  |
|-------------------------|--|
| metalearner_fold_column | Column with cross-validation fold index assignment per observation for cross-validation of the metalearner.  |
| keep_levelone_frame     | Logical. Keep level one frame used for metalearner training. Defaults to FALSE.  |
| seed                    | Seed for random numbers; passed through to the metalearner algorithm. Defaults to -1 (time-based random number) Defaults to -1 (time-based random number). |
| metalearner_params      | Parameters for metalearner algorithm Defaults to NULL.   |

### Examples

```
# See example R code here:
# http://docs.h2o.ai/h2o/latest-stable/h2o-docs/data-science/stacked-ensembles.html
```

---

|                  |                                 |
|------------------|---------------------------------|
| h2o.startLogging | <i>Start Writing H2O R Logs</i> |
|------------------|---------------------------------|

---

### Description

Begin logging H2o R POST commands and error responses to local disk. Used primarily for debugging purposes.

### Usage

```
h2o.startLogging(file)
```

### Arguments

file                    a character string name for the file, automatically generated

### See Also

[h2o.stopLogging](#), [h2o.clearLog](#),                    [h2o.openLog](#)

### Examples

```
library(h2o)
h2o.init()
h2o.startLogging()
ausPath = system.file("extdata", "australia.csv", package="h2o")
australia.hex = h2o.importFile(path = ausPath)
h2o.stopLogging()
```

---

h2o.std\_coef\_plot      *Plot Standardized Coefficient Magnitudes*

---

### Description

Plot a GLM model's standardized coefficient magnitudes.

### Usage

```
h2o.std_coef_plot(model, num_of_features = NULL)
```

### Arguments

model                    A trained generalized linear model  
 num\_of\_features        The number of features to be shown in the plot

### See Also

[h2o.varimp\\_plot](#) for variable importances plot of random forest, GBM, deep learning.

### Examples

```
library(h2o)
h2o.init()

prosPath <- system.file("extdata", "prostate.csv", package="h2o")
prostate.hex <- h2o.importFile(prosPath)
prostate.hex[,2] <- as.factor(prostate.hex[,2])
prostate.glm <- h2o.glm(y = "CAPSULE", x = c("AGE", "RACE", "PSA", "DCAPS"),
  training_frame = prostate.hex, family = "binomial",
  nfold = 0, alpha = 0.5, lambda_search = FALSE)
h2o.std_coef_plot(prostate.glm)
```

---

h2o.stopLogging      *Stop Writing H2O R Logs*

---

### Description

Halt logging of H2O R POST commands and error responses to local disk. Used primarily for debugging purposes.

### Usage

```
h2o.stopLogging()
```

### See Also

[h2o.startLogging](#), [h2o.clearLog](#),                    [h2o.openLog](#)

**Examples**

```
library(h2o)
h2o.init()
h2o.startLogging()
ausPath = system.file("extdata", "australia.csv", package="h2o")
australia.hex = h2o.importFile(path = ausPath)
h2o.stopLogging()
```

---

|         |  |
|---------|--|
| h2o.str | <i>Display the structure of an H2OFrame object</i> |
|---------|--|

---

**Description**

Display the structure of an H2OFrame object

**Usage**

```
h2o.str(object, ..., cols = FALSE)
```

**Arguments**

|        |  |
|--------|--|
| object | An H2OFrame.   |
| ...    | Further arguments to be passed from or to other methods. |
| cols   | Print the per-column str for the H2OFrame                |

---

|                |  |
|----------------|--|
| h2o.stringdist | <i>Compute element-wise string distances between two H2OFrames</i> |
|----------------|--|

---

**Description**

Compute element-wise string distances between two H2OFrames. Both frames need to have the same shape (N x M) and only contain string/factor columns. Return a matrix (H2OFrame) of shape N x M.

**Usage**

```
h2o.stringdist(x, y, method = c("lv", "lcs", "qgram", "jaccard", "jw",
"soundex"), compare_empty = TRUE)
```

**Arguments**

|               |  |
|---------------|--|
| x             | An H2OFrame  |
| y             | A comparison H2OFrame  |
| method        | A string identifier indicating what string distance measure to use. Must be one of: "lv" - Levenshtein distance "lcs" - Longest common substring distance "qgram" - q-gram distance "jaccard" - Jaccard distance between q-gram profiles "jw" - Jaro, or Jaro-Winker distance "soundex" - Distance based on soundex encoding |
| compare_empty | if set to FALSE, empty strings will be handled as NaNs   |

**Examples**

```

h2o.init()
x <- as.h2o(c("Martha", "Dwayne", "Dixon"))
y <- as.character(as.h2o(c("Marhta", "Duane", "Dicksonx")))
h2o.stringdist(x, y, method = "jw")

```

---

h2o.strsplit
*String Split***Description**

String Split

**Usage**

```
h2o.strsplit(x, split)
```

**Arguments**

|       |   |
|-------|---|
| x     | The column whose strings must be split. |
| split | The pattern to split on.                |

**Value**

An H2OFrame where each column is the outcome of the string split.

**Examples**

```

library(h2o)
h2o.init()
string_to_split <- as.h2o("Split at every character.")
split_string <- h2o.strsplit(string_to_split, "")

```

---

h2o.sub
*String Substitute***Description**

Creates a copy of the target column in which each string has the first occurrence of the regex pattern replaced with the replacement substring.

**Usage**

```
h2o.sub(pattern, replacement, x, ignore.case = FALSE)
```

**Arguments**

|             |                                 |
|-------------|---------------------------------|
| pattern     | The pattern to replace.         |
| replacement | The replacement pattern.        |
| x           | The column on which to operate. |
| ignore.case | Case sensitive or not           |

**Examples**

```
library(h2o)
h2o.init()
string_to_sub <- as.h2o("r tutorial")
sub_string <- h2o.sub("r ", "H2O ", string_to_sub)
```

---

|               |                  |
|---------------|------------------|
| h2o.substring | <i>Substring</i> |
|---------------|------------------|

---

**Description**

Returns a copy of the target column that is a substring at the specified start and stop indices, inclusive. If the stop index is not specified, then the substring extends to the end of the original string. If start is longer than the number of characters in the original string, or is greater than stop, an empty string is returned. Negative start is coerced to 0.

**Usage**

```
h2o.substring(x, start, stop = "[ ]")
```

```
h2o.substr(x, start, stop = "[ ]")
```

**Arguments**

|       |  |
|-------|--|
| x     | The column on which to operate.  |
| start | The index of the first element to be included in the substring.          |
| stop  | Optional, The index of the last element to be included in the substring. |

**Examples**

```
library(h2o)
h2o.init()
string_to_substring <- as.h2o("1234567890")
substr <- h2o.substring(string_to_substring,2) #Get substring from second index onwards
```

---

|         |   |
|---------|---|
| h2o.sum | <i>Compute the frame's sum by-column (or by-row).</i> |
|---------|---|

---

**Description**

Compute the frame's sum by-column (or by-row).

**Usage**

```
h2o.sum(x, na.rm = FALSE, axis = 0, return_frame = FALSE)
```

**Arguments**

|              |   |
|--------------|---|
| x            | An H2OFrame object.   |
| na.rm        | logical. indicating whether missing values should be removed.   |
| axis         | An int that indicates whether to do down a column (0) or across a row (1).                                |
| return_frame | A boolean that indicates whether to return an H2O frame or one single aggregated value. Default is FALSE. |

**See Also**

[sum](#) for the base R implementation.

---

|             |   |
|-------------|---|
| h2o.summary | <i>Summarizes the columns of an H2OFrame.</i> |
|-------------|---|

---

**Description**

A method for the [summary](#) generic. Summarizes the columns of an H2O data frame or subset of columns and rows using vector notation (e.g. dataset[row, col]).

**Usage**

```
h2o.summary(object, factors = 6L, exact_quantiles = FALSE, ...)
```

```
## S3 method for class 'H2OFrame'
summary(object, factors, exact_quantiles, ...)
```

**Arguments**

|                 |  |
|-----------------|--|
| object          | An H2OFrame object.  |
| factors         | The number of factors to return in the summary. Default is the top 6.          |
| exact_quantiles | Compute exact quantiles or use approximation. Default is to use approximation. |
| ...             | Further arguments passed to or from other methods.                             |

**Details**

By default it uses approximated version of quantiles computation, however, user can modify this behavior by setting up `exact_quantiles` argument to true.

**Value**

A table displaying the minimum, 1st quartile, median, mean, 3rd quartile and maximum for each numeric column, and the levels and category counts of the levels in each categorical column.

**Examples**

```
library(h2o)
h2o.init()
prosPath <- system.file("extdata", "prostate.csv", package="h2o")
prostate.hex <- h2o.importFile(path = prosPath)
summary(prostate.hex)
summary(prostate.hex$GLEASON)
summary(prostate.hex[,4:6])
summary(prostate.hex, exact_quantiles=TRUE)
```

h2o.svd

*Singular value decomposition of an H2O data frame using the power method*

**Description**

Singular value decomposition of an H2O data frame using the power method

**Usage**

```
h2o.svd(training_frame, x, destination_key, model_id = NULL,
  validation_frame = NULL, ignore_const_cols = TRUE,
  score_each_iteration = FALSE, transform = c("NONE", "STANDARDIZE",
  "NORMALIZE", "DEMEAN", "DESCALE"), svd_method = c("GramSVD", "Power",
  "Randomized"), nv = 1, max_iterations = 1000, seed = -1,
  keep_u = TRUE, u_name = NULL, use_all_factor_levels = TRUE,
  max_runtime_secs = 0)
```

**Arguments**

`training_frame` Id of the training data frame.

`x` A vector containing the character names of the predictors in the model.

`destination_key`  
(Optional) The unique hex key assigned to the resulting model. Automatically generated if none is provided.

`model_id` Destination id for this model; auto-generated if not specified.

`validation_frame`  
Id of the validation data frame.

|                       |   |
|-----------------------|---|
| ignore_const_cols     | Logical. Ignore constant columns. Defaults to TRUE.   |
| score_each_iteration  | Logical. Whether to score during each iteration of model training. Defaults to FALSE.   |
| transform             | Transformation of training data Must be one of: "NONE", "STANDARDIZE", "NORMALIZE", "DEMEAN", "DESCALE". Defaults to NONE.  |
| svd_method            | Method for computing SVD (Caution: Randomized is currently experimental and unstable) Must be one of: "GramSVD", "Power", "Randomized". Defaults to GramSVD.                  |
| nv                    | Number of right singular vectors Defaults to 1.   |
| max_iterations        | Maximum iterations Defaults to 1000.  |
| seed                  | Seed for random numbers (affects certain parts of the algo that are stochastic and those might or might not be enabled by default) Defaults to -1 (time-based random number). |
| keep_u                | Logical. Save left singular vectors? Defaults to TRUE.  |
| u_name                | Frame key to save left singular vectors   |
| use_all_factor_levels | Logical. Whether first factor level is included in each categorical expansion Defaults to TRUE.   |
| max_runtime_secs      | Maximum allowed runtime in seconds for model training. Use 0 to disable. Defaults to 0.   |

### Value

Returns an object of class `H2ODimReductionModel`.

### References

N. Halko, P.G. Martinsson, J.A. Tropp. Finding structure with randomness: Probabilistic algorithms for constructing approximate matrix decompositions[<http://arxiv.org/abs/0909.4061>]. SIAM Rev., Survey and Review section, Vol. 53, num. 2, pp. 217-288, June 2011.

### Examples

```
library(h2o)
h2o.init()
ausPath <- system.file("extdata", "australia.csv", package="h2o")
australia.hex <- h2o.uploadFile(path = ausPath)
h2o.svd(training_frame = australia.hex, nv = 8)
```



---

h2o.table

*Cross Tabulation and Table Creation in H2O*


---

**Description**

Uses the cross-classifying factors to build a table of counts at each combination of factor levels.

**Usage**

```
h2o.table(x, y = NULL, dense = TRUE)
```

```
table.H2OFrame(x, y = NULL, dense = TRUE)
```

**Arguments**

|       |   |
|-------|---|
| x     | An H2OFrame object with at most two columns.  |
| y     | An H2OFrame similar to x, or NULL.  |
| dense | A logical for dense representation, which lists only non-zero counts, 1 combination per row. Set to FALSE to expand counts across all combinations. |

**Value**

Returns a tabulated H2OFrame object.

**Examples**

```
library(h2o)
h2o.init()
prosPath <- system.file("extdata", "prostate.csv", package="h2o")
prostate.hex <- h2o.uploadFile(path = prosPath, destination_frame = "prostate.hex")
summary(prostate.hex)

# Counts of the ages of all patients
head(h2o.table(prostate.hex[,3]))
h2o.table(prostate.hex[,3])

# Two-way table of ages (rows) and race (cols) of all patients
head(h2o.table(prostate.hex[,c(3,4)]))
h2o.table(prostate.hex[,c(3,4)])
```

---

h2o.tabulate

*Tabulation between Two Columns of an H2OFrame*


---

**Description**

Simple Co-Occurrence based tabulation of X vs Y, where X and Y are two Vecs in a given dataset. Uses histogram of given resolution in X and Y. Handles numerical/categorical data and missing values. Supports observation weights.

**Usage**

```
h2o.tabulate(data, x, y, weights_column = NULL, nbins_x = 50,
             nbins_y = 50)
```

**Arguments**

|                |                                       |
|----------------|---------------------------------------|
| data           | An H2OFrame object.                   |
| x              | predictor column                      |
| y              | response column                       |
| weights_column | (optional) observation weights column |
| nbins_x        | number of bins for predictor column   |
| nbins_y        | number of bins for response column    |

**Value**

Returns two TwoDimTables of 3 columns each count\_table: X Y counts response\_table: X mean Y counts

**Examples**

```
library(h2o)
h2o.init()
df <- as.h2o(iris)
tab <- h2o.tabulate(data = df, x = "Sepal.Length", y = "Petal.Width",
                   weights_column = NULL, nbins_x = 10, nbins_y = 10)
plot(tab)
```

---

h2o.tan

---

*Compute the tangent of x*


---

**Description**

Compute the tangent of x

**Usage**

```
h2o.tan(x)
```

**Arguments**

|   |                     |
|---|---------------------|
| x | An H2OFrame object. |
|---|---------------------|

**See Also**

[tan](#) for the base R implementation.

---

|          |  |
|----------|--|
| h2o.tanh | <i>Compute the hyperbolic tangent of x</i> |
|----------|--|

---

**Description**

Compute the hyperbolic tangent of x

**Usage**

```
h2o.tanh(x)
```

**Arguments**

|   |                     |
|---|---------------------|
| x | An H2OFrame object. |
|---|---------------------|

**See Also**

[tanh](#) for the base R implementation.

---

|                         |   |
|-------------------------|---|
| h2o.target_encode_apply | <i>Apply Target Encoding Map to Frame</i> |
|-------------------------|---|

---

**Description**

Applies a target encoding map to an H2OFrame object. Computing target encoding for high cardinality categorical columns can improve performance of supervised learning models. A Target Encoding tutorial is available here: [https://github.com/h2oai/h2o-tutorials/blob/master/best-practices/categorical-predictors/target\\_encoding.md](https://github.com/h2oai/h2o-tutorials/blob/master/best-practices/categorical-predictors/target_encoding.md).

**Usage**

```
h2o.target_encode_apply(data, x, y, target_encode_map, holdout_type,
  fold_column = NULL, blended_avg = TRUE, noise_level = NULL,
  seed = -1)
```

**Arguments**

|                   |   |
|-------------------|---|
| data              | An H2OFrame object with which to apply the target encoding map.   |
| x                 | A list containing the names or indices of the variables to encode. A target encoding column will be created for each element in the list. Items in the list can be multiple columns. For example, if 'x = list(c("A"), c("B", "C"))', then the resulting frame will have a target encoding column for A and a target encoding column for B & C (in this case, we group by two columns). |
| y                 | The name or column index of the response variable in the data. The response variable can be either numeric or binary.   |
| target_encode_map | A list of H2OFrame objects that is the results of the <a href="#">h2o.target_encode_create</a> function.  |

|              |   |
|--------------|---|
| holdout_type | The holdout type used. Must be one of: "LeaveOneOut", "KFold", "None".  |
| fold_column  | (Optional) The name or column index of the fold column in the data. Defaults to NULL (no 'fold_column'). Only required if 'holdout_type' = "KFold". |
| blended_avg  | Logical. (Optional) Whether to perform blended average.   |
| noise_level  | (Optional) The amount of random noise added to the target encoding. This helps prevent overfitting. Defaults to 0.01 * range of y.                  |
| seed         | (Optional) A random seed used to generate draws from the uniform distribution for random noise. Defaults to -1.                                     |

**Value**

Returns an H2OFrame object containing the target encoding per record.

**See Also**

[h2o.target\\_encode\\_create](#) for creating the target encoding map

**Examples**

```
library(h2o)
h2o.init()

# Get Target Encoding Frame on bank-additional-full data with numeric `y`
data <- h2o.importFile(
  path = "https://s3.amazonaws.com/h2o-public-test-data/smalldata/demos/bank-additional-full.csv",
  destination_frame = "data")
splits <- h2o.splitFrame(data, seed = 1234)
train <- splits[[1]]
test <- splits[[2]]
mapping <- h2o.target_encode_create(data = train, x = list(c("job"), c("job", "marital")),
  y = "age")

# Apply mapping to the training dataset
train_encode <- h2o.target_encode_apply(data = train, x = list(c("job"), c("job", "marital")),
  y = "age", mapping, holdout_type = "LeaveOneOut")
# Apply mapping to a test dataset
test_encode <- h2o.target_encode_apply(data = test, x = list(c("job"), c("job", "marital")),
  y = "age", target_encode_map = mapping, holdout_type = "None")
```

---

h2o.target\_encode\_create

*Create Target Encoding Map*

---

**Description**

Creates a target encoding map based on group-by columns ('x') and a numeric or binary target column ('y'). Computing target encoding for high cardinality categorical columns can improve performance of supervised learning models. A Target Encoding tutorial is available here: [https://github.com/h2oai/h2o-tutorials/blob/master/best-practices/categorical-predictors/target\\_encoding.md](https://github.com/h2oai/h2o-tutorials/blob/master/best-practices/categorical-predictors/target_encoding.md).

**Usage**

```
h2o.target_encode_create(data, x, y, fold_column = NULL)
```

**Arguments**

|             |  |
|-------------|--|
| data        | An H2OFrame object with which to create the target encoding map.   |
| x           | A list containing the names or indices of the variables to encode. A target encoding map will be created for each element in the list. Items in the list can be multiple columns. For example, if <code>x = list(c("A"), c("B", "C"))</code> , then there will be one mapping frame for A and one mapping frame for B & C (in this case, we group by two columns). |
| y           | The name or column index of the response variable in the data. The response variable can be either numeric or binary.  |
| fold_column | (Optional) The name or column index of the fold column in the data. Defaults to NULL (no 'fold_column').   |

**Value**

Returns a list of H2OFrame objects containing the target encoding mapping for each column in 'x'.

**See Also**

[h2o.target\\_encode\\_apply](#) for applying the target encoding mapping to a frame.

**Examples**

```
library(h2o)
h2o.init()

# Get Target Encoding Map on bank-additional-full data with numeric response
data <- h2o.importFile(
  path = "https://s3.amazonaws.com/h2o-public-test-data/smalldata/demos/bank-additional-full.csv",
  destination_frame = "data")
mapping_age <- h2o.target_encode_create(data = data, x = list(c("job"), c("job", "marital")),
  y = "age")
head(mapping_age)

# Get Target Encoding Map on bank-additional-full data with binary response
mapping_y <- h2o.target_encode_create(data = data, x = list(c("job"), c("job", "marital")),
  y = "y")
head(mapping_y)
```

---

h2o.toFrame

*Convert a word2vec model into an H2OFrame*


---

**Description**

Converts a given word2vec model into an H2OFrame. The frame represents learned word embeddings

**Usage**

```
h2o.toFrame(word2vec)
```

**Arguments**

word2vec            A word2vec model.

**Examples**

```
h2o.init()

# Build a dummy word2vec model
data <- as.character(as.h2o(c("a", "b", "a")))
w2v.model <- h2o.word2vec(data, sent_sample_rate = 0, min_word_freq = 0, epochs = 1, vec_size = 2)

# Transform words to vectors and return average vector for each sentence
h2o.toFrame(w2v.model) # -> Frame made of 2 rows and 2 columns
```

---

|              |                        |
|--------------|------------------------|
| h2o.tokenize | <i>Tokenize String</i> |
|--------------|------------------------|

---

**Description**

h2o.tokenize is similar to h2o.strsplit, the difference between them is that h2o.tokenize will store the tokenized text into a single column making it easier for additional processing (filtering stop words, word2vec algo, ...).

**Usage**

```
h2o.tokenize(x, split)
```

**Arguments**

x                    The column or columns whose strings to tokenize.  
split                The regular expression to split on.

**Value**

An H2OFrame with a single column representing the tokenized Strings. Original rows of the input DF are separated by NA.

**Examples**

```
library(h2o)
h2o.init()
string_to_tokenize <- as.h2o("Split at every character and tokenize.")
tokenize_string <- h2o.tokenize(as.character(string_to_tokenize), "")
```

---

|             |                                     |
|-------------|-------------------------------------|
| h2o.tolower | <i>Convert strings to lowercase</i> |
|-------------|-------------------------------------|

---

**Description**

Convert strings to lowercase

**Usage**

```
h2o.tolower(x)
```

**Arguments**

x                    An H2OFrame object whose strings should be lower cased

**Value**

An H2OFrame with all entries in lowercase format

**Examples**

```
library(h2o)
h2o.init()
string_to_lower <- as.h2o("ABCDE")
lowered_string <- h2o.tolower(string_to_lower)
```

---

|          |                 |
|----------|-----------------|
| h2o.topN | <i>H2O topN</i> |
|----------|-----------------|

---

**Description**

Extract the top N percent of values of a column and return it in a H2OFrame.

**Usage**

```
h2o.topN(x, column, nPercent)
```

**Arguments**

x                    an H2OFrame  
column                is a column name or column index to grab the top N percent value from  
nPercent              is a top percentage value to grab

**Value**

An H2OFrame with 2 columns. The first column is the original row indices, second column contains the topN values

---

|           |                                      |
|-----------|--------------------------------------|
| h2o.totss | <i>Get the total sum of squares.</i> |
|-----------|--------------------------------------|

---

**Description**

If "train", "valid", and "xval" parameters are FALSE (default), then the training totss value is returned. If more than one parameter is set to TRUE, then a named vector of totss' are returned, where the names are "train", "valid" or "xval".

**Usage**

```
h2o.totss(object, train = FALSE, valid = FALSE, xval = FALSE)
```

**Arguments**

|        |  |
|--------|--|
| object | An <a href="#">H2OClusteringModel</a> object.      |
| train  | Retrieve the training total sum of squares         |
| valid  | Retrieve the validation total sum of squares       |
| xval   | Retrieve the cross-validation total sum of squares |

---

|                  |   |
|------------------|---|
| h2o.tot_withinss | <i>Get the total within cluster sum of squares.</i> |
|------------------|---|

---

**Description**

If "train", "valid", and "xval" parameters are FALSE (default), then the training tot\_withinss value is returned. If more than one parameter is set to TRUE, then a named vector of tot\_withinss' are returned, where the names are "train", "valid" or "xval".

**Usage**

```
h2o.tot_withinss(object, train = FALSE, valid = FALSE, xval = FALSE)
```

**Arguments**

|        |   |
|--------|---|
| object | An <a href="#">H2OClusteringModel</a> object.                     |
| train  | Retrieve the training total within cluster sum of squares         |
| valid  | Retrieve the validation total within cluster sum of squares       |
| xval   | Retrieve the cross-validation total within cluster sum of squares |



---

|             |                                     |
|-------------|-------------------------------------|
| h2o.toupper | <i>Convert strings to uppercase</i> |
|-------------|-------------------------------------|

---

**Description**

Convert strings to uppercase

**Usage**

```
h2o.toupper(x)
```

**Arguments**

x                    An H2OFrame object whose strings should be upper cased

**Value**

An H2OFrame with all entries in uppercase format

**Examples**

```
library(h2o)
h2o.init()
string_to_upper <- as.h2o("abcde")
upper_string <- h2o.toupper(string_to_upper)
```

---

|               |   |
|---------------|---|
| h2o.transform | <i>Transform words (or sequences of words) to vectors using a word2vec model.</i> |
|---------------|---|

---

**Description**

Transform words (or sequences of words) to vectors using a word2vec model.

**Usage**

```
h2o.transform(word2vec, words, aggregate_method = c("NONE", "AVERAGE"))
```

**Arguments**

word2vec            A word2vec model.

words                An H2OFrame made of a single column containing source words.

aggregate\_method

Specifies how to aggregate sequences of words. If method is 'NONE' then no aggregation is performed and each input word is mapped to a single word-vector. If method is 'AVERAGE' then input is treated as sequences of words delimited by NA. Each word of a sequences is internally mapped to a vector and vectors belonging to the same sentence are averaged and returned in the result.

**Examples**

```

h2o.init()

# Build a dummy word2vec model
data <- as.character(as.h2o(c("a", "b", "a")))
w2v.model <- h2o.word2vec(data, sent_sample_rate = 0, min_word_freq = 0, epochs = 1, vec_size = 2)

# Transform words to vectors without aggregation
sentences <- as.character(as.h2o(c("b", "c", "a", NA, "b")))
h2o.transform(w2v.model, sentences) # -> 5 rows total, 2 rows NA ("c" is not in the vocabulary)

# Transform words to vectors and return average vector for each sentence
h2o.transform(w2v.model, sentences, aggregate_method = "AVERAGE") # -> 2 rows

```

---

`h2o.trim`*Trim Space*

---

**Description**

Trim Space

**Usage**`h2o.trim(x)`**Arguments**`x` The column whose strings should be trimmed.**Examples**

```

library(h2o)
h2o.init()
string_to_trim <- as.h2o("r tutorial")
trim_string <- h2o.trim(string_to_trim)

```

---

`h2o.trunc`*Truncate values in x toward 0*

---

**Description**

`trunc` takes a single numeric argument `x` and returns a numeric vector containing the integers formed by truncating the values in `x` toward 0.

**Usage**`h2o.trunc(x)`

**Arguments**

x                    An H2OFrame object.

**See Also**

[trunc](#) for the base R implementation.

---

|            |                   |
|------------|-------------------|
| h2o.unique | <i>H2O Unique</i> |
|------------|-------------------|

---

**Description**

Extract unique values in the column.

**Usage**

```
h2o.unique(x)
```

**Arguments**

x                    An H2OFrame object.

**Value**

Returns an H2OFrame object.

---

|         |   |
|---------|---|
| h2o.var | <i>Variance of a column or covariance of columns.</i> |
|---------|---|

---

**Description**

Compute the variance or covariance matrix of one or two H2OFrames.

**Usage**

```
h2o.var(x, y = NULL, na.rm = FALSE, use)
```

```
var(x, y = NULL, na.rm = FALSE, use)
```

**Arguments**

x                    An H2OFrame object.

y                    NULL (default) or an H2OFrame. The default is equivalent to y = x.

na.rm                logical. Should missing values be removed?

use                   An optional character string indicating how to handle missing values. This must be one of the following: "everything" - outputs NaNs whenever one of its contributing observations is missing "all.obs" - presence of missing observations will throw an error "complete.obs" - discards missing values along with all observations in their rows so that only complete observations are used

**See Also**

[var](#) for the base R implementation. [h2o.sd](#) for standard deviation.

**Examples**

```
h2o.init()
prosPath <- system.file("extdata", "prostate.csv", package="h2o")
prostate.hex <- h2o.uploadFile(path = prosPath)
var(prostate.hex$AGE)
```

---

|            |  |
|------------|--|
| h2o.varimp | <i>Retrieve the variable importance.</i> |
|------------|--|

---

**Description**

Retrieve the variable importance.

**Usage**

```
h2o.varimp(object)
```

**Arguments**

object            An [H2OModel](#) object.

---

|                 |                                  |
|-----------------|----------------------------------|
| h2o.varimp_plot | <i>Plot Variable Importances</i> |
|-----------------|----------------------------------|

---

**Description**

Plot Variable Importances

**Usage**

```
h2o.varimp_plot(model, num_of_features = NULL)
```

**Arguments**

model            A trained model (accepts a trained random forest, GBM, or deep learning model, will use [h2o.std\\_coef\\_plot](#) for a trained GLM)

num\_of\_features    The number of features shown in the plot (default is 10 or all if less than 10).

**See Also**

[h2o.std\\_coef\\_plot](#) for GLM.

**Examples**

```
library(h2o)
h2o.init()
prosPath <- system.file("extdata", "prostate.csv", package="h2o")
hex <- h2o.importFile(prosPath)
hex[,2] <- as.factor(hex[,2])
model <- h2o.gbm(x = 3:9, y = 2, training_frame = hex, distribution = "bernoulli")
h2o.varimp_plot(model)

# for deep learning set the variable_importance parameter to TRUE
iris.hex <- as.h2o(iris)
iris.dl <- h2o.deeplearning(x = 1:4, y = 5, training_frame = iris.hex,
variable_importances = TRUE)
h2o.varimp_plot(iris.dl)
```

---

h2o.week

*Convert Milliseconds to Week of Week Year in H2O Datasets*

---

**Description**

Converts the entries of an H2OFrame object from milliseconds to weeks of the week year (starting from 1).

**Usage**

```
h2o.week(x)
```

```
week(x)
```

```
## S3 method for class 'H2OFrame'
week(x)
```

**Arguments**

x                    An H2OFrame object.

**Value**

An H2OFrame object containing the entries of x converted to weeks of the week year.

**See Also**

[h2o.month](#)

h2o.weights                      *Retrieve the respective weight matrix*

---

**Description**

Retrieve the respective weight matrix

**Usage**

```
h2o.weights(object, matrix_id = 1)
```

**Arguments**

|           |   |
|-----------|---|
| object    | An <a href="#">H2OModel</a> or <a href="#">H2OModelMetrics</a>                                  |
| matrix_id | An integer, ranging from 1 to number of layers + 1, that specifies the weight matrix to return. |

---

h2o.which                      *Which indices are TRUE?*

---

**Description**

Give the TRUE indices of a logical object, allowing for array indices.

**Usage**

```
h2o.which(x)
```

**Arguments**

|   |                     |
|---|---------------------|
| x | An H2OFrame object. |
|---|---------------------|

**Value**

Returns an H2OFrame object.

**See Also**

[which](#) for the base R method.

**Examples**

```
h2o.init()
iris.hex <- as.h2o(iris)
h2o.which(iris.hex[,1]==4.4)
```

---

|               |   |
|---------------|---|
| h2o.which_max | <i>Which indice contains the max value?</i> |
|---------------|---|

---

**Description**

Get the index of the max value in a column or row

**Usage**

```
h2o.which_max(x, na.rm = TRUE, axis = 0)
```

```
which.max.H2OFrame(x, na.rm = TRUE, axis = 0)
```

```
which.min.H2OFrame(x, na.rm = TRUE, axis = 0)
```

**Arguments**

|       |  |
|-------|--|
| x     | An H2OFrame object.  |
| na.rm | logical. Indicate whether missing values should be removed.                            |
| axis  | integer. Indicate whether to calculate the mean down a column (0) or across a row (1). |

**Value**

Returns an H2OFrame object.

**See Also**

[which.max](#) for the base R method.

---

|               |  |
|---------------|--|
| h2o.which_min | <i>Which index contains the min value?</i> |
|---------------|--|

---

**Description**

Get the index of the min value in a column or row

**Usage**

```
h2o.which_min(x, na.rm = TRUE, axis = 0)
```

**Arguments**

|       |  |
|-------|--|
| x     | An H2OFrame object.  |
| na.rm | logical. Indicate whether missing values should be removed.                            |
| axis  | integer. Indicate whether to calculate the mean down a column (0) or across a row (1). |

**Value**

Returns an H2OFrame object.

**See Also**

[which.min](#) for the base R method.

---

|              |                          |
|--------------|--------------------------|
| h2o.withinss | <i>Get the Within SS</i> |
|--------------|--------------------------|

---

**Description**

Get the Within SS

**Usage**

```
h2o.withinss(object)
```

**Arguments**

object            An [H2OClusteringModel](#) object.

---

|              |  |
|--------------|--|
| h2o.word2vec | <i>Trains a word2vec model on a String column of an H2O data frame</i> |
|--------------|--|

---

**Description**

Trains a word2vec model on a String column of an H2O data frame

**Usage**

```
h2o.word2vec(training_frame = NULL, model_id = NULL,
             min_word_freq = 5, word_model = c("SkipGram"),
             norm_model = c("HSM"), vec_size = 100, window_size = 5,
             sent_sample_rate = 0.001, init_learning_rate = 0.025, epochs = 5,
             pre_trained = NULL, max_runtime_secs = 0)
```

**Arguments**

training\_frame    Id of the training data frame.  
 model\_id            Destination id for this model; auto-generated if not specified.  
 min\_word\_freq     This will discard words that appear less than <int> times Defaults to 5.  
 word\_model         Use the Skip-Gram model Must be one of: "SkipGram". Defaults to SkipGram.  
 norm\_model         Use Hierarchical Softmax Must be one of: "HSM". Defaults to HSM.  
 vec\_size            Set size of word vectors Defaults to 100.  
 window\_size        Set max skip length between words Defaults to 5.



|                    |   |
|--------------------|---|
| sent_sample_rate   | Set threshold for occurrence of words. Those that appear with higher frequency in the training data will be randomly down-sampled; useful range is (0, 1e-5) Defaults to 0.001. |
| init_learning_rate | Set the starting learning rate Defaults to 0.025.   |
| epochs             | Number of training iterations to run Defaults to 5.   |
| pre_trained        | Id of a data frame that contains a pre-trained (external) word2vec model  |
| max_runtime_secs   | Maximum allowed runtime in seconds for model training. Use 0 to disable. Defaults to 0.   |

h2o.xgboost

*Build an eXtreme Gradient Boosting model***Description**

Builds a eXtreme Gradient Boosting model using the native XGBoost backend.

**Usage**

```
h2o.xgboost(x, y, training_frame, model_id = NULL,
  validation_frame = NULL, nfolds = 0,
  keep_cross_validation_models = TRUE,
  keep_cross_validation_predictions = FALSE,
  keep_cross_validation_fold_assignment = FALSE,
  score_each_iteration = FALSE, fold_assignment = c("AUTO", "Random",
  "Modulo", "Stratified"), fold_column = NULL,
  ignore_const_cols = TRUE, offset_column = NULL,
  weights_column = NULL, stopping_rounds = 0,
  stopping_metric = c("AUTO", "deviance", "logloss", "MSE", "RMSE",
  "MAE", "RMSLE", "AUC", "lift_top_group", "misclassification",
  "mean_per_class_error"), stopping_tolerance = 0.001,
  max_runtime_secs = 0, seed = -1, distribution = c("AUTO",
  "bernoulli", "multinomial", "gaussian", "poisson", "gamma", "tweedie",
  "laplace", "quantile", "huber"), tweedie_power = 1.5,
  categorical_encoding = c("AUTO", "Enum", "OneHotInternal",
  "OneHotExplicit", "Binary", "Eigen", "LabelEncoder", "SortByResponse",
  "EnumLimited"), quiet_mode = TRUE, ntrees = 50, max_depth = 6,
  min_rows = 1, min_child_weight = 1, learn_rate = 0.3, eta = 0.3,
  sample_rate = 1, subsample = 1, col_sample_rate = 1,
  colsample_bylevel = 1, col_sample_rate_per_tree = 1,
  colsample_bytree = 1, max_abs_leafnode_pred = 0,
  max_delta_step = 0, monotone_constraints = NULL,
  score_tree_interval = 0, min_split_improvement = 0, gamma = 0,
  nthread = -1, max_bins = 256, max_leaves = 0,
  min_sum_hessian_in_leaf = 100, min_data_in_leaf = 0,
  sample_type = c("uniform", "weighted"), normalize_type = c("tree",
  "forest"), rate_drop = 0, one_drop = FALSE, skip_drop = 0,
  tree_method = c("auto", "exact", "approx", "hist"),
```

```
grow_policy = c("depthwise", "lossguide"), booster = c("gbtree",
"gblinear", "dart"), reg_lambda = 0, reg_alpha = 0,
dmatrix_type = c("auto", "dense", "sparse"), backend = c("auto",
"gpu", "cpu"), gpu_id = 0, verbose = FALSE)
```

### Arguments

|                                       |   |
|---------------------------------------|---|
| x                                     | (Optional) A vector containing the names or indices of the predictor variables to use in building the model. If x is missing, then all columns except y are used.   |
| y                                     | The name or column index of the response variable in the data. The response must be either a numeric or a categorical/factor variable. If the response is numeric, then a regression model will be trained, otherwise it will train a classification model.   |
| training_frame                        | Id of the training data frame.  |
| model_id                              | Destination id for this model; auto-generated if not specified.   |
| validation_frame                      | Id of the validation data frame.  |
| nfolds                                | Number of folds for K-fold cross-validation (0 to disable or >= 2). Defaults to 0.  |
| keep_cross_validation_models          | Logical. Whether to keep the cross-validation models. Defaults to TRUE.   |
| keep_cross_validation_predictions     | Logical. Whether to keep the predictions of the cross-validation models. Defaults to FALSE.   |
| keep_cross_validation_fold_assignment | Logical. Whether to keep the cross-validation fold assignment. Defaults to FALSE.   |
| score_each_iteration                  | Logical. Whether to score during each iteration of model training. Defaults to FALSE.   |
| fold_assignment                       | Cross-validation fold assignment scheme, if fold_column is not specified. The 'Stratified' option will stratify the folds based on the response variable, for classification problems. Must be one of: "AUTO", "Random", "Modulo", "Stratified". Defaults to AUTO.  |
| fold_column                           | Column with cross-validation fold index assignment per observation.   |
| ignore_const_cols                     | Logical. Ignore constant columns. Defaults to TRUE.   |
| offset_column                         | Offset column. This will be added to the combination of columns before applying the link function.  |
| weights_column                        | Column with observation weights. Giving some observation a weight of zero is equivalent to excluding it from the dataset; giving an observation a relative weight of 2 is equivalent to repeating that row twice. Negative weights are not allowed. Note: Weights are per-row observation weights and do not increase the size of the data frame. This is typically the number of times a row is repeated, but non-integer values are supported as well. During training, rows with higher weights matter more, due to the larger loss function pre-factor. |
| stopping_rounds                       | Early stopping based on convergence of stopping_metric. Stop if simple moving average of length k of the stopping_metric does not improve for k:=stopping_rounds scoring events (0 to disable) Defaults to 0.   |

|                          |  |
|--------------------------|--|
| stopping_metric          | Metric to use for early stopping (AUTO: logloss for classification, deviance for regression) Must be one of: "AUTO", "deviance", "logloss", "MSE", "RMSE", "MAE", "RMSLE", "AUC", "lift_top_group", "misclassification", "mean_per_class_error". Defaults to AUTO. |
| stopping_tolerance       | Relative tolerance for metric-based stopping criterion (stop if relative improvement is not at least this much) Defaults to 0.001.   |
| max_runtime_secs         | Maximum allowed runtime in seconds for model training. Use 0 to disable. Defaults to 0.  |
| seed                     | Seed for random numbers (affects certain parts of the algo that are stochastic and those might or might not be enabled by default) Defaults to -1 (time-based random number).  |
| distribution             | Distribution function Must be one of: "AUTO", "bernoulli", "multinomial", "gaussian", "poisson", "gamma", "tweedie", "laplace", "quantile", "huber". Defaults to AUTO.   |
| tweedie_power            | Tweedie power for Tweedie regression, must be between 1 and 2. Defaults to 1.5.  |
| categorical_encoding     | Encoding scheme for categorical features Must be one of: "AUTO", "Enum", "OneHotInternal", "OneHotExplicit", "Binary", "Eigen", "LabelEncoder", "Sort-ByResponse", "EnumLimited". Defaults to AUTO.  |
| quiet_mode               | Logical. Enable quiet mode Defaults to TRUE.   |
| ntrees                   | (same as n_estimators) Number of trees. Defaults to 50.  |
| max_depth                | Maximum tree depth. Defaults to 6.   |
| min_rows                 | (same as min_child_weight) Fewest allowed (weighted) observations in a leaf. Defaults to 1.  |
| min_child_weight         | (same as min_rows) Fewest allowed (weighted) observations in a leaf. Defaults to 1.  |
| learn_rate               | (same as eta) Learning rate (from 0.0 to 1.0) Defaults to 0.3.   |
| eta                      | (same as learn_rate) Learning rate (from 0.0 to 1.0) Defaults to 0.3.  |
| sample_rate              | (same as subsample) Row sample rate per tree (from 0.0 to 1.0) Defaults to 1.  |
| subsample                | (same as sample_rate) Row sample rate per tree (from 0.0 to 1.0) Defaults to 1.  |
| col_sample_rate          | (same as colsample_bylevel) Column sample rate (from 0.0 to 1.0) Defaults to 1.  |
| colsample_bylevel        | (same as col_sample_rate) Column sample rate (from 0.0 to 1.0) Defaults to 1.  |
| col_sample_rate_per_tree | (same as colsample_bytree) Column sample rate per tree (from 0.0 to 1.0) Defaults to 1.  |
| colsample_bytree         | (same as col_sample_rate_per_tree) Column sample rate per tree (from 0.0 to 1.0) Defaults to 1.  |
| max_abs_leafnode_pred    | (same as max_delta_step) Maximum absolute value of a leaf node prediction Defaults to 0.0.   |

|                         |   |
|-------------------------|---|
| max_delta_step          | (same as max_abs_leafnode_pred) Maximum absolute value of a leaf node prediction Defaults to 0.0.   |
| monotone_constraints    | A mapping representing monotonic constraints. Use +1 to enforce an increasing constraint and -1 to specify a decreasing constraint.                               |
| score_tree_interval     | Score the model after every so many trees. Disabled if set to 0. Defaults to 0.   |
| min_split_improvement   | (same as gamma) Minimum relative improvement in squared error reduction for a split to happen Defaults to 0.0.  |
| gamma                   | (same as min_split_improvement) Minimum relative improvement in squared error reduction for a split to happen Defaults to 0.0.                                    |
| nthread                 | Number of parallel threads that can be used to run XGBoost. Cannot exceed H2O cluster limits (-nthreads parameter). Defaults to maximum available Defaults to -1. |
| max_bins                | For tree_method=hist only: maximum number of bins Defaults to 256.  |
| max_leaves              | For tree_method=hist only: maximum number of leaves Defaults to 0.  |
| min_sum_hessian_in_leaf | For tree_method=hist only: the minimum sum of hessian in a leaf to keep splitting Defaults to 100.0.  |
| min_data_in_leaf        | For tree_method=hist only: the minimum data in a leaf to keep splitting Defaults to 0.0.  |
| sample_type             | For booster=dart only: sample_type Must be one of: "uniform", "weighted". Defaults to uniform.  |
| normalize_type          | For booster=dart only: normalize_type Must be one of: "tree", "forest". Defaults to tree.   |
| rate_drop               | For booster=dart only: rate_drop (0..1) Defaults to 0.0.  |
| one_drop                | Logical. For booster=dart only: one_drop Defaults to FALSE.   |
| skip_drop               | For booster=dart only: skip_drop (0..1) Defaults to 0.0.  |
| tree_method             | Tree method Must be one of: "auto", "exact", "approx", "hist". Defaults to auto.  |
| grow_policy             | Grow policy - depthwise is standard GBM, lossguide is LightGBM Must be one of: "depthwise", "lossguide". Defaults to depthwise.                                   |
| booster                 | Booster type Must be one of: "gbtree", "gblinear", "dart". Defaults to gbtree.  |
| reg_lambda              | L2 regularization Defaults to 0.0.  |
| reg_alpha               | L1 regularization Defaults to 0.0.  |
| dmatrix_type            | Type of DMatrix. For sparse, NAs and 0 are treated equally. Must be one of: "auto", "dense", "sparse". Defaults to auto.  |
| backend                 | Backend. By default (auto), a GPU is used if available. Must be one of: "auto", "gpu", "cpu". Defaults to auto.   |
| gpu_id                  | Which GPU to use. Defaults to 0.  |
| verbose                 | Logical. Print scoring history to the console (Metrics per tree for GBM, DRF, & XGBoost. Metrics per epoch for Deep Learning). Defaults to FALSE.                 |

---

h2o.xgboost.available *Determines whether an XGBoost model can be built*

---

**Description**

Ask the H2O server whether a XGBoost model can be built. (Depends on availability of native backend.) Returns True if a XGBoost model can be built, or False otherwise.

**Usage**

```
h2o.xgboost.available()
```

---

h2o.year *Convert Milliseconds to Years in H2O Datasets*

---

**Description**

Convert the entries of an H2OFrame object from milliseconds to years, indexed starting from 1900.

**Usage**

```
h2o.year(x)
```

```
year(x)
```

```
## S3 method for class 'H2OFrame'  
year(x)
```

**Arguments**

x                    An H2OFrame object.

**Details**

This method calls the function of the MutableDateTime class in Java.

**Value**

An H2OFrame object containing the entries of x converted to years

**See Also**

[h2o.month](#)

---

H2OAutoML-class            *The H2OAutoML class*

---

**Description**

This class represents an H2OAutoML object

---

H2OClusteringModel-class

*The H2OClusteringModel object.*

---

### Description

This virtual class represents a clustering model built by H2O.

### Details

This object has slots for the key, which is a character string that points to the model key existing in the H2O cloud, the data used to build the model (an object of class H2OFrame).

### Slots

**model\_id** A character string specifying the key for the model fit in the H2O cloud's key-value store.

**algorithm** A character string specifying the algorithm that was used to fit the model.

**parameters** A list containing the parameter settings that were used to fit the model that differ from the defaults.

**allparameters** A list containing all parameters used to fit the model.

**model** A list containing the characteristics of the model returned by the algorithm.

**size** The number of points in each cluster.

**totss** Total sum of squared error to grand mean.

**withinss** A vector of within-cluster sum of squared error.

**tot\_withinss** Total within-cluster sum of squared error.

**betweenss** Between-cluster sum of squared error.

---

H2OConnection-class *The H2OConnection class.*

---

### Description

This class represents a connection to an H2O cloud.

### Usage

```
## S4 method for signature 'H2OConnection'
show(object)
```

### Arguments

**object** an H2OConnection object.

## Details

Because H2O is not a master-slave architecture, there is no restriction on which H2O node is used to establish the connection between R (the client) and H2O (the server).

A new H2O connection is established via the `h2o.init()` function, which takes as parameters the ‘ip’ and ‘port’ of the machine running an instance to connect with. The default behavior is to connect with a local instance of H2O at port 54321, or to boot a new local instance if one is not found at port 54321.

## Slots

`ip` A character string specifying the IP address of the H2O cloud.

`port` A numeric value specifying the port number of the H2O cloud.

`name` A character value specifying the cloud name of the H2O cloud.

`proxy` A character specifying the proxy path of the H2O cloud.

`https` Set this to TRUE to use https instead of http.

`insecure` Set this to TRUE to disable SSL certificate checking.

`username` Username to login with.

`password` Password to login with.

`cookies` Cookies to add to request

`context_path` Context path which is appended to H2O server location.

`mutable` An `H2OConnectionMutableState` object to hold the mutable state for the H2O connection.

---

H2OConnectionMutableState

*The H2OConnectionMutableState class*

---

## Description

This class represents the mutable aspects of a connection to an H2O cloud.

## Slots

`session_id` A character string specifying the H2O session identifier.

`key_count` A integer value specifying count for the number of keys generated for the `session_id`.

---

H2OCoxPHModel-class    *The H2OCoxPHModel object.*

---

### Description

Virtual object representing H2O's CoxPH Model.

### Usage

```
## S4 method for signature 'H2OCoxPHModel'
show(object)

## S3 method for class 'H2OCoxPHModel'
coef(object, ...)

## S3 method for class 'H2OCoxPHModel'
extractAIC(fit, scale, k = 2, ...)

## S3 method for class 'H2OCoxPHModel'
logLik(object, ...)

survfit.H2OCoxPHModel(formula, newdata, ...)

## S3 method for class 'H2OCoxPHModel'
vcov(object, ...)
```

### Arguments

|         |   |
|---------|---|
| object  | an H2OCoxPHModel object.  |
| ...     | additional arguments to pass on.  |
| fit     | an H2OCoxPHModel object.  |
| scale   | optional numeric specifying the scale parameter of the model.   |
| k       | numeric specifying the weight of the equivalent degrees of freedom.   |
| formula | an H2OCoxPHModel object.  |
| newdata | an optional H2OFrame or data.frame with the same variable names as those that appear in the H2OCoxPHModel object. |

---

H2OCoxPHModelSummary-class  
*The H2OCoxPHModelSummary object.*

---

### Description

Wrapper object for summary information compatible with survival package.



**Usage**

```
## S4 method for signature 'H2OCoxPHModelSummary'
show(object)

## S3 method for class 'H2OCoxPHModelSummary'
coef(object, ...)
```

**Arguments**

```
object      An H2OCoxPHModelSummary object.
...         additional arguments to pass on.
```

**Slots**

```
summary A list containing the a summary compatible with CoxPH summary used in the survival
package.
```

---

|                |                           |
|----------------|---------------------------|
| H2OFrame-class | <i>The H2OFrame class</i> |
|----------------|---------------------------|

---

**Description**

This class represents an H2OFrame object

---

|                  |   |
|------------------|---|
| H2OFrame-Extract | <i>Extract or Replace Parts of an H2OFrame Object</i> |
|------------------|---|

---

**Description**

Operators to extract or replace parts of H2OFrame objects.

**Usage**

```
## S3 method for class 'H2OFrame'
data[row, col, drop = TRUE]

## S3 method for class 'H2OFrame'
x$name

## S3 method for class 'H2OFrame'
x[[i, exact = TRUE]]

## S3 method for class 'H2OFrame'
x$name

## S3 method for class 'H2OFrame'
x[[i, exact = TRUE]]

## S3 replacement method for class 'H2OFrame'
```

```

data[row, col, ...] <- value

## S3 replacement method for class 'H2OFrame'
data$name <- value

## S3 replacement method for class 'H2OFrame'
data[[name]] <- value

```

### Arguments

|       |   |
|-------|---|
| data  | object from which to extract element(s) or in which to replace element(s).  |
| row   | index specifying row element(s) to extract or replace. Indices are numeric or character vectors or empty (missing) or will be matched to the names. |
| col   | index specifying column element(s) to extract or replace.   |
| drop  | Unused  |
| x     | An H2OFrame   |
| name  | a literal character string or a name (possibly backtick quoted).  |
| i     | index   |
| exact | controls possible partial matching of [[ when extracting a character  |
| ...   | Further arguments passed to or from other methods.  |
| value | To be assigned  |

---

H2OGrid-class

*H2O Grid*


---

### Description

A class to contain the information about grid results

### Usage

```

## S4 method for signature 'H2OGrid'
show(object)

```

### Arguments

|        |                    |
|--------|--------------------|
| object | an H2OGrid object. |
|--------|--------------------|

### Slots

|                      |   |
|----------------------|---|
| grid_id              | the final identifier of grid  |
| model_ids            | list of model IDs which are included in the grid object   |
| hyper_names          | list of parameter names used for grid search  |
| failed_params        | list of model parameters which caused a failure during model building, it can contain a null value        |
| failure_details      | list of detailed messages which correspond to failed parameters field                                     |
| failure_stack_traces | list of stack traces corresponding to model failures reported by failed_params and failure_details fields |
| failed_raw_params    | list of failed raw parameters   |
| summary_table        | table of models built with parameters and metric information.   |

**See Also**

[H2OModel](#) for the final model types.

---

|                   |                               |
|-------------------|-------------------------------|
| H2OLeafNode-class | <i>The H2OLeafNode class.</i> |
|-------------------|-------------------------------|

---

**Description**

This class represents a single leaf node in an H2OTree.

**Details**

```
#' @aliases H2OLeafNode
```

---

|                |                             |
|----------------|-----------------------------|
| H2OModel-class | <i>The H2OModel object.</i> |
|----------------|-----------------------------|

---

**Description**

This virtual class represents a model built by H2O.

**Usage**

```
## S4 method for signature 'H2OModel'
show(object)
```

**Arguments**

object            an H2OModel object.

**Details**

This object has slots for the key, which is a character string that points to the model key existing in the H2O cloud, the data used to build the model (an object of class H2OFrame).

**Slots**

model\_id A character string specifying the key for the model fit in the H2O cloud's key-value store.

algorithm A character string specifying the algorithm that were used to fit the model.

parameters A list containing the parameter settings that were used to fit the model that differ from the defaults.

allparameters A list containing all parameters used to fit the model.

have\_pojo A logical indicating whether export to POJO is supported

have\_mojo A logical indicating whether export to MOJO is supported

model A list containing the characteristics of the model returned by the algorithm.

---

H2OModelFuture-class *H2O Future Model*

---

### Description

A class to contain the information for background model jobs.

### Slots

job\_key a character key representing the identification of the job process.

model\_id the final identifier for the model

### See Also

[H2OModel](#) for the final model types.

---

H2OModelMetrics-class *The H2OModelMetrics Object.*

---

### Description

A class for constructing performance measures of H2O models.

### Usage

```
## S4 method for signature 'H2OModelMetrics'
show(object)
```

```
## S4 method for signature 'H2OBinomialMetrics'
show(object)
```

```
## S4 method for signature 'H2OMultinomialMetrics'
show(object)
```

```
## S4 method for signature 'H2OOrdinalMetrics'
show(object)
```

```
## S4 method for signature 'H2ORegressionMetrics'
show(object)
```

```
## S4 method for signature 'H2OClusteringMetrics'
show(object)
```

```
## S4 method for signature 'H2OAutoEncoderMetrics'
show(object)
```

```
## S4 method for signature 'H2ODimReductionMetrics'
show(object)
```

**Arguments**

object            An H2OModelMetrics object

---

H2ONode-class            *The H2ONode class.*

---

**Description**

The H2ONode class.

**Usage**

```
## S4 method for signature 'H2ONode'
show(object)
```

**Arguments**

object            an H2ONode object.

**Slots**

id An integer representing node's unique identifier. Generated by H2O.  
 levels A character representing categorical levels on split from parent's node belonging into this node. NULL for root node or non-categorical splits.  
 #' @aliases H2ONode

---

H2OSplitNode-class            *The H2OSplitNode class.*

---

**Description**

This class represents a single non-terminal node in an H2OTree.

**Slots**

threshold A numeric split threshold, typically when the split column is numerical.  
 left\_child A H2ONodeOrNull representing the left child node, if a node has one.  
 right\_child A H2ONodeOrNull representing the right child node, if a node has one.  
 split\_feature A character representing the name of the column this node splits on.  
 left\_levels A character representing the levels of a categorical feature heading to the left child of this node. NA for non-categorical split.  
 right\_levels A character representing the levels of a categorical feature heading to the right child of this node. NA for non-categorical split.  
 na\_direction A character representing the direction of NA values. LEFT means NA values go to the left child node, RIGH means NA values go to the right child node.

---

H2OTree-class

*The H2OTree class.*


---

### Description

This class represents a model of a Tree built by one of H2O's algorithms (GBM, Random Forest).

### Usage

```
## S4 method for signature 'H2OTree'
show(object)
```

### Arguments

object            an H2OTree object.

### Slots

root\_node A H2ONode representing the beginning of the tree behind the model. Allows further tree traversal.

left\_children An integer vector with left child nodes of tree's nodes

right\_children An integer vector with right child nodes of tree's nodes

node\_ids An integer representing identification number of a node. Node IDs are generated by H2O.

descriptions A character vector with descriptions for each node to be found in the tree. Contains split threshold if the split is based on numerical column. For categorical splits, it contains list of categorical levels for transition from the parent node.

model\_id A character with the name of the model this tree is related to.

tree\_number An integer representing the order in which the tree has been built in the model.

tree\_class A character representing name of tree's class. Number of tree classes equals to the number of levels in categorical response column. As there is exactly one class per categorical level, name of tree's class equals to the corresponding categorical level of response column. In case of regression and binomial, the name of the categorical level is ignored can be omitted, as there is exactly one tree built in both cases.

thresholds A numeric split thresholds. Split thresholds are not only related to numerical splits, but might be present in case of categorical split as well.

features A character with names of the feature/column used for the split.

levels A character representing categorical levels on split from parent's node belonging into this node. NULL for root node or non-categorical splits.

nas A character representing if NA values go to the left node or right node. May be NA if node is a leaf.

predictions A numeric representing predictions for each node in the graph.

---

housevotes

*United States Congressional Voting Records 1984*

---

**Description**

This data set includes votes for each of the U.S. House of Representatives Congressmen on the 16 key votes identified by the CQA. The CQA lists nine different types of votes: voted for, paired for, and announced for (these three simplified to yea), voted against, paired against, and announced against (these three simplified to nay), voted present, voted present to avoid conflict of interest, and did not vote or otherwise make a position known (these three simplified to an unknown disposition).

**Format**

A data frame with 435 rows and 17 columns

**Source**

Congressional Quarterly Almanac, 98th Congress, 2nd session 1984, Volume XL: Congressional Quarterly Inc., Washington, D.C., 1985

**References**

Newman, D.J. & Hettich, S. & Blake, C.L. & Merz, C.J. (1998). UCI Repository of machine learning databases [<http://www.ics.uci.edu/~mlern/MLRepository.html>]. Irvine, CA: University of California, Department of Information and Computer Science.

---

iris

*Edgar Anderson's Iris Data*

---

**Description**

Measurements in centimeters of the sepal length and width and petal length and width, respectively, for three species of iris flowers.

**Format**

A data frame with 150 rows and 5 columns

**Source**

Fisher, R. A. (1936) The use of multiple measurements in taxonomic problems. *Annals of Eugenics*, 7, Part II, 179-188.

The data were collected by Anderson, Edgar (1935). The irises of the Gaspé Peninsula, *Bulletin of the American Iris Society*, 59, 2-5.

---

|              |                           |
|--------------|---------------------------|
| is.character | <i>Check if character</i> |
|--------------|---------------------------|

---

**Description**

Check if character

**Usage**

```
is.character(x)
```

**Arguments**

|   |                    |
|---|--------------------|
| x | An H2OFrame object |
|---|--------------------|

---

|           |                        |
|-----------|------------------------|
| is.factor | <i>Check if factor</i> |
|-----------|------------------------|

---

**Description**

Check if factor

**Usage**

```
is.factor(x)
```

**Arguments**

|   |                    |
|---|--------------------|
| x | An H2OFrame object |
|---|--------------------|

---

|        |                            |
|--------|----------------------------|
| is.h2o | <i>Is H2O Frame object</i> |
|--------|----------------------------|

---

**Description**

Test if object is H2O Frame.

**Usage**

```
is.h2o(x)
```

**Arguments**

|   |              |
|---|--------------|
| x | An R object. |
|---|--------------|



---

|            |                         |
|------------|-------------------------|
| is.numeric | <i>Check if numeric</i> |
|------------|-------------------------|

---

**Description**

Check if numeric

**Usage**

```
is.numeric(x)
```

**Arguments**

|   |                    |
|---|--------------------|
| x | An H2OFrame object |
|---|--------------------|

---

|                        |  |
|------------------------|--|
| length, H2OTree-method | <i>Overrides the behavior of length() function on H2OTree class. Returns number of nodes in an H2OTree</i> |
|------------------------|--|

---

**Description**

Overrides the behavior of length() function on H2OTree class. Returns number of nodes in an H2OTree

**Usage**

```
## S4 method for signature 'H2OTree'
length(x)
```

**Arguments**

|   |                                |
|---|--------------------------------|
| x | An H2OTree to count nodes for. |
|---|--------------------------------|

---

|            |                                 |
|------------|---------------------------------|
| Logical-or | <i>Logical or for H2OFrames</i> |
|------------|---------------------------------|

---

**Description**

Logical or for H2OFrames

**Usage**

```
"||"(x, y)
```

**Arguments**

|   |                    |
|---|--------------------|
| x | An H2OFrame object |
| y | An H2OFrame object |

**Description**

Function accessor methods for various H2O output fields.

**Usage**

```
getParms(object)
```

```
## S4 method for signature 'H2OModel'
```

```
getParms(object)
```

```
getCenters(object)
```

```
getCentersStd(object)
```

```
getWithinSS(object)
```

```
getTotWithinSS(object)
```

```
getBetweenSS(object)
```

```
getTotSS(object)
```

```
getIterations(object)
```

```
getClusterSizes(object)
```

```
## S4 method for signature 'H2OClusteringModel'
```

```
getCenters(object)
```

```
## S4 method for signature 'H2OClusteringModel'
```

```
getCentersStd(object)
```

```
## S4 method for signature 'H2OClusteringModel'
```

```
getWithinSS(object)
```

```
## S4 method for signature 'H2OClusteringModel'
```

```
getTotWithinSS(object)
```

```
## S4 method for signature 'H2OClusteringModel'
```

```
getBetweenSS(object)
```

```
## S4 method for signature 'H2OClusteringModel'
```

```
getTotSS(object)
```

```
## S4 method for signature 'H2OClusteringModel'
```

```
getIterations(object)
```

```
## S4 method for signature 'H2OClusteringModel'
getClusterSizes(object)
```

### Arguments

object            an [H2OModel](#) class object.

---

|                |                                    |
|----------------|------------------------------------|
| names.H2OFrame | <i>Column names of an H2OFrame</i> |
|----------------|------------------------------------|

---

### Description

Column names of an H2OFrame

### Usage

```
## S3 method for class 'H2OFrame'
names(x)
```

### Arguments

x                    An H2OFrame

---

|              |   |
|--------------|---|
| Ops.H2OFrame | <i>S3 Group Generic Functions for H2O</i> |
|--------------|---|

---

### Description

Methods for group generic functions and H2O objects.

### Usage

```
## S3 method for class 'H2OFrame'
Ops(e1, e2)
```

```
## S3 method for class 'H2OFrame'
Math(x, ...)
```

```
## S3 method for class 'H2OFrame'
Math(x, ...)
```

```
## S3 method for class 'H2OFrame'
Math(x, ...)
```

```
## S3 method for class 'H2OFrame'
Summary(x, ..., na.rm)
```

```
## S3 method for class 'H2OFrame'
!x
```

```

## S3 method for class 'H2OFrame'
is.na(x)

## S3 method for class 'H2OFrame'
t(x)

log(x, ...)

log10(x)

log2(x)

log1p(x)

trunc(x, ...)

x %**% y

nrow.H2OFrame(x)

ncol.H2OFrame(x)

## S3 method for class 'H2OFrame'
length(x)

h2o.length(x)

## S3 replacement method for class 'H2OFrame'
names(x) <- value

colnames(x) <- value

```

### Arguments

|       |  |
|-------|--|
| e1    | object   |
| e2    | object   |
| x     | object   |
| ...   | Further arguments passed to or from other methods.       |
| na.rm | logical. whether or not missing values should be removed |
| y     | object   |
| value | To be assigned   |

---

plot.H2OModel

*Plot an H2O Model*


---

### Description

Plots training set (and validation set if available) scoring history for an H2O Model

## Usage

```
## S3 method for class 'H2OModel'  
plot(x, timestep = "AUTO", metric = "AUTO", ...)
```

## Arguments

|          |   |
|----------|---|
| x        | A fitted <a href="#">H2OModel</a> object for which the scoring history plot is desired. |
| timestep | A unit of measurement for the x-axis.   |
| metric   | A unit of measurement for the y-axis.   |
| ...      | additional arguments to pass on.  |

## Details

This method dispatches on the type of H2O model to select the correct scoring history. The `timestep` and `metric` arguments are restricted to what is available in the scoring history for a particular type of model.

## Value

Returns a scoring history plot.

## See Also

[h2o.deeplearning](#), [h2o.gbm](#), [h2o.glm](#), [h2o.randomForest](#) for model generation in h2o.

## Examples

```
if (requireNamespace("mlbench", quietly=TRUE)) {  
  library(h2o)  
  h2o.init()  
  
  df <- as.h2o(mlbench::mlbench.friedman1(10000,1))  
  rng <- h2o.runif(df, seed=1234)  
  train <- df[rng<0.8,]  
  valid <- df[rng>=0.8,]  
  
  gbm <- h2o.gbm(x = 1:10, y = "y", training_frame = train, validation_frame = valid,  
                ntrees=500, learn_rate=0.01, score_each_iteration = TRUE)  
  
  plot(gbm)  
  plot(gbm, timestep = "duration", metric = "deviance")  
  plot(gbm, timestep = "number_of_trees", metric = "deviance")  
  plot(gbm, timestep = "number_of_trees", metric = "rmse")  
  plot(gbm, timestep = "number_of_trees", metric = "mae")  
}
```

---

plot.H2OTabulate      *Plot an H2O Tabulate Heatmap*

---

### Description

Plots the simple co-occurrence based tabulation of X vs Y as a heatmap, where X and Y are two Vecs in a given dataset. This function requires suggested ggplot2 package.

### Usage

```
## S3 method for class 'H2OTabulate'  
plot(x, xlab = x$cols[1], ylab = x$cols[2],  
     base_size = 12, ...)
```

### Arguments

|           |  |
|-----------|--|
| x         | An H2OTabulate object for which the heatmap plot is desired.                           |
| xlab      | A title for the x-axis. Defaults to what is specified in the given H2OTabulate object. |
| ylab      | A title for the y-axis. Defaults to what is specified in the given H2OTabulate object. |
| base_size | Base font size for plot.   |
| ...       | additional arguments to pass on.   |

### Value

Returns a ggplot2-based heatmap of co-occurrence.

### See Also

[h2o.tabulate](#)

### Examples

```
library(h2o)  
h2o.init()  
df <- as.h2o(iris)  
tab <- h2o.tabulate(data = df, x = "Sepal.Length", y = "Petal.Width",  
                   weights_column = NULL, nbins_x = 10, nbins_y = 10)  
plot(tab)
```

---

predict.H2OAutoML      *Predict on an AutoML object*

---

**Description**

Obtains predictions from an AutoML object.

**Usage**

```
## S3 method for class 'H2OAutoML'
predict(object, newdata, ...)
```

**Arguments**

|         |   |
|---------|---|
| object  | a fitted <a href="#">H2OAutoML</a> object for which prediction is desired |
| newdata | An H2OFrame object in which to look for variables with which to predict.  |
| ...     | additional arguments to pass on.  |

**Details**

This method generated predictions on the leader model from an AutoML run. The order of the rows in the results is the same as the order in which the data was loaded, even if some rows fail (for example, due to missing values or unseen factor levels).

**Value**

Returns an H2OFrame object with probabilities and default predictions.

---

predict.H2OModel      *Predict on an H2O Model*

---

**Description**

Obtains predictions from various fitted H2O model objects.

**Usage**

```
## S3 method for class 'H2OModel'
predict(object, newdata, ...)

h2o.predict(object, newdata, ...)
```

**Arguments**

|         |  |
|---------|--|
| object  | a fitted <a href="#">H2OModel</a> object for which prediction is desired |
| newdata | An H2OFrame object in which to look for variables with which to predict. |
| ...     | additional arguments to pass on.   |

**Details**

This method dispatches on the type of H2O model to select the correct prediction/scoring algorithm. The order of the rows in the results is the same as the order in which the data was loaded, even if some rows fail (for example, due to missing values or unseen factor levels).

**Value**

Returns an H2OFrame object with probabilities and default predictions.

**See Also**

[h2o.deeplearning](#), [h2o.gbm](#), [h2o.glm](#), [h2o.randomForest](#) for model generation in h2o.

---

predict\_leaf\_node\_assignment.H2OModel

*Predict the Leaf Node Assignment on an H2O Model*

---

**Description**

Obtains leaf node assignment from fitted H2O model objects.

**Usage**

```
predict_leaf_node_assignment.H2OModel(object, newdata, type = c("Path",
  "Node_ID"), ...)
```

```
h2o.predict_leaf_node_assignment(object, newdata, type = c("Path",
  "Node_ID"), ...)
```

**Arguments**

|         |  |
|---------|--|
| object  | a fitted <a href="#">H2OModel</a> object for which prediction is desired                           |
| newdata | An H2OFrame object in which to look for variables with which to predict.                           |
| type    | choice of either "Path" when tree paths are to be returned (default); or "Node_ID" when the output |
| ...     | additional arguments to pass on.   |

**Details**

For every row in the test set, return the leaf placements of the row in all the trees in the model. Placements can be represented either by paths to the leaf nodes from the tree root or by H2O's internal identifiers. The order of the rows in the results is the same as the order in which the data was loaded

**Value**

Returns an H2OFrame object with categorical leaf assignment identifiers for each tree in the model.

**See Also**

[h2o.gbm](#) and [h2o.randomForest](#) for model generation in h2o.



**Examples**

```

library(h2o)
h2o.init()
prosPath <- system.file("extdata", "prostate.csv", package="h2o")
prostate.hex <- h2o.uploadFile(path = prosPath)
prostate.hex$CAPSULE <- as.factor(prostate.hex$CAPSULE)
prostate.gbm <- h2o.gbm(3:9, "CAPSULE", prostate.hex)
h2o.predict(prostate.gbm, prostate.hex)
h2o.predict_leaf_node_assignment(prostate.gbm, prostate.hex)

```

---

|                |                          |
|----------------|--------------------------|
| print.H2OFrame | <i>Print An H2OFrame</i> |
|----------------|--------------------------|

---

**Description**

Print An H2OFrame

**Usage**

```

## S3 method for class 'H2OFrame'
print(x, n = 6L, ...)

```

**Arguments**

|     |  |
|-----|--|
| x   | An H2OFrame object   |
| n   | An (Optional) A single integer. If positive, number of rows in x to return. If negative, all but the n first/last number of rows in x. Anything bigger than 20 rows will require asking the server (first 20 rows are cached on the client). |
| ... | Further arguments to be passed from or to other methods.   |

---

|                |  |
|----------------|--|
| print.H2OTable | <i>Print method for H2OTable objects</i> |
|----------------|--|

---

**Description**

This will print a truncated view of the table if there are more than 20 rows.

**Usage**

```

## S3 method for class 'H2OTable'
print(x, header = TRUE, ...)

```

**Arguments**

|        |  |
|--------|--|
| x      | An H2OTable object   |
| header | A logical value dictating whether or not the table name should be printed. |
| ...    | Further arguments passed to or from other methods.                         |

**Value**

The original x object

---

|          |                              |
|----------|------------------------------|
| prostate | <i>Prostate Cancer Study</i> |
|----------|------------------------------|

---

**Description**

Baseline exam results on prostate cancer patients from Dr. Donn Young at The Ohio State University Comprehensive Cancer Center.

**Format**

A data frame with 380 rows and 9 columns

**Source**

Hosmer and Lemeshow (2000) Applied Logistic Regression: Second Edition.

---

|                |                               |
|----------------|-------------------------------|
| range.H2OFrame | <i>Range of an H2O Column</i> |
|----------------|-------------------------------|

---

**Description**

Range of an H2O Column

**Usage**

```
## S3 method for class 'H2OFrame'
range(..., na.rm = TRUE)
```

**Arguments**

|       |                       |
|-------|-----------------------|
| ...   | An H2OFrame object.   |
| na.rm | ignore missing values |

---

`staged_predict_proba.H2OModel`*Predict class probabilities at each stage of an H2O Model*

---

## Description

The output structure is analogous to the output of `h2o.predict_leaf_node_assignment`. For each tree  $t$  and class  $c$  there will be a column  $Tt.Cc$  (eg.  $T3.C1$  for tree 3 and class 1). The value will be the corresponding predicted probability of this class by combining the raw contributions of trees  $T1.Cc, \dots, Tt.Cc$ . Binomial models build the trees just for the first class and values in columns  $Tx.C1$  thus correspond to the the probability  $p_0$ .

## Usage

```
staged_predict_proba.H2OModel(object, newdata, ...)
```

```
h2o.staged_predict_proba(object, newdata, ...)
```

## Arguments

|                      |   |
|----------------------|---|
| <code>object</code>  | a fitted <a href="#">H2OModel</a> object for which prediction is desired              |
| <code>newdata</code> | An <code>H2OFrame</code> object in which to look for variables with which to predict. |
| <code>...</code>     | additional arguments to pass on.  |

## Value

Returns an `H2OFrame` object with predicted probability for each tree in the model.

## See Also

[h2o.gbm](#) and [h2o.randomForest](#) for model generation in h2o.

## Examples

```
library(h2o)
h2o.init()
prosPath <- system.file("extdata", "prostate.csv", package="h2o")
prostate.hex <- h2o.uploadFile(path = prosPath)
prostate.hex$CAPSULE <- as.factor(prostate.hex$CAPSULE)
prostate.gbm <- h2o.gbm(3:9, "CAPSULE", prostate.hex)
h2o.predict(prostate.gbm, prostate.hex)
h2o.staged_predict_proba(prostate.gbm, prostate.hex)
```

---

|              |  |
|--------------|--|
| str.H2OFrame | <i>Display the structure of an H2OFrame object</i> |
|--------------|--|

---

**Description**

Display the structure of an H2OFrame object

**Usage**

```
## S3 method for class 'H2OFrame'
str(object, ..., cols = FALSE)
```

**Arguments**

|        |  |
|--------|--|
| object | An H2OFrame.   |
| ...    | Further arguments to be passed from or to other methods. |
| cols   | Print the per-column str for the H2OFrame                |

---

|                              |   |
|------------------------------|---|
| summary,H2OCoxPHModel-method | <i>Summary method for H2OCoxPHModel objects</i> |
|------------------------------|---|

---

**Description**

Summary method for H2OCoxPHModel objects

**Usage**

```
## S4 method for signature 'H2OCoxPHModel'
summary(object, conf.int = 0.95, scale = 1)
```

**Arguments**

|          |   |
|----------|---|
| object   | an H2OCoxPHModel object.                    |
| conf.int | a specification of the confidence interval. |
| scale    | a scale.                                    |

---

summary,H2OGrid-method

*Format grid object in user-friendly way*

---

### Description

Format grid object in user-friendly way

### Usage

```
## S4 method for signature 'H2OGrid'  
summary(object, show_stack_traces = FALSE)
```

### Arguments

object            an H2OGrid object.  
show\_stack\_traces            a flag to show stack traces for model failures

---

summary,H2OModel-method

*Print the Model Summary*

---

### Description

Print the Model Summary

### Usage

```
## S4 method for signature 'H2OModel'  
summary(object, ...)
```

### Arguments

object            An [H2OModel](#) object.  
...                further arguments to be passed on (currently unimplemented)

---

|             |                             |
|-------------|-----------------------------|
| use.package | <i>Use optional package</i> |
|-------------|-----------------------------|

---

### Description

Testing availability of optional package, its version, and extra global default. This function is used internally. It is exported and documented because user can control behavior of the function by global option.

### Usage

```
use.package(package, version = "1.9.8"[package == "data.table"],
  use = getOption("h2o.use.data.table", FALSE)[package == "data.table"])
```

### Arguments

|         |   |
|---------|---|
| package | character scalar name of a package that we Suggests or Enhances on. |
| version | character scalar required version of a package.                     |
| use     | logical scalar, extra escape option, to be used as global option.   |

### Details

We use this function to control csv read/write with optional [data.table](#) package. Currently data.table is disabled by default, to enable it set `options("h2o.use.data.table"=TRUE)`. It is possible to control just `fread` or `fwrite` with `options("h2o.fread"=FALSE, "h2o.fwrite"=FALSE)`. `h2o.fread` and `h2o.fwrite` options are not handled in this function but next to `fread` and `fwrite` calls.

### See Also

[as.h2o.data.frame](#), [as.data.frame.H2OFrame](#)

### Examples

```
op <- options("h2o.use.data.table" = TRUE)
if (use.package("data.table")) {
  cat("optional package data.table 1.9.8+ is available\n")
} else {
  cat("optional package data.table 1.9.8+ is not available\n")
}
options(op)
```

---

|         |  |
|---------|--|
| walking | <i>Muscular Actuations for Walking Subject</i> |
|---------|--|

---

**Description**

The musculoskeletal model, experimental data, settings files, and results for three-dimensional, muscle-actuated simulations at walking speed as described in Hamner and Delp (2013). Simulations were generated using OpenSim 2.4. The data is available from [https://simtk.org/project/xml/downloads.xml?group\\_id=603](https://simtk.org/project/xml/downloads.xml?group_id=603).

**Format**

A data frame with 151 rows and 124 columns

**References**

Hamner, S.R., Delp, S.L. Muscle contributions to fore-aft and vertical body mass center accelerations over a range of running speeds. *Journal of Biomechanics*, vol 46, pp 780-787. (2013)

---

|     |  |
|-----|--|
| zzz | <i>Shutdown H2O cloud after examples run</i> |
|-----|--|

---

**Description**

Shutdown H2O cloud after examples run

**Examples**

```
library(h2o)
h2o.init()
h2o.shutdown(prompt = FALSE)
Sys.sleep(3)
```

---

|    |                                  |
|----|----------------------------------|
| && | <i>Logical and for H2OFrames</i> |
|----|----------------------------------|

---

**Description**

Logical and for H2OFrames

**Usage**

```
"&&"(x, y)
```

**Arguments**

|   |                    |
|---|--------------------|
| x | An H2OFrame object |
| y | An H2OFrame object |

# Index

- !.H2OFrame (Ops.H2OFrame), 235
- \*Topic **datasets**
  - .h2o.\_\_ALL\_CAPABILITIES, 14
  - .h2o.\_\_CREATE\_FRAME, 15
  - .h2o.\_\_DECRYPTION\_SETUP, 15
  - .h2o.\_\_DKV, 16
  - .h2o.\_\_FRAMES, 16
  - .h2o.\_\_IMPORT, 17
  - .h2o.\_\_JOBS, 17
  - .h2o.\_\_LOGANDECHO, 17
  - .h2o.\_\_MODELS, 18
  - .h2o.\_\_PARSE\_SETUP, 19
  - .h2o.\_\_RAPIDS, 19
  - .h2o.\_\_REST\_API\_VERSION, 19
  - .h2o.\_\_W2V\_SYNONYMS, 20
  - .h2o.primitives, 14
  - .pkg.env, 20
  - australia, 27
  - housevotes, 231
  - iris, 231
  - prostate, 242
  - walking, 247
- \*Topic **package**
  - h2o-package, 8
  - .addParm, 9
  - .collapse, 9
  - .h2o.\_\_ALL\_CAPABILITIES, 14
  - .h2o.\_\_CREATE\_FRAME, 15
  - .h2o.\_\_DECRYPTION\_SETUP, 15
  - .h2o.\_\_DKV, 16
  - .h2o.\_\_EXPORT\_FILES, 16
  - .h2o.\_\_FRAMES, 16
  - .h2o.\_\_IMPORT, 17
  - .h2o.\_\_JOBS, 17
  - .h2o.\_\_LOGANDECHO, 17
  - .h2o.\_\_MODELS, 18
  - .h2o.\_\_MODEL\_BUILDERS, 18
  - .h2o.\_\_MODEL\_METRICS, 18
  - .h2o.\_\_PARSE\_SETUP, 19
  - .h2o.\_\_RAPIDS, 19
  - .h2o.\_\_REST\_API\_VERSION, 19
  - .h2o.\_\_W2V\_SYNONYMS, 20
  - .h2o.\_\_checkConnectionHealth, 15
  - .h2o.doGET, 10
  - .h2o.doPOST, 10
  - .h2o.doRawGET, 11
  - .h2o.doRawPOST, 11
  - .h2o.doSafeGET, 12
  - .h2o.doSafePOST, 13
  - .h2o.is\_progress, 13
  - .h2o.locate, 14
  - .h2o.primitives, 14
  - .pkg.env, 20
  - .skip\_if\_not\_developer, 20
  - .verify\_dataxy, 21
  - [,H2OFrame-method (H2OFrame-Extract), 225
  - [.H2OFrame (H2OFrame-Extract), 225
  - [<-.H2OFrame (H2OFrame-Extract), 225
  - [ [.H2OFrame (H2OFrame-Extract), 225
  - [ [<-.H2OFrame (H2OFrame-Extract), 225
  - \$.H2OFrame (H2OFrame-Extract), 225
  - \$<-.H2OFrame (H2OFrame-Extract), 225
  - %\*% (Ops.H2OFrame), 235
  - %in% (h2o.match), 137
  - &&, 247
  - aaa, 21
  - abs, 29
  - acos, 30
  - all, 33, 35
  - apply, 21, 22
  - as.character, 36
  - as.character.H2OFrame, 22
  - as.data.frame.H2OFrame, 23, 246
  - as.factor, 23, 24, 36
  - as.h2o, 24
  - as.h2o.data.frame, 246
  - as.matrix.H2OFrame, 25
  - as.numeric, 26, 37
  - as.vector.H2OFrame, 26
  - australia, 27
  - cbind, 43
  - ceiling, 44
  - coef.H2OCoxPHModel  
(H2OCoxPHModel-class), 224



- coef.H2OCoxPHModelSummary  
(H2OCoxPHModelSummary-class),  
224
- colMeans, 139
- colnames, 27, 49
- colnames<- (Ops.H2OFrame), 235
- cor (h2o.cor), 53
- cos, 54
- cosh, 54
- cummax, 59
- cummin, 60
- cumprod, 60
- cumsum, 61
- cut.H2OFrame (h2o.cut), 61
- data.table, 246
- day (h2o.day), 62
- dayOfWeek (h2o.dayOfWeek), 63
- ddply, 64
- dim, 28, 79
- dim.H2OFrame, 28
- dimnames, 79
- dimnames.H2OFrame, 28
- exp, 84
- extractAIC.H2OCoxPHModel  
(H2OCoxPHModel-class), 224
- floor, 88
- fread, 23, 246
- fwrite, 24, 246
- generate\_col\_ind, 29
- getBetweenSS (ModelAccessors), 234
- getBetweenSS, H2OClusteringModel-method  
(ModelAccessors), 234
- getCenters (ModelAccessors), 234
- getCenters, H2OClusteringModel-method  
(ModelAccessors), 234
- getCentersStd (ModelAccessors), 234
- getCentersStd, H2OClusteringModel-method  
(ModelAccessors), 234
- getClusterSizes (ModelAccessors), 234
- getClusterSizes, H2OClusteringModel-method  
(ModelAccessors), 234
- getIterations (ModelAccessors), 234
- getIterations, H2OClusteringModel-method  
(ModelAccessors), 234
- getParms (ModelAccessors), 234
- getParms, H2OModel-method  
(ModelAccessors), 234
- getTotSS (ModelAccessors), 234
- getTotSS, H2OClusteringModel-method  
(ModelAccessors), 234
- getTotWithinSS (ModelAccessors), 234
- getTotWithinSS, H2OClusteringModel-method  
(ModelAccessors), 234
- getWithinSS (ModelAccessors), 234
- getWithinSS, H2OClusteringModel-method  
(ModelAccessors), 234
- h2o (h2o-package), 8
- h2o-package, 8
- h2o.abs, 29
- h2o.accuracy (h2o.metric), 142
- h2o.acos, 30
- h2o.aggregated\_frame, 31
- h2o.aggregator, 31
- h2o.aic, 32
- h2o.all, 33
- h2o.anomaly, 34
- h2o.any, 34
- h2o.anyFactor, 35
- h2o.arrange, 35
- h2o.as\_date, 38
- h2o.ascharacter, 36
- h2o.asfactor, 36
- h2o.asnumeric, 37
- h2o.assign, 37, 179
- h2o.auc, 38, 99, 103, 143, 147, 179
- h2o.automl, 39
- h2o.betweenSS, 42, 128
- h2o.biases, 42
- h2o.bottomN, 43
- h2o.cbind, 43
- h2o.ceiling, 44
- h2o.centers, 44, 128
- h2o.centersSTD, 45, 128
- h2o.centroid\_stats, 45
- h2o.clearLog, 46, 156, 193, 194
- h2o.cluster\_sizes, 48, 128
- h2o.clusterInfo, 46
- h2o.clusterIsUp, 47
- h2o.clusterStatus, 47
- h2o.coef, 48
- h2o.coef\_norm, 49
- h2o.colnames, 49
- h2o.columns\_by\_type, 50
- h2o.computeGram, 50
- h2o.confusionMatrix, 51, 103
- h2o.confusionMatrix, H2OModel-method  
(h2o.confusionMatrix), 51
- h2o.confusionMatrix, H2OModelMetrics-method  
(h2o.confusionMatrix), 51
- h2o.connect, 52
- h2o.cor, 53
- h2o.cos, 54

- h2o.cosh, [54](#)
- h2o.coxph, [55](#)
- h2o.createFrame, [56](#)
- h2o.cross\_validation\_fold\_assignment, [57](#)
- h2o.cross\_validation\_holdout\_predictions, [58](#)
- h2o.cross\_validation\_models, [58](#)
- h2o.cross\_validation\_predictions, [59](#)
- h2o.cummax, [59](#)
- h2o.cummin, [60](#)
- h2o.cumprod, [60](#)
- h2o.cumsum, [61](#)
- h2o.cut, [61](#)
- h2o.day, [62](#), [63](#), [112](#)
- h2o.dayOfWeek, [63](#)
- h2o.dct, [63](#)
- h2o.ddply, [64](#)
- h2o.decryptionSetup, [65](#), [114](#), [157](#), [158](#)
- h2o.deepfeatures, [66](#)
- h2o.deeplearning, [34](#), [66](#), [67](#), [237](#), [240](#)
- h2o.deepwater, [66](#), [73](#)
- h2o.deepwater.available, [77](#)
- h2o.describe, [78](#)
- h2o.diffflag1, [78](#)
- h2o.dim, [79](#)
- h2o.dimnames, [79](#)
- h2o.distance, [80](#)
- h2o.download\_mojo, [81](#)
- h2o.download\_pojo, [82](#)
- h2o.downloadAllLogs, [80](#)
- h2o.downloadCSV, [81](#)
- h2o.entropy, [83](#)
- h2o.error (h2o.metric), [142](#)
- h2o.exp, [84](#)
- h2o.exportFile, [84](#)
- h2o.exportHDFS, [85](#)
- h2o.F0point5 (h2o.metric), [142](#)
- h2o.F1 (h2o.metric), [142](#)
- h2o.F2 (h2o.metric), [142](#)
- h2o.fallout (h2o.metric), [142](#)
- h2o.fillna, [85](#)
- h2o.filterNACols, [86](#)
- h2o.find\_row\_by\_threshold, [87](#)
- h2o.find\_threshold\_by\_max\_metric, [87](#)
- h2o.findSynonyms, [86](#)
- h2o.floor, [88](#)
- h2o.flow, [88](#)
- h2o.fnr (h2o.metric), [142](#)
- h2o.fpr (h2o.metric), [142](#)
- h2o.gainsLift, [88](#)
- h2o.gainsLift, H2OModel-method (h2o.gainsLift), [88](#)
- h2o.gainsLift, H2OModelMetrics-method (h2o.gainsLift), [88](#)
- h2o.gbm, [89](#), [237](#), [240](#), [243](#)
- h2o.getAutoML, [94](#)
- h2o.getConnection, [94](#)
- h2o.getFrame, [95](#)
- h2o.getFutureModel, [95](#)
- h2o.getGLMFullRegularizationPath, [95](#)
- h2o.getGrid, [96](#)
- h2o.getId, [96](#)
- h2o.getModel, [97](#)
- h2o.getModelTree, [97](#)
- h2o.getTimezone, [98](#)
- h2o.getTypes, [98](#)
- h2o.getVersion, [99](#)
- h2o.giniCoef, [38](#), [99](#), [99](#), [103](#), [143](#), [166](#)
- h2o.glm, [8](#), [100](#), [237](#), [240](#)
- h2o.glm, [104](#), [163](#), [165](#), [175](#)
- h2o.grep, [106](#)
- h2o.grid, [107](#)
- h2o.group\_by, [108](#)
- h2o.gsub, [109](#)
- h2o.head, [110](#)
- h2o.hist, [111](#)
- h2o.hit\_ratio\_table, [111](#)
- h2o.hour, [112](#)
- h2o.ifelse, [112](#)
- h2o.import\_sql\_select, [114](#), [115](#)
- h2o.import\_sql\_table, [114](#), [116](#)
- h2o.importFile, [65](#), [113](#), [157](#)
- h2o.importFolder (h2o.importFile), [113](#)
- h2o.importHDFS (h2o.importFile), [113](#)
- h2o.impute, [116](#)
- h2o.init, [47](#), [117](#), [188](#)
- h2o.insertMissingValues, [120](#)
- h2o.interaction, [121](#)
- h2o.is\_client, [125](#)
- h2o.isax, [122](#)
- h2o.ischaracter, [123](#)
- h2o.isfactor, [123](#)
- h2o.isnumeric, [124](#)
- h2o.isolationForest, [124](#)
- h2o.kfold\_column, [126](#)
- h2o.killMinus3, [126](#)
- h2o.kmeans, [106](#), [126](#)
- h2o.kurtosis, [128](#)
- h2o.length (Ops.H2OFrame), [235](#)
- h2o.levels, [129](#)
- h2o.list\_all\_extensions, [130](#)
- h2o.list\_api\_extensions, [130](#)
- h2o.list\_core\_extensions, [130](#)

- h2o.listTimezones, 130
- h2o.loadModel, 131, 183
- h2o.log, 131
- h2o.log10, 132
- h2o.log1p, 132
- h2o.log2, 133
- h2o.logAndEcho, 133
- h2o.logloss, 103, 134
- h2o.ls, 134, 179
- h2o.lstrip, 135
- h2o.mae, 135
- h2o.make\_metrics, 136
- h2o.makeGLMModel, 136
- h2o.match, 137
- h2o.max, 138
- h2o.maxPerClassError (h2o.metric), 142
- h2o.mcc (h2o.metric), 142
- h2o.mean, 138
- h2o.mean\_per\_class\_accuracy (h2o.metric), 142
- h2o.mean\_per\_class\_error, 139
- h2o.mean\_residual\_deviance, 140
- h2o.median, 141
- h2o.merge, 141
- h2o.metric, 38, 99, 139, 142, 147, 166, 179
- h2o.min, 144
- h2o.missrate (h2o.metric), 142
- h2o.mktime, 144
- h2o.mojo\_predict\_csv, 145
- h2o.mojo\_predict\_df, 145
- h2o.month, 62, 63, 146, 213, 221
- h2o.mse, 38, 103, 139, 143, 147, 147, 166, 179
- h2o.na\_omit, 151
- h2o.nacnt, 148
- h2o.naiveBayes, 148
- h2o.names, 151
- h2o.nchar, 152
- h2o.ncol, 152
- h2o.networkTest, 153
- h2o.nlevels, 153
- h2o.no\_progress, 153
- h2o.nrow, 154
- h2o.null\_deviance, 154
- h2o.null\_dof, 155
- h2o.num\_iterations, 128, 155
- h2o.num\_valid\_substrings, 156
- h2o.openLog, 46, 156, 193, 194
- h2o.parseRaw, 114, 157, 158
- h2o.parseSetup, 65, 157, 158
- h2o.partialPlot, 159
- h2o.performance, 38, 52, 89, 99, 103, 139, 143, 147, 160, 166, 179
- h2o.pivot, 161
- h2o.pr\_auc, 166
- h2o.prcomp, 106, 162
- h2o.precision (h2o.metric), 142
- h2o.predict (predict.H2OModel), 239
- h2o.predict\_json, 163
- h2o.predict\_leaf\_node\_assignment, 243
- h2o.predict\_leaf\_node\_assignment (predict\_leaf\_node\_assignment.H2OModel), 240
- h2o.print, 164
- h2o.prod, 165
- h2o.proj\_archetypes, 165
- h2o.quantile, 167
- h2o.r2, 168
- h2o.randomForest, 168, 237, 240, 243
- h2o.range, 172
- h2o.rank\_within\_group\_by, 172
- h2o.rbind, 174
- h2o.recall (h2o.metric), 142
- h2o.reconstruct, 175
- h2o.relevel, 176
- h2o.removeAll, 176
- h2o.removeVecs, 177
- h2o.rep\_len, 177
- h2o.residual\_deviance, 178
- h2o.residual\_dof, 178
- h2o.rm, 177, 179
- h2o.rmse, 179
- h2o.rmsle, 180
- h2o.round, 181
- h2o.rstrip, 181
- h2o.runif, 182
- h2o.saveModel, 131, 182, 184
- h2o.saveModelDetails, 183
- h2o.saveMojo, 184
- h2o.scale, 185
- h2o.scoreHistory, 103, 185
- h2o.sd, 186, 212
- h2o.sdev, 186
- h2o.sensitivity (h2o.metric), 142
- h2o.setLevels, 187
- h2o.setTimezone, 187
- h2o.show\_progress, 188
- h2o.shutdown, 120, 188
- h2o.signif, 189
- h2o.sin, 189
- h2o.skewness, 190
- h2o.specificity (h2o.metric), 142
- h2o.splitFrame, 190
- h2o.sqrt, 191
- h2o.stackedEnsemble, 192

- h2o.staged\_predict\_proba  
(staged\_predict\_proba.H2OModel),  
243
- h2o.startLogging, 46, 156, 193, 194
- h2o.std\_coef\_plot, 194, 212
- h2o.stopLogging, 46, 156, 193, 194
- h2o.str, 195
- h2o.stringdist, 195
- h2o.strsplit, 196
- h2o.sub, 196
- h2o.substr (h2o.substring), 197
- h2o.substring, 197
- h2o.sum, 198
- h2o.summary, 198
- h2o.svd, 106, 163, 199
- h2o.table, 201
- h2o.tabulate, 201, 238
- h2o.tail (h2o.head), 110
- h2o.tan, 202
- h2o.tanh, 203
- h2o.target\_encode\_apply, 203, 205
- h2o.target\_encode\_create, 203, 204, 204
- h2o.tnr (h2o.metric), 142
- h2o.toFrame, 205
- h2o.tokenize, 206
- h2o.tolower, 207
- h2o.topN, 207
- h2o.tot\_withinss, 128, 208
- h2o.totss, 128, 208
- h2o.toupper, 209
- h2o.tpr (h2o.metric), 142
- h2o.transform, 209
- h2o.trim, 210
- h2o.trunc, 210
- h2o.unique, 211
- h2o.uploadFile (h2o.importFile), 113
- h2o.var, 186, 211
- h2o.varimp, 103, 212
- h2o.varimp\_plot, 194, 212
- h2o.week, 213
- h2o.weights, 214
- h2o.which, 214
- h2o.which\_max, 215
- h2o.which\_min, 215
- h2o.withinss, 128, 216
- h2o.word2vec, 216
- h2o.xgboost, 217
- h2o.xgboost.available, 221
- h2o.year, 146, 221
- H2OAnomalyDetectionMetrics-class  
(H2OModelMetrics-class), 228
- H2OAnomalyDetectionModel-class  
(H2OModel-class), 227
- H2OAutoEncoderMetrics-class  
(H2OModelMetrics-class), 228
- H2OAutoEncoderModel, 34
- H2OAutoEncoderModel-class  
(H2OModel-class), 227
- H2OAutoML, 41, 94, 239
- H2OAutoML-class, 221
- H2OBinomialMetrics, 38, 51, 52, 89, 99, 134,  
139, 143, 147, 166, 179
- H2OBinomialMetrics-class  
(H2OModelMetrics-class), 228
- H2OBinomialModel, 103, 150
- H2OBinomialModel-class  
(H2OModel-class), 227
- H2OClusteringMetrics-class  
(H2OModelMetrics-class), 228
- H2OClusteringModel, 31, 42, 44, 45, 48, 128,  
155, 208, 216
- H2OClusteringModel-class, 222
- H2OConnection, 47, 94
- H2OConnection (H2OConnection-class), 222
- H2OConnection-class, 222
- H2OConnectionMutableState, 223
- H2OCoxPHMetrics-class  
(H2OModelMetrics-class), 228
- H2OCoxPHModel (H2OCoxPHModel-class), 224
- H2OCoxPHModel-class, 224
- H2OCoxPHModelSummary  
(H2OCoxPHModelSummary-class),  
224
- H2OCoxPHModelSummary-class, 224
- H2ODimReductionMetrics-class  
(H2OModelMetrics-class), 228
- H2ODimReductionModel, 106, 163, 165, 175,  
186, 200
- H2ODimReductionModel-class  
(H2OModel-class), 227
- H2OFrame-class, 225
- H2OFrame-Extract, 225
- H2OGrid (H2OGrid-class), 226
- H2OGrid-class, 226
- H2OLeafNode-class, 227
- H2OModel, 33, 42, 48, 49, 51, 52, 57–59, 66,  
85, 89, 95, 97, 103, 111, 131, 135,  
136, 140, 154, 155, 159, 160, 168,  
172, 178, 180, 182–185, 212, 214,  
227, 228, 235, 237, 239, 240, 243,  
245
- H2OModel (H2OModel-class), 227
- H2OModel-class, 227
- H2OModelFuture-class, 228

- H2OModelMetrics, [33](#), [42](#), [51](#), [52](#), [89](#), [134](#), [137](#), [143](#), [147](#), [154](#), [155](#), [161](#), [178](#), [179](#), [214](#)
- H2OModelMetrics
  - (H2OModelMetrics-class), [228](#)
- H2OModelMetrics-class, [228](#)
- H2OMultinomialMetrics, [51](#), [134](#), [147](#), [179](#)
- H2OMultinomialMetrics-class
  - (H2OModelMetrics-class), [228](#)
- H2OMultinomialModel, [150](#)
- H2OMultinomialModel-class
  - (H2OModel-class), [227](#)
- H2ONode-class, [229](#)
- H2OOrdinalMetrics-class
  - (H2OModelMetrics-class), [228](#)
- H2OOrdinalModel-class (H2OModel-class), [227](#)
- H2ORegressionMetrics, [147](#), [179](#)
- H2ORegressionMetrics-class
  - (H2OModelMetrics-class), [228](#)
- H2ORegressionModel, [103](#)
- H2ORegressionModel-class
  - (H2OModel-class), [227](#)
- H2OSplitNode (H2OSplitNode-class), [229](#)
- H2OSplitNode-class, [229](#)
- H2OTree (H2OTree-class), [230](#)
- H2OTree-class, [230](#)
- H2OUnknownMetrics-class
  - (H2OModelMetrics-class), [228](#)
- H2OUnknownModel-class (H2OModel-class), [227](#)
- H2OWordEmbeddingMetrics-class
  - (H2OModelMetrics-class), [228](#)
- H2OWordEmbeddingModel-class
  - (H2OModel-class), [227](#)
- head.H2OFrame (h2o.head), [110](#)
- hour (h2o.hour), [112](#)
- housevotes, [231](#)
  
- ifelse (h2o.ifelse), [112](#)
- iris, [231](#)
- is.character, [123](#), [232](#)
- is.factor, [123](#), [232](#)
- is.h2o, [232](#)
- is.na.H2OFrame (Ops.H2OFrame), [235](#)
- is.numeric, [124](#), [233](#)
  
- kurtosis.H2OFrame (h2o.kurtosis), [128](#)
  
- length, H2OTree-method, [233](#)
- length.H2OFrame (Ops.H2OFrame), [235](#)
- levels, [129](#)
- log, [132](#)
- log (Ops.H2OFrame), [235](#)
- log10, [132](#)
- log10 (Ops.H2OFrame), [235](#)
- log1p, [132](#)
- log1p (Ops.H2OFrame), [235](#)
- log2, [133](#)
- log2 (Ops.H2OFrame), [235](#)
- Logical-or, [233](#)
- logLik.H2OCoxPHModel
  - (H2OCoxPHModel-class), [224](#)
  
- match, [137](#)
- match.H2OFrame (h2o.match), [137](#)
- Math.H2OFrame (Ops.H2OFrame), [235](#)
- max, [138](#)
- mean, [139](#)
- mean.H2OFrame (h2o.mean), [138](#)
- median.H2OFrame (h2o.median), [141](#)
- min, [144](#)
- ModelAccessors, [234](#)
- month (h2o.month), [146](#)
  
- names, [151](#)
- names.H2OFrame, [235](#)
- names<- .H2OFrame (Ops.H2OFrame), [235](#)
- ncol, [152](#)
- ncol.H2OFrame (Ops.H2OFrame), [235](#)
- nlevels, [153](#)
- nrow, [154](#)
- nrow.H2OFrame (Ops.H2OFrame), [235](#)
  
- Ops.H2OFrame, [235](#)
  
- plot.H2OModel, [236](#)
- plot.H2OTabulate, [238](#)
- predict, [52](#), [89](#)
- predict.H2OAutoML, [239](#)
- predict.H2OModel, [73](#), [93](#), [103](#), [172](#), [239](#)
- predict\_leaf\_node\_assignment.H2OModel, [240](#)
- print.H2OFrame, [241](#)
- print.H2OTable, [241](#)
- prod, [165](#)
- prostate, [242](#)
  
- quantile, [167](#)
- quantile.H2OFrame (h2o.quantile), [167](#)
  
- range, [172](#)
- range.H2OFrame, [242](#)
- rbind, [174](#)
- round, [181](#)
- round (h2o.round), [181](#)
- rowMeans, [139](#)

- scale.H2OFrame (h2o.scale), 185
- sd, 186
- sd (h2o.sd), 186
- show,H2OAutoEncoderMetrics-method  
(H2OModelMetrics-class), 228
- show,H2OBinomialMetrics-method  
(H2OModelMetrics-class), 228
- show,H2OClusteringMetrics-method  
(H2OModelMetrics-class), 228
- show,H2OConnection-method  
(H2OConnection-class), 222
- show,H2OCoxPHModel-method  
(H2OCoxPHModel-class), 224
- show,H2OCoxPHModelSummary-method  
(H2OCoxPHModelSummary-class),  
224
- show,H2ODimReductionMetrics-method  
(H2OModelMetrics-class), 228
- show,H2OGrid-method (H2OGrid-class), 226
- show,H2OModel-method (H2OModel-class),  
227
- show,H2OModelMetrics-method  
(H2OModelMetrics-class), 228
- show,H2OMultinomialMetrics-method  
(H2OModelMetrics-class), 228
- show,H2ONode-method (H2ONode-class), 229
- show,H2OOrdinalMetrics-method  
(H2OModelMetrics-class), 228
- show,H2ORegressionMetrics-method  
(H2OModelMetrics-class), 228
- show,H2OTree-method (H2OTree-class), 230
- signif, 189
- signif (h2o.signif), 189
- sin, 189
- skewness.H2OFrame (h2o.skewness), 190
- sqrt, 191
- staged\_predict\_proba.H2OModel, 243
- str.H2OFrame, 244
- sum, 198
- summary, 198
- summary,H2OCoxPHModel-method, 244
- summary,H2OGrid-method, 245
- summary,H2OModel-method, 245
- Summary.H2OFrame (Ops.H2OFrame), 235
- summary.H2OFrame (h2o.summary), 198
- survfit.H2OCoxPHModel  
(H2OCoxPHModel-class), 224
  
- t.H2OFrame (Ops.H2OFrame), 235
- table.H2OFrame (h2o.table), 201
- tail.H2OFrame (h2o.head), 110
- tan, 202
- tanh, 203
  
- trunc, 211
- trunc (Ops.H2OFrame), 235
  
- use.package, 23, 25, 246
  
- var, 212
- var (h2o.var), 211
- vcov.H2OCoxPHModel  
(H2OCoxPHModel-class), 224
  
- walking, 247
- week (h2o.week), 213
- which, 214
- which.max, 215
- which.max.H2OFrame (h2o.which\_max), 215
- which.min, 216
- which.min.H2OFrame (h2o.which\_max), 215
  
- year (h2o.year), 221
  
- zzz, 247